



BARGE: GM 1017

INNAGE TRIM TABLE
"HERMETIC"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-3/8	02-3/8	- 02-7/8	02-7/8	- 03-1/2	03-1/2
3 STBD	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-3/8	02-3/8	- 02-7/8	02-7/8	- 03-1/2	03-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 3 PORT IS 01-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 3 PORT, THE TRIM CORRECTED INNAGE IS 4'-01 1/8'

LENGTH BETWEEN DRAFT MARKS: 235'-00"

July 8, 2016



BARGE: GM 1017
JEFFBOAT 15-2111

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK REFERENCE GAUGE HEIGHT: 16'-00 1/4"

Table with columns for depth (0 to 15 FT) and fractional increments (1/4, 1/2, 3/4) for each integer depth. Each cell contains capacity values in barrels.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/29/2016 BY: JM
DATE COMPUTED: 07/08/2016 BY: CL
DATE ISSUED: 07/08/2016





BARGE: GM 1017

JEFFBOAT 15-2111

1 STBD

INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	8.20	0	266.33	0	579.80	0	906.97	0	1,234.40	0	1,561.57	0	1,889.02	0	2,216.48	0	2,543.94	0	2,871.39	0	3,198.85	0	3,526.30	0	3,853.31	0	4,169.03	0	4,468.93	0	
1/4	11.02	1/4	272.65	1/4	586.62	1/4	913.79	1/4	1,241.22	1/4	1,568.39	1/4	1,895.85	1/4	2,223.30	1/4	2,550.76	1/4	2,878.21	1/4	3,205.67	1/4	3,533.13	1/4	3,860.04	1/4	4,175.43	1/4	4,475.00	1/4	
1/2	13.84	1/2	278.96	1/2	593.43	1/2	920.61	1/2	1,248.04	1/2	1,575.21	1/2	1,902.67	1/2	2,230.12	1/2	2,557.58	1/2	2,885.04	1/2	3,212.49	1/2	3,539.95	1/2	3,866.77	1/2	4,181.83	1/2	4,481.06	1/2	
3/4	16.67	3/4	285.28	3/4	600.25	3/4	927.43	3/4	1,254.87	3/4	1,582.03	3/4	1,909.49	3/4	2,236.95	3/4	2,564.40	3/4	2,891.86	3/4	3,219.31	3/4	3,546.77	3/4	3,873.50	3/4	4,188.23	3/4	4,487.13	3/4	
1	19.49	1	291.59	1	607.06	1	934.25	1	1,261.69	1	1,588.86	1	1,916.31	1	2,243.77	1	2,571.22	1	2,898.68	1	3,226.14	1	3,553.59	1	3,880.23	1	4,194.63	1	4,493.20	1	
1/4	24.09	1/4	297.96	1/4	613.88	1/4	941.07	1/4	1,268.51	1/4	1,595.68	1/4	1,923.13	1/4	2,250.59	1/4	2,578.05	1/4	2,905.50	1/4	3,232.96	1/4	3,560.41	1/4	3,886.93	1/4	4,201.00	1/4	4,499.24	1/4	
1/2	28.69	1/2	304.33	1/2	620.69	1/2	947.90	1/2	1,275.33	1/2	1,602.50	1/2	1,929.96	1/2	2,257.41	1/2	2,584.87	1/2	2,912.32	1/2	3,239.78	1/2	3,567.24	1/2	3,893.64	1/2	4,207.37	1/2	4,505.28	1/2	
3/4	33.29	3/4	310.70	3/4	627.51	3/4	954.72	3/4	1,282.15	3/4	1,609.32	3/4	1,936.78	3/4	2,264.23	3/4	2,591.69	3/4	2,919.15	3/4	3,246.60	3/4	3,574.06	3/4	3,900.34	3/4	4,213.74	3/4	4,511.32	3/4	
2	37.90	2	317.08	2	634.33	2	961.54	2	1,288.97	2	1,616.14	2	1,943.60	2	2,271.06	2	2,598.51	2	2,925.97	2	3,253.42	2	3,580.88	2	3,907.04	2	4,220.12	2	4,517.37	2	
1/4	42.59	1/4	323.52	1/4	641.14	1/4	968.36	1/4	1,295.79	1/4	1,622.97	1/4	1,950.42	1/4	2,277.88	1/4	2,605.33	1/4	2,932.79	1/4	3,260.25	1/4	3,587.70	1/4	3,913.72	1/4	4,226.46	1/4	4,524.19	1/4	
1/2	47.28	1/2	329.97	1/2	647.96	1/2	975.18	1/2	1,302.62	1/2	1,629.79	1/2	1,957.24	1/2	2,284.70	1/2	2,612.16	1/2	2,939.61	1/2	3,267.07	1/2	3,594.52	1/2	3,920.40	1/2	4,232.81	1/2	4,531.01	1/2	
3/4	51.97	3/4	336.42	3/4	654.77	3/4	982.00	3/4	1,309.44	3/4	1,636.61	3/4	1,964.07	3/4	2,291.52	3/4	2,618.98	3/4	2,946.43	3/4	3,273.89	3/4	3,601.35	3/4	3,927.07	3/4	4,239.15	3/4	4,537.83	3/4	
3	56.66	3	342.87	3	661.59	3	988.82	3	1,316.26	3	1,643.43	3	1,970.89	3	2,298.34	3	2,625.80	3	2,953.26	3	3,280.71	3	3,608.17	3	3,933.75	3	4,245.50	3	4,544.65	3	
1/4	61.47	1/4	349.39	1/4	668.40	1/4	995.65	1/4	1,323.08	1/4	1,650.25	1/4	1,977.71	1/4	2,305.17	1/4	2,632.62	1/4	2,960.08	1/4	3,287.53	1/4	3,614.99	1/4	3,940.40	1/4	4,251.82	1/4	4,551.48	1/4	
1/2	66.28	1/2	355.92	1/2	675.22	1/2	1,002.47	1/2	1,329.90	1/2	1,657.08	1/2	1,984.53	1/2	2,311.99	1/2	2,639.44	1/2	2,966.90	1/2	3,294.36	1/2	3,621.81	1/2	3,947.05	1/2	4,258.13	1/2	4,558.30	1/2	
3/4	71.09	3/4	362.45	3/4	682.03	3/4	1,009.29	3/4	1,336.72	3/4	1,663.90	3/4	1,991.35	3/4	2,318.81	3/4	2,646.27	3/4	2,973.72	3/4	3,301.18	3/4	3,628.63	3/4	3,953.70	3/4	4,264.45	3/4	4,565.12	3/4	
4	75.89	4	368.97	4	688.85	4	1,016.11	4	1,343.54	4	1,670.72	4	1,998.18	4	2,325.63	4	2,653.09	4	2,980.54	4	3,308.00	4	3,635.46	4	3,960.35	4	4,270.77	4	4,571.94	4	
1/4	81.54	1/4	374.84	1/4	695.66	1/4	1,022.93	1/4	1,350.37	1/4	1,677.54	1/4	2,005.00	1/4	2,332.45	1/4	2,659.91	1/4	2,987.37	1/4	3,314.82	1/4	3,642.28	1/4	3,966.97	1/4	4,277.06	1/4	4,578.76	1/4	
1/2	87.18	1/2	380.71	1/2	702.48	1/2	1,029.75	1/2	1,357.19	1/2	1,684.36	1/2	2,011.82	1/2	2,339.28	1/2	2,666.73	1/2	2,994.19	1/2	3,321.64	1/2	3,649.10	1/2	3,973.58	1/2	4,283.35	1/2	4,585.59	1/2	
3/4	92.82	3/4	386.58	3/4	709.29	3/4	1,036.58	3/4	1,364.01	3/4	1,691.19	3/4	2,018.64	3/4	2,346.10	3/4	2,673.55	3/4	3,001.01	3/4	3,328.47	3/4	3,655.92	3/4	3,980.20	3/4	4,289.64	3/4	4,592.41	3/4	
5	98.47	5	392.46	5	716.11	5	1,043.40	5	1,370.83	5	1,698.01	5	2,025.46	5	2,352.92	5	2,680.38	5	3,007.83	5	3,335.29	5	3,662.74	5	3,986.81	5	4,295.94	5	4,599.23	5	
1/4	104.20	1/4	398.40	1/4	722.92	1/4	1,050.22	1/4	1,377.65	1/4	1,704.83	1/4	2,032.29	1/4	2,359.74	1/4	2,687.20	1/4	3,014.65	1/4	3,342.11	1/4	3,669.57	1/4	3,993.40	1/4	4,302.20	1/4	4,605.48	1/4	
1/2	109.94	1/2	404.35	1/2	729.74	1/2	1,057.04	1/2	1,384.47	1/2	1,711.65	1/2	2,039.11	1/2	2,366.56	1/2	2,694.02	1/2	3,021.48	1/2	3,348.93	1/2	3,676.39	1/2	3,999.99	1/2	4,308.46	1/2	4,611.74	1/2	
3/4	115.67	3/4	410.30	3/4	736.55	3/4	1,063.86	3/4	1,391.30	3/4	1,718.47	3/4	2,045.93	3/4	2,373.39	3/4	2,700.84	3/4	3,028.30	3/4	3,355.75	3/4	3,683.21	3/4	4,006.58	3/4	4,314.73	3/4	4,617.99	3/4	
6	121.41	6	416.25	6	743.37	6	1,070.68	6	1,398.12	6	1,725.30	6	2,052.75	6	2,380.21	6	2,707.66	6	3,035.12	6	3,362.58	6	3,690.03	6	4,013.17	6	4,320.99	6	4,624.24	6	
1/4	127.23	1/4	423.03	1/4	750.18	1/4	1,077.50	1/4	1,404.93	1/4	1,732.12	1/4	2,059.57	1/4	2,387.03	1/4	2,714.49	1/4	3,041.94	1/4	3,369.40	1/4	3,696.85	1/4	4,019.73	1/4	4,327.23	1/4	4,629.36	1/4	
1/2	133.05	1/2	429.82	1/2	757.00	1/2	1,084.33	1/2	1,411.74	1/2	1,738.94	1/2	2,066.40	1/2	2,393.85	1/2	2,721.31	1/2	3,048.76	1/2	3,376.22	1/2	3,703.68	1/2	4,026.29	1/2	4,333.47	1/2	4,634.48	1/2	
3/4	138.87	3/4	436.60	3/4	763.81	3/4	1,091.15	3/4	1,418.55	3/4	1,745.76	3/4	2,073.22	3/4	2,400.67	3/4	2,728.13	3/4	3,055.59	3/4	3,383.04	3/4	3,710.50	3/4	4,032.85	3/4	4,339.70	3/4	4,639.59	3/4	
7	144.69	7	443.38	7	770.63	7	1,097.97	7	1,425.36	7	1,752.58	7	2,080.04	7	2,407.50	7	2,734.95	7	3,062.41	7	3,389.86	7	3,717.32	7	4,039.42	7	4,345.94	7	4,644.71	7	
1/4	150.62	1/4	450.21	1/4	777.44	1/4	1,104.79	1/4	1,432.17	1/4	1,759.41	1/4	2,086.86	1/4	2,414.32	1/4	2,741.77	1/4	3,069.23	1/4	3,396.69	1/4	3,724.14	1/4	4,045.95	1/4	4,352.15	1/4	4,651.41	1/4	
1/2	156.54	1/2	457.03	1/2	784.26	1/2	1,111.61	1/2	1,438.98	1/2	1,766.23	1/2	2,093.68	1/2	2,421.14	1/2	2,748.60	1/2	3,076.05	1/2	3,403.51	1/2	3,730.96	1/2	4,052.48	1/2	4,358.35	1/2	4,657.89	1/2	
3/4	162.47	3/4	463.85	3/4	791.07	3/4	1,118.43	3/4	1,445.79	3/4	1,773.05	3/4	2,100.51	3/4	2,427.96	3/4	2,755.42	3/4	3,082.87	3/4	3,410.33	3/4	3,737.79	3/4	4,059.02	3/4	4,364.55	3/4	4,664.06	3/4	
8	168.40	8	470.67	8	797.88	8	1,125.26	8	1,452.60	8	1,779.87	8	2,107.33	8	2,434.78	8	2,762.24	8	3,089.70	8	3,417.15	8	3,744.61	8	4,065.55	8	4,370.76	8	4,669.82	8	
1/4	174.40	1/4	477.49	1/4	804.70	1/4	1,132.08	1/4	1,459.41	1/4	1,786.69	1/4	2,114.15	1/4	2,441.61	1/4	2,769.06	1/4	3,096.52	1/4	3,423.97	1/4	3,751.43	1/4	4,072.06	1/4	4,376.93	1/4	4,675.48	1/4	
1/2	180.40	1/2	484.32	1/2	811.52	1/2	1,138.90	1/2	1,466.22	1/2	1,793.52	1/2	2,120.97	1/2	2,448.43	1/2	2,775.88	1/2	3,103.34	1/2	3,430.80	1/2	3,758.25	1/2	4,078.57	1/2	4,383.11	1/2	4,681.04	1/2	
3/4	186.41	3/4	491.14	3/4	818.33	3/4	1,145.72	3/4	1,473.03	3/4	1,800.34	3/4	2,127.79	3/4	2,455.25	3/4	2,782.71	3/4	3,110.16	3/4	3,437.62	3/4	3,765.07	3/4	4,085.08	3/4	4,389.28	3/4	4,687.00	3/4	
9	192.41	9	497.96	9	825.15	9	1,152.54	9	1,479.84	9	1,807.16	9	2,134.62	9	2,462.07	9	2,789.53	9	3,116.98	9	3,444.44	9	3,771.90	9	4,091.58	9	4,395.46	9	4,692.97	9	
1/4	198.49	1/4	504.78	1/4	831.97	1/4	1,159.36	1/4	1,486.65	1/4	1,813.98	1																			



BARGE: GM 1017 JEFFBOAT 15-2111

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	15.25	0	344.68	0	689.57	0	1,038.80	0	1,389.74	0	1,739.91	0	2,090.86	0	2,441.81	0	2,792.77	0	3,143.72	0	3,494.67	0	3,845.62	0	4,196.05	0	4,534.25	0	4,855.44	0	
1/4	19.82	1/4	352.00	1/4	696.85	1/4	1,046.11	1/4	1,397.05	1/4	1,747.22	1/4	2,098.17	1/4	2,449.13	1/4	2,800.08	1/4	3,151.03	1/4	3,501.98	1/4	3,852.93	1/4	4,203.26	1/4	4,541.10	1/4	4,861.94	1/4	
1/2	24.38	1/2	359.31	1/2	704.12	1/2	1,053.42	1/2	1,404.36	1/2	1,754.53	1/2	2,105.48	1/2	2,456.44	1/2	2,807.39	1/2	3,158.34	1/2	3,509.29	1/2	3,860.24	1/2	4,210.47	1/2	4,547.96	1/2	4,868.44	1/2	
3/4	28.95	3/4	366.62	3/4	711.40	3/4	1,060.73	3/4	1,411.67	3/4	1,761.84	3/4	2,112.80	3/4	2,463.75	3/4	2,814.70	3/4	3,165.65	3/4	3,516.60	3/4	3,867.56	3/4	4,217.67	3/4	4,554.81	3/4	4,874.94	3/4	
1	33.52	1	373.93	1	718.67	1	1,068.05	1	1,418.98	1	1,769.16	1	2,120.11	1	2,471.06	1	2,822.01	1	3,172.96	1	3,523.92	1	3,874.87	1	4,224.88	1	4,561.66	1	4,881.44	1	
1/4	39.91	1/4	381.22	1/4	725.95	1/4	1,075.36	1/4	1,426.29	1/4	1,776.47	1/4	2,127.42	1/4	2,478.37	1/4	2,829.32	1/4	3,180.28	1/4	3,531.23	1/4	3,882.18	1/4	4,232.06	1/4	4,568.49	1/4	4,887.91	1/4	
1/2	46.30	1/2	388.50	1/2	733.22	1/2	1,082.67	1/2	1,433.60	1/2	1,783.78	1/2	2,134.73	1/2	2,485.68	1/2	2,836.63	1/2	3,187.59	1/2	3,538.54	1/2	3,889.49	1/2	4,239.24	1/2	4,575.31	1/2	4,894.38	1/2	
3/4	52.70	3/4	395.79	3/4	740.50	3/4	1,089.98	3/4	1,440.91	3/4	1,791.09	3/4	2,142.04	3/4	2,492.99	3/4	2,843.95	3/4	3,194.90	3/4	3,545.85	3/4	3,896.80	3/4	4,246.42	3/4	4,582.14	3/4	4,900.85	3/4	
2	59.09	2	403.08	2	747.78	2	1,097.29	2	1,448.22	2	1,798.40	2	2,149.35	2	2,500.31	2	2,851.26	2	3,202.21	2	3,553.16	2	3,904.11	2	4,253.60	2	4,588.96	2	4,907.32	2	
1/4	65.58	1/4	410.37	1/4	755.05	1/4	1,104.60	1/4	1,455.53	1/4	1,805.71	1/4	2,156.67	1/4	2,507.62	1/4	2,858.57	1/4	3,209.52	1/4	3,560.47	1/4	3,911.43	1/4	4,260.75	1/4	4,595.76	1/4	4,914.63	1/4	
1/2	72.07	1/2	417.66	1/2	762.33	1/2	1,111.91	1/2	1,462.84	1/2	1,813.02	1/2	2,163.98	1/2	2,514.93	1/2	2,865.88	1/2	3,216.83	1/2	3,567.78	1/2	3,918.74	1/2	4,267.90	1/2	4,602.55	1/2	4,921.94	1/2	
3/4	78.57	3/4	424.94	3/4	769.60	3/4	1,119.22	3/4	1,470.16	3/4	1,820.34	3/4	2,171.29	3/4	2,522.24	3/4	2,873.19	3/4	3,224.14	3/4	3,575.10	3/4	3,926.05	3/4	4,275.04	3/4	4,609.35	3/4	4,929.25	3/4	
3	85.06	3	432.23	3	776.88	3	1,126.54	3	1,477.47	3	1,827.65	3	2,178.60	3	2,529.55	3	2,880.50	3	3,231.46	3	3,582.41	3	3,933.36	3	4,282.19	3	4,616.14	3	4,936.56	3	
1/4	91.60	1/4	439.52	1/4	784.16	1/4	1,133.85	1/4	1,484.78	1/4	1,834.96	1/4	2,185.91	1/4	2,536.86	1/4	2,887.82	1/4	3,238.77	1/4	3,589.72	1/4	3,940.67	1/4	4,289.31	1/4	4,622.91	1/4	4,943.88	1/4	
1/2	98.13	1/2	446.81	1/2	791.43	1/2	1,141.16	1/2	1,492.09	1/2	1,842.27	1/2	2,193.22	1/2	2,544.17	1/2	2,895.13	1/2	3,246.08	1/2	3,597.03	1/2	3,947.98	1/2	4,296.43	1/2	4,629.67	1/2	4,951.19	1/2	
3/4	104.67	3/4	454.10	3/4	798.71	3/4	1,148.47	3/4	1,499.40	3/4	1,849.58	3/4	2,200.53	3/4	2,551.49	3/4	2,902.44	3/4	3,253.39	3/4	3,604.34	3/4	3,955.29	3/4	4,303.55	3/4	4,636.44	3/4	4,958.50	3/4	
4	111.20	4	461.38	4	805.98	4	1,155.78	4	1,506.71	4	1,856.89	4	2,207.85	4	2,558.80	4	2,909.75	4	3,260.70	4	3,611.65	4	3,962.61	4	4,310.67	4	4,643.20	4	4,965.81	4	
1/4	118.46	1/4	467.97	1/4	813.26	1/4	1,163.09	1/4	1,514.02	1/4	1,864.21	1/4	2,215.16	1/4	2,566.11	1/4	2,917.06	1/4	3,268.01	1/4	3,618.97	1/4	3,969.92	1/4	4,317.76	1/4	4,649.94	1/4	4,973.12	1/4	
1/2	125.72	1/2	474.56	1/2	820.53	1/2	1,170.40	1/2	1,521.33	1/2	1,871.52	1/2	2,222.47	1/2	2,573.42	1/2	2,924.37	1/2	3,275.32	1/2	3,626.28	1/2	3,977.23	1/2	4,324.85	1/2	4,656.67	1/2	4,980.43	1/2	
3/4	132.98	3/4	481.15	3/4	827.81	3/4	1,177.71	3/4	1,528.64	3/4	1,878.83	3/4	2,229.78	3/4	2,580.73	3/4	2,931.68	3/4	3,282.64	3/4	3,633.59	3/4	3,984.54	3/4	4,331.94	3/4	4,663.41	3/4	4,987.75	3/4	
5	140.24	5	487.74	5	835.08	5	1,185.02	5	1,535.95	5	1,886.14	5	2,237.09	5	2,588.04	5	2,939.00	5	3,289.95	5	3,640.90	5	3,991.85	5	4,339.03	5	4,670.14	5	4,995.06	5	
1/4	147.51	1/4	494.33	1/4	842.36	1/4	1,192.34	1/4	1,543.23	1/4	1,893.45	1/4	2,244.40	1/4	2,595.36	1/4	2,946.31	1/4	3,297.26	1/4	3,648.21	1/4	3,999.16	1/4	4,346.09	1/4	4,676.85	1/4	5,001.76	1/4	
1/2	154.79	1/2	500.92	1/2	849.63	1/2	1,199.65	1/2	1,550.51	1/2	1,900.76	1/2	2,251.71	1/2	2,602.67	1/2	2,953.62	1/2	3,304.57	1/2	3,655.52	1/2	4,006.47	1/2	4,353.15	1/2	4,683.56	1/2	5,008.46	1/2	
3/4	162.06	3/4	507.52	3/4	856.91	3/4	1,206.96	3/4	1,557.79	3/4	1,908.07	3/4	2,259.03	3/4	2,609.98	3/4	2,960.93	3/4	3,311.88	3/4	3,662.83	3/4	4,013.79	3/4	4,360.21	3/4	4,690.26	3/4	5,015.16	3/4	
6	169.34	6	514.11	6	864.19	6	1,214.27	6	1,565.07	6	1,915.39	6	2,266.34	6	2,617.29	6	2,968.24	6	3,319.19	6	3,670.15	6	4,021.10	6	4,367.27	6	4,696.97	6	5,021.87	6	
1/4	176.62	1/4	521.42	1/4	871.46	1/4	1,221.58	1/4	1,572.35	1/4	1,922.70	1/4	2,273.65	1/4	2,624.60	1/4	2,975.55	1/4	3,326.51	1/4	3,677.46	1/4	4,028.41	1/4	4,374.31	1/4	4,703.65	1/4	5,027.35	1/4	
1/2	183.90	1/2	528.73	1/2	878.74	1/2	1,228.89	1/2	1,579.63	1/2	1,930.01	1/2	2,280.96	1/2	2,631.91	1/2	2,982.86	1/2	3,333.82	1/2	3,684.77	1/2	4,035.72	1/2	4,381.34	1/2	4,710.32	1/2	5,032.83	1/2	
3/4	191.19	3/4	536.04	3/4	886.01	3/4	1,236.20	3/4	1,586.91	3/4	1,937.32	3/4	2,288.27	3/4	2,639.22	3/4	2,990.18	3/4	3,341.13	3/4	3,692.08	3/4	4,043.03	3/4	4,388.37	3/4	4,717.00	3/4	5,038.32	3/4	
7	198.47	7	543.35	7	893.29	7	1,243.51	7	1,594.19	7	1,944.63	7	2,295.58	7	2,646.54	7	2,997.49	7	3,348.44	7	3,699.39	7	4,050.34	7	4,395.40	7	4,723.68	7	5,043.80	7	
1/4	205.78	1/4	550.66	1/4	900.56	1/4	1,250.83	1/4	1,601.47	1/4	1,951.94	1/4	2,302.90	1/4	2,653.85	1/4	3,004.80	1/4	3,355.75	1/4	3,706.70	1/4	4,057.66	1/4	4,402.40	1/4	4,730.32	1/4	5,049.32	1/4	
1/2	213.09	1/2	557.98	1/2	907.84	1/2	1,258.14	1/2	1,608.75	1/2	1,959.25	1/2	2,310.21	1/2	2,661.16	1/2	3,012.11	1/2	3,363.06	1/2	3,714.01	1/2	4,064.97	1/2	4,409.40	1/2	4,736.97	1/2	5,054.84	1/2	
3/4	220.40	3/4	565.29	3/4	915.11	3/4	1,265.45	3/4	1,616.03	3/4	1,966.57	3/4	2,317.52	3/4	2,668.47	3/4	3,019.42	3/4	3,370.37	3/4	3,721.33	3/4	4,072.28	3/4	4,416.40	3/4	4,743.62	3/4	5,060.36	3/4	
8	227.71	8	572.60	8	922.39	8	1,272.76	8	1,623.31	8	1,973.88	8	2,324.83	8	2,675.78	8	3,026.73	8	3,377.69	8	3,728.64	8	4,079.59	8	4,423.40	8	4,750.27	8	5,065.88	8	
1/4	235.02	1/4	579.91	1/4	929.66	1/4	1,280.07	1/4	1,630.59	1/4	1,981.19	1/4	2,332.14	1/4	2,683.09	1/4	3,034.05	1/4	3,385.00	1/4	3,735.95	1/4	4,086.90	1/4	4,430.38	1/4	4,756.88	1/4	5,071.40	1/4	
1/2	242.33	1/2	587.22	1/2	936.94	1/2	1,287.38	1/2	1,637.87	1/2	1,988.50	1/2	2,339.45	1/2	2,690.40	1/2	3,041.36	1/2	3,392.31	1/2	3,743.26	1/2	4,094.21	1/2	4,437.35	1/2	4,763.50	1/2	5,076.92	1/2	
3/4	249.64	3/4	594.54	3/4	944.21	3/4	1,294.69	3/4	1,645.15	3/4	1,995.81	3/4	2,346.76	3/4	2,697.72	3/4	3,048.67	3/4	3,399.62	3/4	3,750.57	3/4	4,101.52	3/4	4,444.32	3/4	4,770.12	3/4	5,082.44	3/4	
9	256.95	9	601.85	9	951.49	9	1,302.00	9	1,652.43	9	2,003.12	9	2,354.08	9	2,705.03	9	3,055.98	9	3,406.93	9	3,757.88	9	4,108.84	9	4,451.29	9	4,776.74	9	5,087.96	9	
1/4	264.26	1/4	609.16	1/4	958.76	1/4	1,309.32	1/4	1,659.71	1/4	2,010.44	1/4	2,361.39	1/4	2,712.34	1/4	3,063.29	1/4	3,414.24	1/4	3,765.20	1/4	4,116.13								



BARGE: GM 1017
JEFFBOAT 15-2111

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	15.20	0	343.64	0	687.47	0	1,036.92	0	1,386.79	0	1,735.90	0	2,085.79	0	2,435.67	0	2,785.56	0	3,135.44	0	3,485.33	0	3,835.22	0	4,184.57	0	4,521.74	0	4,841.96	0	
1/4	19.75	1/4	350.92	1/4	694.75	1/4	1,044.21	1/4	1,394.08	1/4	1,743.19	1/4	2,093.07	1/4	2,442.96	1/4	2,792.85	1/4	3,142.73	1/4	3,492.62	1/4	3,842.51	1/4	4,191.76	1/4	4,528.57	1/4	4,848.44	1/4	
1/2	24.31	1/2	358.21	1/2	702.03	1/2	1,051.50	1/2	1,401.37	1/2	1,750.48	1/2	2,100.36	1/2	2,450.25	1/2	2,800.14	1/2	3,150.02	1/2	3,499.91	1/2	3,849.80	1/2	4,198.94	1/2	4,535.41	1/2	4,854.92	1/2	
3/4	28.86	3/4	365.50	3/4	709.31	3/4	1,058.79	3/4	1,408.65	3/4	1,757.77	3/4	2,107.65	3/4	2,457.54	3/4	2,807.43	3/4	3,157.31	3/4	3,507.20	3/4	3,857.08	3/4	4,206.13	3/4	4,542.24	3/4	4,861.40	3/4	
1	33.42	1	372.79	1	716.60	1	1,066.08	1	1,415.94	1	1,765.06	1	2,114.94	1	2,464.83	1	2,814.72	1	3,164.60	1	3,514.49	1	3,864.37	1	4,213.32	1	4,549.07	1	4,867.88	1	
1/4	39.79	1/4	380.06	1/4	723.88	1/4	1,073.37	1/4	1,423.23	1/4	1,772.35	1/4	2,122.23	1/4	2,472.12	1/4	2,822.00	1/4	3,171.89	1/4	3,521.78	1/4	3,871.66	1/4	4,220.47	1/4	4,555.88	1/4	4,874.33	1/4	
1/2	46.16	1/2	387.32	1/2	731.16	1/2	1,080.65	1/2	1,430.52	1/2	1,779.63	1/2	2,129.52	1/2	2,479.41	1/2	2,829.29	1/2	3,179.18	1/2	3,529.07	1/2	3,878.95	1/2	4,227.63	1/2	4,562.68	1/2	4,880.78	1/2	
3/4	52.54	3/4	394.59	3/4	738.44	3/4	1,087.94	3/4	1,437.81	3/4	1,786.92	3/4	2,136.81	3/4	2,486.70	3/4	2,836.58	3/4	3,186.47	3/4	3,536.36	3/4	3,886.24	3/4	4,234.79	3/4	4,569.48	3/4	4,887.23	3/4	
2	58.91	2	401.85	2	745.72	2	1,095.23	2	1,445.10	2	1,794.21	2	2,144.10	2	2,493.99	2	2,843.87	2	3,193.76	2	3,543.65	2	3,893.53	2	4,241.94	2	4,576.29	2	4,893.68	2	
1/4	65.38	1/4	409.12	1/4	753.00	1/4	1,102.52	1/4	1,452.39	1/4	1,801.50	1/4	2,151.39	1/4	2,501.28	1/4	2,851.16	1/4	3,201.05	1/4	3,550.93	1/4	3,900.82	1/4	4,249.07	1/4	4,583.06	1/4	4,900.97	1/4	
1/2	71.85	1/2	416.39	1/2	760.28	1/2	1,109.81	1/2	1,459.68	1/2	1,808.79	1/2	2,158.68	1/2	2,508.56	1/2	2,858.45	1/2	3,208.34	1/2	3,558.22	1/2	3,908.11	1/2	4,256.20	1/2	4,589.84	1/2	4,908.26	1/2	
3/4	78.33	3/4	423.65	3/4	767.56	3/4	1,117.10	3/4	1,466.96	3/4	1,816.08	3/4	2,165.97	3/4	2,515.85	3/4	2,865.74	3/4	3,215.63	3/4	3,565.51	3/4	3,915.40	3/4	4,263.33	3/4	4,596.61	3/4	4,915.55	3/4	
3	84.80	3	430.92	3	774.84	3	1,124.39	3	1,474.25	3	1,823.37	3	2,173.26	3	2,523.14	3	2,873.03	3	3,222.92	3	3,572.80	3	3,922.69	3	4,270.45	3	4,603.39	3	4,922.84	3	
1/4	91.32	1/4	438.18	1/4	782.12	1/4	1,131.68	1/4	1,481.54	1/4	1,830.66	1/4	2,180.55	1/4	2,530.43	1/4	2,880.32	1/4	3,230.21	1/4	3,580.09	1/4	3,929.98	1/4	4,277.55	1/4	4,610.13	1/4	4,930.12	1/4	
1/2	97.83	1/2	445.45	1/2	789.40	1/2	1,138.97	1/2	1,488.83	1/2	1,837.95	1/2	2,187.84	1/2	2,537.72	1/2	2,887.61	1/2	3,237.49	1/2	3,587.38	1/2	3,937.27	1/2	4,284.65	1/2	4,616.87	1/2	4,937.41	1/2	
3/4	104.35	3/4	452.72	3/4	796.68	3/4	1,146.25	3/4	1,496.12	3/4	1,845.24	3/4	2,195.12	3/4	2,545.01	3/4	2,894.90	3/4	3,244.78	3/4	3,594.67	3/4	3,944.56	3/4	4,291.75	3/4	4,623.62	3/4	4,944.70	3/4	
4	110.87	4	459.98	4	803.96	4	1,153.54	4	1,503.41	4	1,852.53	4	2,202.41	4	2,552.30	4	2,902.19	4	3,252.07	4	3,601.96	4	3,951.85	4	4,298.85	4	4,630.36	4	4,951.99	4	
1/4	118.10	1/4	466.55	1/4	811.24	1/4	1,160.83	1/4	1,510.70	1/4	1,859.82	1/4	2,209.70	1/4	2,559.59	1/4	2,909.48	1/4	3,259.36	1/4	3,609.25	1/4	3,959.14	1/4	4,305.91	1/4	4,637.08	1/4	4,959.28	1/4	
1/2	125.34	1/2	473.12	1/2	818.52	1/2	1,168.12	1/2	1,517.98	1/2	1,867.11	1/2	2,216.99	1/2	2,566.88	1/2	2,916.77	1/2	3,266.65	1/2	3,616.54	1/2	3,966.42	1/2	4,312.98	1/2	4,643.79	1/2	4,966.57	1/2	
3/4	132.58	3/4	479.69	3/4	825.80	3/4	1,175.41	3/4	1,525.27	3/4	1,874.40	3/4	2,224.28	3/4	2,573.17	3/4	2,923.05	3/4	3,272.94	3/4	3,622.83	3/4	3,972.71	3/4	4,320.05	3/4	4,650.51	3/4	4,973.86	3/4	
5	139.81	5	486.26	5	833.08	5	1,182.70	5	1,532.56	5	1,881.68	5	2,231.57	5	2,581.46	5	2,931.34	5	3,281.23	5	3,631.12	5	3,981.00	5	4,327.12	5	4,657.23	5	4,981.15	5	
1/4	147.07	1/4	492.83	1/4	840.36	1/4	1,189.99	1/4	1,539.82	1/4	1,888.97	1/4	2,238.86	1/4	2,588.75	1/4	2,938.63	1/4	3,288.52	1/4	3,638.41	1/4	3,988.29	1/4	4,334.16	1/4	4,663.91	1/4	4,987.83	1/4	
1/2	154.32	1/2	499.40	1/2	847.64	1/2	1,197.28	1/2	1,547.08	1/2	1,896.26	1/2	2,246.15	1/2	2,596.04	1/2	2,945.92	1/2	3,295.81	1/2	3,645.70	1/2	3,995.58	1/2	4,341.20	1/2	4,670.60	1/2	4,994.51	1/2	
3/4	161.57	3/4	505.97	3/4	854.92	3/4	1,204.57	3/4	1,554.33	3/4	1,903.55	3/4	2,253.44	3/4	2,603.33	3/4	2,953.21	3/4	3,303.10	3/4	3,652.98	3/4	4,002.87	3/4	4,348.24	3/4	4,677.28	3/4	5,001.20	3/4	
6	168.82	6	512.54	6	862.20	6	1,211.85	6	1,561.59	6	1,910.84	6	2,260.73	6	2,610.61	6	2,960.50	6	3,310.39	6	3,660.27	6	4,010.16	6	4,355.28	6	4,683.97	6	5,007.88	6	
1/4	176.08	1/4	519.83	1/4	869.48	1/4	1,219.14	1/4	1,568.85	1/4	1,918.13	1/4	2,268.02	1/4	2,617.90	1/4	2,967.79	1/4	3,317.68	1/4	3,667.56	1/4	4,017.45	1/4	4,362.29	1/4	4,690.63	1/4	5,013.35	1/4	
1/2	183.34	1/2	527.12	1/2	876.76	1/2	1,226.43	1/2	1,576.11	1/2	1,925.42	1/2	2,275.31	1/2	2,625.19	1/2	2,975.08	1/2	3,324.97	1/2	3,674.85	1/2	4,024.74	1/2	4,369.30	1/2	4,697.28	1/2	5,018.81	1/2	
3/4	190.60	3/4	534.41	3/4	884.04	3/4	1,233.72	3/4	1,583.36	3/4	1,932.71	3/4	2,282.60	3/4	2,632.48	3/4	2,982.37	3/4	3,332.26	3/4	3,682.14	3/4	4,032.03	3/4	4,376.30	3/4	4,703.94	3/4	5,024.28	3/4	
7	197.87	7	541.70	7	891.32	7	1,241.01	7	1,590.62	7	1,940.00	7	2,289.89	7	2,639.77	7	2,989.66	7	3,339.54	7	3,689.43	7	4,039.32	7	4,383.31	7	4,710.59	7	5,029.75	7	
1/4	205.15	1/4	548.99	1/4	898.60	1/4	1,248.30	1/4	1,597.88	1/4	1,947.29	1/4	2,297.17	1/4	2,647.06	1/4	2,996.95	1/4	3,346.83	1/4	3,696.72	1/4	4,046.61	1/4	4,390.29	1/4	4,717.22	1/4		1/4	
1/2	212.44	1/2	556.28	1/2	905.88	1/2	1,255.59	1/2	1,605.14	1/2	1,954.58	1/2	2,304.46	1/2	2,654.35	1/2	3,004.24	1/2	3,354.12	1/2	3,704.01	1/2	4,053.90	1/2	4,397.28	1/2	4,723.85	1/2		1/2	
3/4	219.73	3/4	563.57	3/4	913.16	3/4	1,262.88	3/4	1,612.39	3/4	1,961.87	3/4	2,311.75	3/4	2,661.64	3/4	3,011.53	3/4	3,361.41	3/4	3,711.30	3/4	4,061.19	3/4	4,404.26	3/4	4,730.48	3/4		3/4	
8	227.02	8	570.86	8	920.44	8	1,270.17	8	1,619.65	8	1,969.16	8	2,319.04	8	2,668.93	8	3,018.82	8	3,368.70	8	3,718.59	8	4,068.47	8	4,411.24	8	4,737.10	8		8	
1/4	234.31	1/4	578.15	1/4	927.71	1/4	1,277.45	1/4	1,626.91	1/4	1,976.45	1/4	2,326.33	1/4	2,676.22	1/4	3,026.10	1/4	3,375.99	1/4	3,725.88	1/4	4,075.76	1/4	4,418.19	1/4	4,743.70	1/4		1/4	
1/2	241.60	1/2	585.44	1/2	934.99	1/2	1,284.74	1/2	1,634.17	1/2	1,983.73	1/2	2,333.62	1/2	2,683.51	1/2	3,033.39	1/2	3,383.28	1/2	3,733.17	1/2	4,083.05	1/2	4,425.14	1/2	4,750.30	1/2		1/2	
3/4	248.88	3/4	592.73	3/4	942.27	3/4	1,292.03	3/4	1,641.42	3/4	1,991.02	3/4	2,340.91	3/4	2,690.80	3/4	3,040.68	3/4	3,390.57	3/4	3,740.46	3/4	4,090.34	3/4	4,432.09	3/4	4,756.90	3/4		3/4	
9	256.17	9	600.02	9	949.55	9	1,299.32	9	1,648.68	9	1,998.31	9	2,348.20	9	2,698.09	9	3,047.97	9	3,397.86	9	3,747.75	9	4,097.63	9	4,439.04	9	4,763.49	9		9	
1/4	263.46	1/4	607.31	1/4	956.83	1/4	1,306.61	1/4	1,655.94	1/4	2,005.60	1/4	2,355.49	1/4	2,705.38	1/4	3,055.26	1/4	3,405.15	1/4	3,755.03	1/4	4,104.91	1/4	4,445.96	1/4	4,770.06	1/4		1/4	
1/2	270.75	1/2	614.59																												



BARGE: GM 1017

JEFFBOAT 15-2111

3 PORT

INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-10 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	7.45	0	322.17	0	682.36	0	1,048.61	0	1,415.15	0	1,780.98	0	2,147.51	0	2,514.00	0	2,880.55	0	3,247.11	0	3,613.67	0	3,918.21	0	4,084.89	0	4,236.99	0	4,371.25	0	
1/4	9.59	1/4	329.79	1/4	689.99	1/4	1,056.25	1/4	1,422.79	1/4	1,788.62	1/4	2,155.14	1/4	2,521.64	1/4	2,888.19	1/4	3,254.75	1/4	3,621.31	1/4	3,921.72	1/4	4,088.23	1/4	4,239.96	1/4	4,374.53	1/4	
1/2	11.74	1/2	337.40	1/2	697.62	1/2	1,063.88	1/2	1,430.42	1/2	1,796.26	1/2	2,162.78	1/2	2,529.27	1/2	2,895.82	1/2	3,262.38	1/2	3,628.95	1/2	3,925.22	1/2	4,091.57	1/2	4,242.93	1/2	4,377.81	1/2	
3/4	13.88	3/4	345.01	3/4	705.25	3/4	1,071.52	3/4	1,438.06	3/4	1,803.89	3/4	2,170.41	3/4	2,536.91	3/4	2,903.46	3/4	3,270.02	3/4	3,636.58	3/4	3,928.72	3/4	4,094.91	3/4	4,245.89	3/4	4,381.09	3/4	
1	16.02	1	352.62	1	712.88	1	1,079.15	1	1,445.70	1	1,811.53	1	2,178.05	1	2,544.55	1	2,911.10	1	3,277.66	1	3,644.22	1	3,932.22	1	4,098.25	1	4,248.86	1	4,384.37	1	
1/4	19.50	1/4	360.23	1/4	720.50	1/4	1,086.79	1/4	1,453.33	1/4	1,819.17	1/4	2,185.68	1/4	2,552.18	1/4	2,918.73	1/4	3,285.29	1/4	3,651.86	1/4	3,935.72	1/4	4,101.56	1/4	4,251.80	1/4	4,387.88	1/4	
1/2	22.99	1/2	367.85	1/2	728.13	1/2	1,094.43	1/2	1,460.97	1/2	1,826.80	1/2	2,193.32	1/2	2,559.82	1/2	2,926.37	1/2	3,292.93	1/2	3,659.49	1/2	3,939.23	1/2	4,104.86	1/2	4,254.73	1/2	4,391.38	1/2	
3/4	26.47	3/4	375.46	3/4	735.76	3/4	1,102.06	3/4	1,468.61	3/4	1,834.44	3/4	2,200.95	3/4	2,567.45	3/4	2,934.01	3/4	3,300.57	3/4	3,667.13	3/4	3,942.73	3/4	4,108.17	3/4	4,257.67	3/4	4,394.88	3/4	
2	29.95	2	383.07	2	743.39	2	1,109.70	2	1,476.24	2	1,842.07	2	2,208.59	2	2,575.09	2	2,941.64	2	3,308.20	2	3,674.77	2	3,946.23	2	4,111.48	2	4,260.61	2	4,398.38	2	
1/4	35.29	1/4	390.13	1/4	751.02	1/4	1,117.34	1/4	1,483.88	1/4	1,849.71	1/4	2,216.22	1/4	2,582.73	1/4	2,949.28	1/4	3,315.84	1/4	3,682.40	1/4	3,949.73	1/4	4,114.76	1/4	4,263.51	1/4	4,401.88	1/4	
1/2	40.63	1/2	397.19	1/2	758.64	1/2	1,124.97	1/2	1,491.51	1/2	1,857.35	1/2	2,223.86	1/2	2,590.36	1/2	2,956.92	1/2	3,323.48	1/2	3,690.04	1/2	3,953.23	1/2	4,118.03	1/2	4,266.42	1/2	4,405.38	1/2	
3/4	45.97	3/4	404.25	3/4	766.27	3/4	1,132.61	3/4	1,499.15	3/4	1,864.98	3/4	2,231.49	3/4	2,598.00	3/4	2,964.55	3/4	3,331.11	3/4	3,697.68	3/4	3,956.73	3/4	4,121.31	3/4	4,269.32	3/4	4,408.89	3/4	
3	51.31	3	411.32	3	773.90	3	1,140.24	3	1,506.79	3	1,872.62	3	2,239.13	3	2,605.64	3	2,972.19	3	3,338.75	3	3,705.31	3	3,960.24	3	4,124.59	3	4,272.23	3	4,412.39	3	
1/4	58.08	1/4	418.19	1/4	781.53	1/4	1,147.88	1/4	1,514.40	1/4	1,880.25	1/4	2,246.76	1/4	2,613.27	1/4	2,979.83	1/4	3,346.39	1/4	3,712.95	1/4	3,963.74	1/4	4,127.84	1/4	4,275.10	1/4	4,415.41	1/4	
1/2	64.84	1/2	425.07	1/2	789.15	1/2	1,155.52	1/2	1,522.02	1/2	1,887.89	1/2	2,254.40	1/2	2,620.91	1/2	2,987.46	1/2	3,354.02	1/2	3,720.59	1/2	3,967.24	1/2	4,131.08	1/2	4,277.98	1/2	4,418.43	1/2	
3/4	71.60	3/4	431.95	3/4	796.78	3/4	1,163.15	3/4	1,529.63	3/4	1,895.53	3/4	2,262.03	3/4	2,628.55	3/4	2,995.10	3/4	3,361.66	3/4	3,728.22	3/4	3,970.74	3/4	4,134.33	3/4	4,280.85	3/4	4,421.46	3/4	
4	78.36	4	438.83	4	804.41	4	1,170.79	4	1,537.24	4	1,903.16	4	2,269.66	4	2,636.18	4	3,002.74	4	3,369.30	4	3,735.86	4	3,974.24	4	4,137.57	4	4,283.73	4	4,424.48	4	
1/4	85.85	1/4	446.28	1/4	812.04	1/4	1,178.43	1/4	1,544.85	1/4	1,910.80	1/4	2,277.30	1/4	2,643.82	1/4	3,010.37	1/4	3,376.93	1/4	3,743.50	1/4	3,977.75	1/4	4,140.79	1/4	4,286.57	1/4	4,426.38	1/4	
1/2	93.35	1/2	453.72	1/2	819.66	1/2	1,186.06	1/2	1,552.46	1/2	1,918.43	1/2	2,284.93	1/2	2,651.45	1/2	3,018.01	1/2	3,384.57	1/2	3,751.13	1/2	3,981.25	1/2	4,144.00	1/2	4,289.41	1/2	4,428.29	1/2	
3/4	100.84	3/4	461.17	3/4	827.29	3/4	1,193.70	3/4	1,560.06	3/4	1,926.07	3/4	2,292.57	3/4	2,659.09	3/4	3,025.65	3/4	3,392.21	3/4	3,758.77	3/4	3,984.75	3/4	4,147.22	3/4	4,292.26	3/4	4,430.19	3/4	
5	108.33	5	468.62	5	834.92	5	1,201.34	5	1,567.67	5	1,933.70	5	2,300.20	5	2,666.73	5	3,033.28	5	3,399.84	5	3,766.41	5	3,988.25	5	4,150.44	5	4,295.10	5	4,432.10	5	
1/4	115.99	1/4	476.25	1/4	842.55	1/4	1,208.97	1/4	1,575.28	1/4	1,941.34	1/4	2,307.84	1/4	2,674.36	1/4	3,040.92	1/4	3,407.48	1/4	3,774.04	1/4	3,991.75	1/4	4,153.62	1/4	4,297.91	1/4	4,432.73	1/4	
1/2	123.64	1/2	483.89	1/2	850.17	1/2	1,216.61	1/2	1,582.88	1/2	1,948.98	1/2	2,315.47	1/2	2,682.00	1/2	3,048.56	1/2	3,415.12	1/2	3,781.68	1/2	3,995.25	1/2	4,156.80	1/2	4,300.73	1/2	4,433.12	1/2	
3/4	131.30	3/4	491.53	3/4	857.80	3/4	1,224.24	3/4	1,590.49	3/4	1,956.61	3/4	2,323.10	3/4	2,689.64	3/4	3,056.19	3/4	3,422.75	3/4	3,789.32	3/4	3,998.76	3/4	4,159.99	3/4	4,303.54	3/4	4,433.64	3/4	
6	138.96	6	499.17	6	865.43	6	1,231.88	6	1,598.10	6	1,964.25	6	2,330.74	6	2,697.27	6	3,063.83	6	3,430.39	6	3,796.95	6	4,002.26	6	4,163.17	6	4,306.35	6	4,433.64	6	
1/4	146.60	1/4	506.80	1/4	873.06	1/4	1,239.52	1/4	1,605.70	1/4	1,971.88	1/4	2,338.37	1/4	2,704.91	1/4	3,071.47	1/4	3,438.03	1/4	3,804.59	1/4	4,005.76	1/4	4,166.33	1/4	4,309.13	1/4	4,433.64	1/4	
1/2	154.24	1/2	514.44	1/2	880.69	1/2	1,247.15	1/2	1,613.31	1/2	1,979.52	1/2	2,346.01	1/2	2,712.54	1/2	3,079.10	1/2	3,445.66	1/2	3,812.23	1/2	4,009.26	1/2	4,169.48	1/2	4,311.91	1/2	4,433.64	1/2	
3/4	161.88	3/4	522.08	3/4	888.32	3/4	1,254.79	3/4	1,620.92	3/4	1,987.16	3/4	2,353.64	3/4	2,720.18	3/4	3,086.74	3/4	3,453.30	3/4	3,819.86	3/4	4,012.76	3/4	4,172.63	3/4	4,314.70	3/4	4,433.64	3/4	
7	169.53	7	529.71	7	895.95	7	1,262.43	7	1,628.52	7	1,994.79	7	2,361.28	7	2,727.82	7	3,094.38	7	3,460.94	7	3,827.50	7	4,016.26	7	4,175.79	7	4,317.48	7	4,433.64	7	
1/4	177.16	1/4	537.35	1/4	903.58	1/4	1,270.06	1/4	1,636.13	1/4	2,002.43	1/4	2,368.91	1/4	2,735.45	1/4	3,102.01	1/4	3,468.57	1/4	3,835.14	1/4	4,019.76	1/4	4,178.91	1/4	4,320.23	1/4	4,433.64	1/4	
1/2	184.80	1/2	544.98	1/2	911.21	1/2	1,277.70	1/2	1,643.74	1/2	2,010.06	1/2	2,376.55	1/2	2,743.09	1/2	3,109.65	1/2	3,476.21	1/2	3,842.77	1/2	4,023.25	1/2	4,182.03	1/2	4,322.98	1/2	4,433.64	1/2	
3/4	192.43	3/4	552.62	3/4	918.84	3/4	1,285.33	3/4	1,651.34	3/4	2,017.70	3/4	2,384.18	3/4	2,750.73	3/4	3,117.29	3/4	3,483.85	3/4	3,850.41	3/4	4,026.74	3/4	4,185.15	3/4	4,325.73	3/4	4,433.64	3/4	
8	200.07	8	560.26	8	926.47	8	1,292.97	8	1,658.95	8	2,025.33	8	2,391.82	8	2,758.36	8	3,124.92	8	3,491.48	8	3,858.05	8	4,030.23	8	4,188.27	8	4,328.48	8	4,433.64	8	
1/4	207.71	1/4	567.89	1/4	934.10	1/4	1,300.61	1/4	1,666.56	1/4	2,032.97	1/4	2,399.46	1/4	2,766.00	1/4	3,132.56	1/4	3,499.12	1/4	3,862.58	1/4	4,033.69	1/4	4,191.37	1/4	4,331.20	1/4	4,433.64	1/4	
1/2	215.34	1/2	575.53	1/2	941.73	1/2	1,308.24	1/2	1,674.16	1/2	2,040.61	1/2	2,407.09	1/2	2,773.64	1/2	3,140.20	1/2	3,506.76	1/2	3,867.12	1/2	4,037.15	1/2	4,194.46	1/2	4,333.92	1/2	4,433.64	1/2	
3/4	222.98	3/4	583.16	3/4	949.36	3/4	1,315.88	3/4	1,681.77	3/4	2,048.24	3/4	2,414.73	3/4	2,781.27	3/4	3,147.83	3/4	3,514.39	3/4	3,871.66	3/4	4,040.61	3/4	4,197.55	3/4	4,336.64	3/4	4,433.64	3/4	
9	230.61	9	590.79	9	956.99	9	1,323.52	9	1,689.38	9	2,055.88	9	2,422.37	9	2,788.91	9	3,155.47	9	3,522.03	9	3,876.19	9	4,044.08	9	4,200.64	9	4,339.36	9	4,433.64	9	
1/4	238.25	1/4	598.43	1/4	964.63	1/4	1,331.15	1/4	1,697.00	1/4	2,063.51	1/4	2																		

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-11 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	7.16	0	306.66	0	649.10	0	996.08	0	1,344.79	0	1,692.84	0	2,041.54	0	2,390.21	0	2,738.94	0	3,087.67	0	3,436.41	0	3,726.24	0	3,885.12	0	4,030.16	0	4,158.25	0	
1/4	9.21	1/4	313.90	1/4	656.32	1/4	1,003.34	1/4	1,352.06	1/4	1,700.10	1/4	2,048.80	1/4	2,397.48	1/4	2,746.20	1/4	3,094.94	1/4	3,443.68	1/4	3,729.58	1/4	3,888.30	1/4	4,032.99	1/4	4,161.37	1/4	
1/2	11.25	1/2	321.14	1/2	663.54	1/2	1,010.61	1/2	1,359.32	1/2	1,707.37	1/2	2,056.07	1/2	2,404.74	1/2	2,753.47	1/2	3,102.21	1/2	3,450.94	1/2	3,732.92	1/2	3,891.49	1/2	4,035.82	1/2	4,164.50	1/2	
3/4	13.30	3/4	328.38	3/4	670.76	3/4	1,017.87	3/4	1,366.59	3/4	1,714.63	3/4	2,063.33	3/4	2,412.01	3/4	2,760.73	3/4	3,109.47	3/4	3,458.21	3/4	3,736.25	3/4	3,894.67	3/4	4,038.65	3/4	4,167.63	3/4	
1	15.35	1	335.63	1	677.98	1	1,025.14	1	1,373.85	1	1,721.90	1	2,070.60	1	2,419.27	1	2,768.00	1	3,116.74	1	3,465.48	1	3,739.59	1	3,897.85	1	4,041.48	1	4,170.76	1	
1/4	18.67	1/4	342.87	1/4	685.20	1/4	1,032.40	1/4	1,381.12	1/4	1,729.16	1/4	2,077.86	1/4	2,426.54	1/4	2,775.26	1/4	3,124.00	1/4	3,472.74	1/4	3,742.93	1/4	3,901.01	1/4	4,044.28	1/4	4,174.10	1/4	
1/2	21.99	1/2	350.11	1/2	692.43	1/2	1,039.67	1/2	1,388.38	1/2	1,736.43	1/2	2,085.12	1/2	2,433.80	1/2	2,782.53	1/2	3,131.27	1/2	3,480.01	1/2	3,746.27	1/2	3,904.16	1/2	4,047.08	1/2	4,177.44	1/2	
3/4	25.30	3/4	357.35	3/4	699.65	3/4	1,046.93	3/4	1,395.65	3/4	1,743.69	3/4	2,092.39	3/4	2,441.07	3/4	2,789.79	3/4	3,138.53	3/4	3,487.27	3/4	3,749.60	3/4	3,907.32	3/4	4,049.88	3/4	4,180.77	3/4	
2	28.62	2	364.59	2	706.87	2	1,054.20	2	1,402.91	2	1,750.96	2	2,099.65	2	2,448.33	2	2,797.06	2	3,145.80	2	3,494.54	2	3,752.94	2	3,910.47	2	4,052.68	2	4,184.11	2	
1/4	33.71	1/4	371.31	1/4	714.09	1/4	1,061.46	1/4	1,410.18	1/4	1,758.22	1/4	2,106.91	1/4	2,455.60	1/4	2,804.32	1/4	3,153.06	1/4	3,501.80	1/4	3,756.28	1/4	3,913.60	1/4	4,055.45	1/4	4,187.45	1/4	
1/2	38.79	1/2	378.03	1/2	721.31	1/2	1,068.73	1/2	1,417.44	1/2	1,765.49	1/2	2,114.18	1/2	2,462.86	1/2	2,811.59	1/2	3,160.33	1/2	3,509.07	1/2	3,759.62	1/2	3,916.72	1/2	4,058.23	1/2	4,190.79	1/2	
3/4	43.88	3/4	384.75	3/4	728.53	3/4	1,075.99	3/4	1,424.71	3/4	1,772.75	3/4	2,121.44	3/4	2,470.13	3/4	2,818.86	3/4	3,167.59	3/4	3,516.33	3/4	3,762.96	3/4	3,919.84	3/4	4,061.00	3/4	4,194.12	3/4	
3	48.96	3	391.47	3	735.76	3	1,083.26	3	1,431.97	3	1,780.02	3	2,128.70	3	2,477.39	3	2,826.12	3	3,174.86	3	3,523.60	3	3,766.29	3	3,922.97	3	4,063.77	3	4,197.46	3	
1/4	55.40	1/4	398.02	1/4	742.98	1/4	1,090.52	1/4	1,439.22	1/4	1,787.28	1/4	2,135.97	1/4	2,484.66	1/4	2,833.39	1/4	3,182.13	1/4	3,530.86	1/4	3,769.63	1/4	3,926.06	1/4	4,066.51	1/4	4,200.34	1/4	
1/2	61.83	1/2	404.56	1/2	750.20	1/2	1,097.79	1/2	1,446.46	1/2	1,794.55	1/2	2,143.23	1/2	2,491.92	1/2	2,840.65	1/2	3,189.39	1/2	3,538.13	1/2	3,772.97	1/2	3,929.16	1/2	4,069.25	1/2	4,203.23	1/2	
3/4	68.27	3/4	411.11	3/4	757.42	3/4	1,105.05	3/4	1,453.71	3/4	1,801.81	3/4	2,150.49	3/4	2,499.19	3/4	2,847.92	3/4	3,196.66	3/4	3,545.40	3/4	3,776.31	3/4	3,932.25	3/4	4,071.99	3/4	4,206.11	3/4	
4	74.70	4	417.65	4	764.64	4	1,112.32	4	1,460.95	4	1,809.07	4	2,157.76	4	2,506.45	4	2,855.18	4	3,203.92	4	3,552.66	4	3,779.65	4	3,935.35	4	4,074.74	4	4,208.99	4	
1/4	81.83	1/4	424.74	1/4	771.86	1/4	1,119.58	1/4	1,468.19	1/4	1,816.34	1/4	2,165.02	1/4	2,513.72	1/4	2,862.45	1/4	3,211.19	1/4	3,559.93	1/4	3,782.98	1/4	3,938.42	1/4	4,077.45	1/4	4,210.81	1/4	
1/2	88.96	1/2	431.82	1/2	779.08	1/2	1,126.85	1/2	1,475.42	1/2	1,823.60	1/2	2,172.28	1/2	2,520.98	1/2	2,869.71	1/2	3,218.45	1/2	3,567.19	1/2	3,786.32	1/2	3,941.48	1/2	4,080.16	1/2	4,212.62	1/2	
3/4	96.09	3/4	438.91	3/4	786.30	3/4	1,134.11	3/4	1,482.66	3/4	1,830.87	3/4	2,179.55	3/4	2,528.25	3/4	2,876.98	3/4	3,225.72	3/4	3,574.46	3/4	3,789.66	3/4	3,944.55	3/4	4,082.87	3/4	4,214.44	3/4	
5	103.22	5	445.99	5	793.52	5	1,141.38	5	1,489.90	5	1,838.13	5	2,186.81	5	2,535.51	5	2,884.24	5	3,232.98	5	3,581.72	5	3,793.00	5	3,947.61	5	4,085.59	5	4,216.26	5	
1/4	110.50	1/4	453.26	1/4	800.75	1/4	1,148.64	1/4	1,497.13	1/4	1,845.40	1/4	2,194.07	1/4	2,542.78	1/4	2,891.51	1/4	3,240.25	1/4	3,588.99	1/4	3,796.34	1/4	3,950.65	1/4	4,088.27	1/4	4,216.87	1/4	
1/2	117.78	1/2	460.52	1/2	807.97	1/2	1,155.91	1/2	1,504.37	1/2	1,852.66	1/2	2,201.34	1/2	2,550.04	1/2	2,898.77	1/2	3,247.51	1/2	3,596.25	1/2	3,799.67	1/2	3,953.69	1/2	4,090.95	1/2	4,218.12	1/2	
3/4	125.07	3/4	467.79	3/4	815.19	3/4	1,163.17	3/4	1,511.61	3/4	1,859.93	3/4	2,208.60	3/4	2,557.31	3/4	2,906.04	3/4	3,254.78	3/4	3,603.52	3/4	3,803.01	3/4	3,956.72	3/4	4,093.64	3/4	4,219.34	3/4	
6	132.35	6	475.05	6	822.41	6	1,170.44	6	1,518.84	6	1,867.19	6	2,215.86	6	2,564.57	6	2,913.31	6	3,262.04	6	3,610.78	6	3,806.35	6	3,959.76	6	4,096.32	6	4,220.49	6	
1/4	139.62	1/4	482.32	1/4	829.63	1/4	1,177.70	1/4	1,526.08	1/4	1,874.45	1/4	2,223.13	1/4	2,571.84	1/4	2,920.57	1/4	3,269.31	1/4	3,618.05	1/4	3,809.69	1/4	3,962.76	1/4	4,098.97	1/4	4,221.11	1/4	
1/2	146.89	1/2	489.59	1/2	836.85	1/2	1,184.97	1/2	1,533.32	1/2	1,881.72	1/2	2,230.39	1/2	2,579.10	1/2	2,927.84	1/2	3,276.58	1/2	3,625.31	1/2	3,813.02	1/2	3,965.77	1/2	4,101.63	1/2	4,221.73	1/2	
3/4	154.16	3/4	496.85	3/4	844.08	3/4	1,192.23	3/4	1,540.55	3/4	1,888.98	3/4	2,237.65	3/4	2,586.37	3/4	2,935.10	3/4	3,283.84	3/4	3,632.58	3/4	3,816.36	3/4	3,968.78	3/4	4,104.28	3/4	4,222.35	3/4	
7	161.43	7	504.12	7	851.30	7	1,199.50	7	1,547.79	7	1,896.25	7	2,244.91	7	2,593.63	7	2,942.37	7	3,291.11	7	3,639.85	7	3,819.70	7	3,971.79	7	4,106.94	7	4,222.91	7	
1/4	168.70	1/4	511.38	1/4	858.52	1/4	1,206.76	1/4	1,555.03	1/4	1,903.51	1/4	2,252.18	1/4	2,600.90	1/4	2,949.63	1/4	3,298.37	1/4	3,647.11	1/4	3,823.03	1/4	3,974.76	1/4	4,109.56	1/4	4,223.48	1/4	
1/2	175.96	1/2	518.65	1/2	865.75	1/2	1,214.03	1/2	1,562.26	1/2	1,910.78	1/2	2,259.44	1/2	2,608.16	1/2	2,956.90	1/2	3,305.64	1/2	3,654.38	1/2	3,826.35	1/2	3,977.74	1/2	4,112.18	1/2	4,224.04	1/2	
3/4	183.23	3/4	525.91	3/4	872.97	3/4	1,221.29	3/4	1,569.50	3/4	1,918.04	3/4	2,266.71	3/4	2,615.43	3/4	2,964.16	3/4	3,312.90	3/4	3,661.64	3/4	3,829.68	3/4	3,980.72	3/4	4,114.81	3/4	4,224.60	3/4	
8	190.49	8	533.18	8	880.20	8	1,228.56	8	1,576.74	8	1,925.31	8	2,273.97	8	2,622.69	8	2,971.43	8	3,320.17	8	3,668.91	8	3,833.01	8	3,983.70	8	4,117.43	8	4,225.16	8	
1/4	197.76	1/4	540.44	1/4	887.42	1/4	1,235.82	1/4	1,583.97	1/4	1,932.57	1/4	2,281.24	1/4	2,629.96	1/4	2,978.69	1/4	3,327.43	1/4	3,675.23	1/4	3,836.31	1/4	3,986.64	1/4	4,120.03	1/4	4,225.72	1/4	
1/2	205.02	1/2	547.70	1/2	894.64	1/2	1,243.08	1/2	1,591.21	1/2	1,939.84	1/2	2,288.50	1/2	2,637.22	1/2	2,985.96	1/2	3,334.70	1/2	3,677.55	1/2	3,839.61	1/2	3,989.59	1/2	4,122.62	1/2	4,226.28	1/2	
3/4	212.29	3/4	554.96	3/4	901.87	3/4	1,250.35	3/4	1,598.45	3/4	1,947.10	3/4	2,295.77	3/4	2,644.49	3/4	2,993.22	3/4	3,341.96	3/4	3,681.87	3/4	3,842.91	3/4	3,992.54	3/4	4,125.22	3/4	4,226.84	3/4	
9	219.55	9	562.23	9	909.09	9	1,257.61	9	1,605.68	9	1,954.36	9	2,303.03	9	2,651.75	9	3,000.49	9	3,349.23	9	3,686.18	9	3,846.21	9	3,995.49	9	4,127.81</				



BARGE: GM 1017 JEFFBOAT 15-2111

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 4'-02 1/8"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	0	6	2,117	0	4,234	6	6,351	0	8,468	6	10,586	0	12,703	6	14,820	0		6	
1/8	44	1/8	2,161	1/8	4,278	1/8	6,395	1/8	8,513	1/8	10,630	1/8	12,747	1/8	14,857	1/8		1/8	
1/4	88	1/4	2,205	1/4	4,322	1/4	6,440	1/4	8,557	1/4	10,674	1/4	12,791	1/4	14,893	1/4		1/4	
3/8	132	3/8	2,249	3/8	4,367	3/8	6,484	3/8	8,601	3/8	10,718	3/8	12,835	3/8	14,930	3/8		3/8	
1/2	176	1/2	2,294	1/2	4,411	1/2	6,528	1/2	8,645	1/2	10,762	1/2	12,879	1/2	14,967	1/2		1/2	
5/8	221	5/8	2,338	5/8	4,455	5/8	6,572	5/8	8,689	5/8	10,806	5/8	12,923	5/8	15,004	5/8		5/8	
3/4	265	3/4	2,382	3/4	4,499	3/4	6,616	3/4	8,733	3/4	10,850	3/4	12,967	3/4	15,040	3/4		3/4	
7/8	309	7/8	2,426	7/8	4,543	7/8	6,660	7/8	8,777	7/8	10,894	7/8	13,011	7/8	15,077	7/8		7/8	
1	353	7	2,470	1	4,587	7	6,704	1	8,821	7	10,938	1	13,056	7	15,114	1		7	
1/8	397	1/8	2,514	1/8	4,631	1/8	6,748	1/8	8,865	1/8	10,983	1/8	13,100	1/8	15,136	1/8		1/8	
1/4	441	1/4	2,558	1/4	4,675	1/4	6,792	1/4	8,910	1/4	11,027	1/4	13,144	1/4	15,158	1/4		1/4	
3/8	485	3/8	2,602	3/8	4,719	3/8	6,837	3/8	8,954	3/8	11,071	3/8	13,188	3/8	15,180	3/8		3/8	
1/2	529	1/2	2,646	1/2	4,764	1/2	6,881	1/2	8,998	1/2	11,115	1/2	13,232	1/2	15,202	1/2		1/2	
5/8	573	5/8	2,691	5/8	4,808	5/8	6,925	5/8	9,042	5/8	11,159	5/8	13,276	5/8	15,224	5/8		5/8	
3/4	617	3/4	2,735	3/4	4,852	3/4	6,969	3/4	9,086	3/4	11,203	3/4	13,320	3/4	15,246	3/4		3/4	
7/8	662	7/8	2,779	7/8	4,896	7/8	7,013	7/8	9,130	7/8	11,247	7/8	13,364	7/8	15,268	7/8		7/8	
2	706	8	2,823	2	4,940	8	7,057	2	9,174	8	11,291	2	13,408	8	15,290	2		8	
1/8	750	1/8	2,867	1/8	4,984	1/8	7,101	1/8	9,218	1/8	11,335	1/8	13,453	1/8	15,298	1/8		1/8	
1/4	794	1/4	2,911	1/4	5,028	1/4	7,145	1/4	9,262	1/4	11,380	1/4	13,497	1/4	15,305	1/4		1/4	
3/8	838	3/8	2,955	3/8	5,072	3/8	7,189	3/8	9,307	3/8	11,424	3/8	13,541	3/8	15,312	3/8		3/8	
1/2	882	1/2	2,999	1/2	5,116	1/2	7,233	1/2	9,351	1/2	11,468	1/2	13,585	1/2	15,320	1/2		1/2	
5/8	926	5/8	3,043	5/8	5,160	5/8	7,278	5/8	9,395	5/8	11,512	5/8	13,629	5/8	15,327	5/8		5/8	
3/4	970	3/4	3,087	3/4	5,205	3/4	7,322	3/4	9,439	3/4	11,556	3/4	13,673	3/4	15,334	3/4		3/4	
7/8	1,014	7/8	3,132	7/8	5,249	7/8	7,366	7/8	9,483	7/8	11,600	7/8	13,717	7/8	15,342	7/8		7/8	
3	1,059	9	3,176	3	5,293	9	7,410	3	9,527	9	11,644	3	13,761	9	15,349	3		9	
1/8	1,103	1/8	3,220	1/8	5,337	1/8	7,454	1/8	9,571	1/8	11,688	1/8	13,805	1/8		1/8		1/8	
1/4	1,147	1/4	3,264	1/4	5,381	1/4	7,498	1/4	9,615	1/4	11,732	1/4	13,850	1/4		1/4		1/4	
3/8	1,191	3/8	3,308	3/8	5,425	3/8	7,542	3/8	9,659	3/8	11,776	3/8	13,894	3/8		3/8		3/8	
1/2	1,235	1/2	3,352	1/2	5,469	1/2	7,586	1/2	9,703	1/2	11,821	1/2	13,938	1/2		1/2		1/2	
5/8	1,279	5/8	3,396	5/8	5,513	5/8	7,630	5/8	9,748	5/8	11,865	5/8	13,982	5/8		5/8		5/8	
3/4	1,323	3/4	3,440	3/4	5,557	3/4	7,675	3/4	9,792	3/4	11,909	3/4	14,026	3/4		3/4		3/4	
7/8	1,367	7/8	3,484	7/8	5,602	7/8	7,719	7/8	9,836	7/8	11,953	7/8	14,070	7/8		7/8		7/8	
4	1,411	10	3,529	4	5,646	10	7,763	4	9,880	10	11,997	4	14,114	10		4		10	
1/8	1,456	1/8	3,573	1/8	5,690	1/8	7,807	1/8	9,924	1/8	12,041	1/8	14,158	1/8		1/8		1/8	
1/4	1,500	1/4	3,617	1/4	5,734	1/4	7,851	1/4	9,968	1/4	12,085	1/4	14,202	1/4		1/4		1/4	
3/8	1,544	3/8	3,661	3/8	5,778	3/8	7,895	3/8	10,012	3/8	12,129	3/8	14,246	3/8		3/8		3/8	
1/2	1,588	1/2	3,705	1/2	5,822	1/2	7,939	1/2	10,056	1/2	12,173	1/2	14,291	1/2		1/2		1/2	
5/8	1,632	5/8	3,749	5/8	5,866	5/8	7,983	5/8	10,100	5/8	12,218	5/8	14,335	5/8		5/8		5/8	
3/4	1,676	3/4	3,793	3/4	5,910	3/4	8,027	3/4	10,145	3/4	12,262	3/4	14,379	3/4		3/4		3/4	
7/8	1,720	7/8	3,837	7/8	5,954	7/8	8,072	7/8	10,189	7/8	12,306	7/8	14,423	7/8		7/8		7/8	
5	1,764	11	3,881	5	5,999	11	8,116	5	10,233	11	12,350	5	14,467	11		5		11	
1/8	1,808	1/8	3,925	1/8	6,043	1/8	8,160	1/8	10,277	1/8	12,394	1/8	14,511	1/8		1/8		1/8	
1/4	1,852	1/4	3,970	1/4	6,087	1/4	8,204	1/4	10,321	1/4	12,438	1/4	14,555	1/4		1/4		1/4	
3/8	1,897	3/8	4,014	3/8	6,131	3/8	8,248	3/8	10,365	3/8	12,482	3/8	14,599	3/8		3/8		3/8	
1/2	1,941	1/2	4,058	1/2	6,175	1/2	8,292	1/2	10,409	1/2	12,526	1/2	14,643	1/2		1/2		1/2	
5/8	1,985	5/8	4,102	5/8	6,219	5/8	8,336	5/8	10,453	5/8	12,570	5/8	14,688	5/8		5/8		5/8	
3/4	2,029	3/4	4,146	3/4	6,263	3/4	8,380	3/4	10,497	3/4	12,615	3/4	14,732	3/4		3/4		3/4	
7/8	2,073	7/8	4,190	7/8	6,307	7/8	8,424	7/8	10,542	7/8	12,659	7/8	14,776	7/8		7/8		7/8	

NOTE: GAUGE POINT: 8" DIAMETER HATCH.

DATE STRAPPED: 06/29/2016 BY: JM
DATE COMPUTED: 07/08/2016 BY: CL
DATE ISSUED: 07/08/2016

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.