

# **SAFETY DATA SHEET** Sodium Carbonate, Anhydrous

**SDS #**: 497-19-8

Revision date: 2020-12-22

Format: NA Version 5.09

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Soda Ash

Other means of identification

Product Code(s) 497-19-8

Synonyms Sodium carbonate, anhydrous; Carbonic acid, disodium salt; Disodium carbonate

Chemical Family Alkali salt

Recommended use of the chemical and restrictions on use

Recommended Use: Glass manufacture, Personal care, Detergent, Water treatment chemical, Chemical

processing

**Restrictions on Use:** See section 16 for more information

Manufacturer Address

Genesis Alkali Wyoming, LP 1735 Market Street Philadelphia, PA 19103

Tel: +1 877-362-2248 or +1 215-845-4500

www.alkali.genesisenergy.com

Emergency telephone number

1 307 / 872 2452 (Plant - Green River, WY) 1 303/389-1409 (Medical - U.S. - Call Collect)

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

## 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**SDS #**: 497-19-8 **Revision date**: 2020-12-22

Version 5.09

Serious eye damage/eye irritation Category 2A

#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

## Warning

#### **Hazard Statements**

H319 - Causes serious eye irritation



#### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response** 

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

## Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

May be harmful if swallowed.

Prolonged or repeated contact may dry skin and cause irritation

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical FamilyAlkali salt.FormulaNa2CO3

Chemical name	CAS-No	Weight %
Sodium carbonate	497-19-8	100

Synonyms are provided in Section 1.

# 4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

**Skin Contact** Wash off with warm water and soap. Get medical attention if irritation develops and

persists. Remove and wash contaminated clothing before re-use.

**Inhalation** Remove person to fresh air. If signs/symptoms continue, get medical attention.

**Ingestion** Never give anything by mouth to an unconscious person Get medical attention if symptoms

occur

**SDS #:** 497-19-8 **Revision date: 2020-12-22** 

Version 5.09

Most important symptoms and effects, both acute and delayed Causes serious eye damage / eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes

**Hazardous Combustion Products** Fumes of sodium oxide. Carbon oxides (COx).

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Avoid dust formation. Sweep up to prevent slipping hazard.

Other For further clean-up instructions, call Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment** Prevent large quantities of this product from contacting vegetation or waterways. Cover with

plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers.

Keep in suitable and closed containers for disposal.

Pick up and transfer to properly labeled containers. Keep in suitable and closed containers Methods for cleaning up

for disposal. Dispose of waste as indicated in Section 13.

# 7. HANDLING AND STORAGE

Handling Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate

> exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected. Make sure the locations of the eye washers and safety showers are close to the workstation locations.

**Storage** Store in original container. Keep in properly labeled containers. Keep container tightly

closed.

Incompatible products Aluminum, Powdered aluminum, Acids

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Ingredient	Agency	Workplace Exposure Limits
Carbonic acid sodium salt (1:2)	OSHA PEL (TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> Total dust;
		5 mg/m <sup>3</sup> Respirable fraction
Carbonic acid sodium salt (1:2)	MSHA	10 mg/m <sup>3</sup> Total dust

**SDS #**: 497-19-8 **Revision date**: 2020-12-22

Version 5.09

#### 8.2 Exposure

## Appropriate engineering controls

Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust

ventilation and good general extraction.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

Wear safety glasses or protective glasses with side shields. If splash potential exists, wear full face shield or chemical goggles.

**Skin and Body Protection** 

1

Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection** 

Wear protective gloves. If handling solutions, impervious gloves recommended

(e.g. Nitrile or Neoprene)

**Respiratory Protection** 

In case of inadequate ventilation wear respiratory protection.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Make sure the

locations of the eye washers and safety showers are close to the workstation locations.

**General information** These recommendations apply to the product as supplied

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

AppearanceGranulesPhysical StateSolidColorWhiteOdorodorlessOdor thresholdNot applicable

pH 11.4 (1% solution in water)

Melting point/freezing point 851 °C

Boiling Point/Range No information available

Flash point Not applicable

**Evaporation Rate** No information available

Flammability (solid, gas)

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No information available

Specific gravity 2.52

Water solubility
212.5 g/L @ 20 °C
Solubility in other solvents
Partition coefficient
Autoignition temperature
No information available
No information available

Decomposition temperature 400 °C

### Sodium Carbonate, Anhydrous

**SDS #**: 497-19-8

Revision date: 2020-12-22

Version 5.09

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties
Oxidizing properties
Molecular weight
Non-oxidizing
105.99

Bulk density 0.86 - 1.12 g/cm³ (Dense grades) 0.70 - 0.90 g/cm³ (Light Grades)

**K**<sub>st</sub> 0 bar m/s

## 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.

Chemical Stability Stable. Decomposes by reaction with strong acid.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**Incompatible materials** Aluminum. Powdered aluminum. Acids.

Hazardous Decomposition Products Sodium oxides. Carbon oxides (COx).

# 11. TOXICOLOGICAL INFORMATION

#### Product Information

**LD50 Oral** 2,800 mg/kg (rat) **LD50 Dermal** > 2,000 mg/kg (rabbit)

LC50 Inhalation

**Eye Contact** Irritating to eyes. **Skin Contact** Non-irritating

**Sensitization** Patch test on human volunteers did not demonstrate sensitization properties.

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity No known effect.

Mutagenicity No information available

Carcinogenicity Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Sodium carbonate (497-19-8)							
Active Ingredient(s)	Duration	Species	Value	Units			
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L			
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/L			

#### Sodium Carbonate, Anhydrous

SDS #: 497-19-8

Revision date: 2020-12-22 Version 5.09

**Persistence and degradability**Biodegradability does not pertain to inorganic substances.

**Bioaccumulation** Does not bio-accumulate.

**Mobility** Dissociates into ions.

Other Adverse Effects None known.

#### 13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

DOTNOT REGULATEDTDGNOT REGULATEDICAO/IATANOT REGULATEDIMDG/IMONOT REGULATED

# 15. REGULATORY INFORMATION

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazardYesChronic health hazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### California Proposition 65

**WARNING**: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

# U.S. State Right-to-Know Regulations

This product is not listed on state right-to-know regulations

#### International Inventories

## Sodium Carbonate, Anhydrous

**SDS #**: 497-19-8

Revision date: 2020-12-22

Version 5.09

							-	
Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium carbonate 497-19-8 (100)	Х	X	X	Х	X	X	X	X

Mexico - Grade Moderate risk, Grade 2

## **16. OTHER INFORMATION**

NFPA	Health Hazards 2	2	Flammability	0	Instability 0	Special Hazards -
HMIS	Health Hazards 2	2	Flammability	0	Physical hazard 0	Personal Protection X

**NFPA/HMIS Ratings Legend** 

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

#### **Product Certifications**

This product is certified to NSF/ANSI Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for sodium carbonate, anhydrous is 150 mg/L under NSF/ANSI Standard 60.







Halal: IFANCA

Revision date: 2020-12-22 Revision note Updated Section 2.

#### **Disclaimer**

Genesis Alkali, LLC believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Genesis Alkali, LLC; Genesis Alkali, LLC expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### Prepared By:

Genesis Alkali, LLC

Genesis Alkali Logo - Trademark of Genesis Alkali, LLC

© 2017 Genesis Alkali, LLC. All Rights Reserved.

End of Safety Data Sheet