



ARGE "GRIFCO 3011"
GRIFCO TRANSPORTATION COMPANY

TANK NO.

1 PORT OR STAR

INNAGE TABLE

HULL NO. 4604

ARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 14 FT.) and corresponding capacity values for various gauge heights (0, 1/4, 1/2, 3/4).

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 7/11/08

PORT REFERENCE GAUGE HEIGHT : 16'-3" (TO RIM OF HATCH LOCATED ON EXPANSION TRUNK)

STAR REFERENCE GAUGE HEIGHT : 16'-3 1/4" (TO RIM OF HATCH LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "GRIFCO 3011" GRIFCO TRANSPORTATION COMPANY

TANK NO.

2 PORT OR STAR

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4604

	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.	
0	*	0.00	0	149.08	0	511.78	0	878.74	0	1,245.70	0	1,612.66	0	1,979.62	0	2,346.58	0	2,713.54	0	3,080.50	0	3,447.46	0	3,814.42	0	4,179.73	0	4,529.72	0	4,860.91
1		0.05	1	179.62	1	542.36	1	909.32	1	1,276.28	1	1,643.24	1	2,010.20	1	2,377.16	1	2,744.12	1	3,111.08	1	3,478.04	1	3,845.00	1	4,209.68	1	4,558.10	1	4,887.72
2		0.10	2	210.16	2	572.94	2	939.90	2	1,306.86	2	1,673.82	2	2,040.78	2	2,407.74	2	2,774.70	2	3,141.66	2	3,508.62	2	3,875.58	2	4,239.43	2	4,586.29	2	4,914.73
3		0.14	3	240.70	3	603.52	3	970.48	3	1,337.44	3	1,704.40	3	2,071.36	3	2,438.32	3	2,805.28	3	3,172.24	3	3,539.20	3	3,906.16	3	4,268.99	3	4,614.28	3	4,938.88
4		0.19	4	271.24	4	634.10	4	1,001.06	4	1,368.02	4	1,734.98	4	2,101.94	4	2,468.90	4	2,835.86	4	3,202.82	4	3,569.78	4	3,936.74	4	4,298.55	4	4,642.27	4	4,956.91
5	*	0.24	5	301.78	5	664.68	5	1,031.64	5	1,398.60	5	1,765.56	5	2,132.52	5	2,499.48	5	2,866.44	5	3,233.40	5	3,600.36	5	3,967.32	5	4,327.92	5	4,670.07	5	4,968.84
6		4.05	6	332.32	6	695.26	6	1,062.22	6	1,429.18	6	1,796.14	6	2,163.10	6	2,530.06	6	2,897.02	6	3,263.98	6	3,630.94	6	3,997.90	6	4,367.08	6	4,697.67	6	4,974.65
7		15.49	7	362.86	7	725.84	7	1,092.80	7	1,459.76	7	1,826.72	7	2,193.68	7	2,560.64	7	2,927.60	7	3,294.56	7	3,661.52	7	4,028.48	7	4,386.24	7	4,725.27	7	4,973.17
8		34.57	8	393.40	8	756.42	8	1,123.38	8	1,490.34	8	1,857.30	8	2,224.26	8	2,591.22	8	2,958.18	8	3,325.14	8	3,692.10	8	4,058.94	8	4,415.21	8	4,752.67	8	4,975.34
9		60.02	9	422.67	9	787.00	9	1,153.96	9	1,520.92	9	1,887.88	9	2,254.84	9	2,621.80	9	2,988.76	9	3,355.72	9	3,722.68	9	4,089.28	9	4,443.99	9	4,779.88	9	4,973.17
10		89.28	10	451.93	10	817.58	10	1,184.54	10	1,551.50	10	1,918.46	10	2,285.42	10	2,652.38	10	3,019.34	10	3,386.30	10	3,753.26	10	4,119.63	10	4,472.77	10	4,807.08	10	4,973.17
11		118.64	11	481.20	11	848.16	11	1,215.12	11	1,582.08	11	1,949.04	11	2,316.00	11	2,682.96	11	3,049.92	11	3,416.88	11	3,783.84	11	4,149.77	11	4,501.34	11	4,834.09	11	4,973.17
12		133.81	12	496.49	12	863.45	12	1,230.41	12	1,597.37	12	1,964.33	12	2,331.29	12	2,698.25	12	3,065.21	12	3,432.17	12	3,799.13	12	4,164.75	12	4,515.53	12	4,847.50	12	4,973.17
13		141.45	13	504.13	13	871.09	13	1,238.05	13	1,605.01	13	1,971.97	13	2,338.93	13	2,705.89	13	3,072.85	13	3,439.81	13	3,806.77	13	4,172.24	13	4,522.63	13	4,854.20	13	4,973.17

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 7/11/08

REFERENCE GAUGE HEIGHT : 16'-3 1/4" (TO RIM OF HATCH LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

