# SAFETY DATA SHEET



## 1. Identification

Product identifier	Sodium Hydroxide Solution
Other means of identification	
Product number	GENLP-TDC-002
Recommended use	Product is a unique alkaline material, playing a vital role in many industrial processes.
Recommended restrictions	Use in accordance with supplier's recommendations.
Manufacturer/Importer/Supplier/E	Distributor information
Manufacturer	TDC, L.L.C. and TDC Services, LLC
Address	1916 Farmerville Hwy
	Ruston, LA 71270
Telephone	Customer Service (800) 422-6274
Email	TDCcustomerservice@genlp.com
CHEMTREC:	800-424-9300 (Domestic – North America)
CHEMTREC:	+1-703-527-3887 (International)

### 2. Hazard(s) identification

Physical hazards	Corrosive to metals	Category 1
Health hazards	Skin corrosion/irritation	Category 1A
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	





Signal word	Danger
Hazard statement	May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful to aquatic life.
Precautionary statement	
Prevention	Keep only in original container. Do not breathe mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.
Storage	Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

### 3. Composition/information on ingredients

**Mixtures** 



Chemical name		CAS number	%
Sodium hydroxide		1310-73-2	10 - 51
Composition comments	Components not listed are either non-hazardous or are in percent by weight unless ingredient is a gas.	are below reportable lin Gas concentrations are	nits. All concentrations in percent by volume.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms deve	elop or persist.	
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at le Remove contact lenses, if present and easy to do. ( control center immediately.	ast 15 minutes. Provide Continue rinsing. Call a <sub>l</sub>	eyewash station. ohysician or poison
Ingestion	Call a physician or poison control center immediate vomiting occurs, keep head low so that stomach co	ly. Rinse mouth. Do not ntent doesn't get into the	induce vomiting. If e lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Ca include stinging, tearing, redness, swelling, and blue blindness could result. Causes digestive tract burns	auses serious eye dama rred vision. Permanent e s. May cause respiratory	ge. Symptoms may eye damage including irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat sym immediately. While flushing, remove clothes which ambulance. Continue flushing during transport to he Symptoms may be delayed.	nptomatically. Chemical do not adhere to affecte ospital. Keep victim unde	burns: Flush with water d area. Call an er observation.
General information	Ensure that medical personnel are aware of the ma protect themselves.	terial(s) involved, and ta	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrou	nding materials.	
Unsuitable extinguishing media	No restrictions known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be form	ed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecti	ve clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray a	nd remove container, if	no risk is involved.
Specific methods	Use standard firefighting procedures and consider t	he hazards of other invo	lved materials.
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people ar appropriate protective equipment and clothing durin not touch damaged containers or spilled material un Ensure adequate ventilation. Local authorities shou contained. For personal protection, see section 8 of	way from and upwind of ng clean-up. Do not brea nless wearing appropriat Id be advised if significa f the SDS.	spill/leak. Wear the mist or vapor. Do e protective clothing. nt spillages cannot be
Methods and materials for	Prevent entry into waterways, sewer, basements or	confined areas.	
containment and cleaning up	Large Spills: Stop the flow of material, if this is with possible. Absorb spillage to prevent material damage vermiculite, sand or earth to soak up the product an Neutralize with dilute acids.	out risk. Dike the spilled ge. Use a non-combustit nd place into a container	material, where this is ble material like for later disposal.
	Small Spills: Wipe up with absorbent material (e.g. remove residual contamination.	cloth, fleece). Clean surf	ace thoroughly to
	Recover as much product as possible. For waste di	sposal, see section 13 c	of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto t	the ground.	
7. Handling and storage			
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, or Avoid prolonged exposure. Provide adequate ventil equipment. Observe good industrial hygiene practic	n skin, or on clothing. Do ation. Wear appropriate ces.	not taste or swallow. personal protective



Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Unsuitable containers: copper, zinc, aluminum, copper alloy, zinc alloy, aluminum alloy. Store away from incompatible materials (see Section 10 of the SDS). Store at temperature below 150°F. Provide appropriate secondary containment.

### 8. Exposure controls/personal protection

Occupational exposure limits US. OSHA Table Z-1 Limits	s for Air Contaminants (29 CFR 1910	1000)
Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3
US. ACGIH Threshold Lim Components	it Values Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
US. NIOSH: Pocket Guide	to Chemical Hazards	Value
	Type	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
Biological limit values	No biological exposure limits noted	for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be applicable, use process enclosures maintain airborne levels below reco established, maintain airborne level shower must be available when har	used. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mmended exposure limits. If exposure limits have not been s to an acceptable level. Eye wash facilities and emergency adling this product.
Individual protection measures Eye/face protection	s, such as personal protective equip Wear chemical splash goggles and	<b>ment</b> face shield.
Skin protection Hand protection	Wear appropriate chemical resistan	t gloves. Neoprene, PVC, nitrile, or natural rubber gloves are
Chin protection		
Other	Wear appropriate chemical resistan	t clothing.
Respiratory protection	If engineering controls do not maint limits (where applicable) or to an ac been established), an approved res	ain airborne concentrations below recommended exposure ceptable level (in countries where exposure limits have not pirator must be worn.
Thermal hazards	Wear appropriate thermal protective	e equipment.
General hygiene considerations	Always observe good personal hygi and before eating, drinking, and/or equipment to remove contaminants	ene measures, such as washing after handling the material smoking. Routinely wash work clothing and protective
9. Physical and chemical	l properties	
Appearance		
Physical state	Liquid.	
Form	Liquid.	
Color	Colorless, clear to slightly hazy.	
Odor	No distinct odor.	

pH14Melting point/freezing pointNot available.Initial boiling point and boiling<br/>rangeVariesFlash pointNot available.Evaporation rateNot available.Flammability (solid, gas)Not applicable.

Not available.



**Odor threshold** 

#### Upper/lower flammability or explosive limits

oppennower naminability of expl	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Varies.
Vapor density	Not available.
Relative density	Varies.
Solubility(ies)	
Solubility (water)	Completely soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Pounds per gallon	Varies.

# 10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents. May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents. Trichloroethylene. Nitromethane. Organic peroxides. Organic halogens.
Hazardous decomposition products	Contact with water produces heat, as well as toxic and corrosive fumes. Contact with metals may evolve flammable hydrogen gas. Thermal decomposition or combustion may produce: Sodium oxides. Carbonates. Peroxides.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Causes severe skin burns.	
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage in blindness could result. Causes digestive tract burns. May cause respiratory irritation.	s may cluding
Information on toxicological effe	ects	
Acute toxicity	Not expected to be acutely toxic.	
Skin corrosion/irritation	Causes severe skin burns.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	;
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Sodium	1 Hydroxide Solution	SDS U



933591 Version #: 04 Revision Date: 02-March-2023 Issue Date: 16-Aug-2016

IARC Monographs. Overall E	Evaluation of Carcinogenicity
Not listed.	
NTP Report on Carcinogens	
Not listed.	
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
Further information	No other specific acute or chronic health impact noted.

### 12. Ecological information

Ecotoxicity	Harmful to	aquatic life.	
Components		Species	Test Results
Sodium hydroxide (CAS 131	0-73-2)		
Aquatic			
Acute			
Crustacea	EC50	Ceriodaphnia dubia	40.4 mg/l, 48 Hours
Persistence and degradability	No data is	available on the degradability of th	is product.
Bioaccumulative potential	No data a	vailable.	
Mobility in soil	This produ	uct is water soluble and may dispers	se in soil.
Other adverse effects	The produorganisms	ict may affect the acidity (pH-factor)	in water with risk of harmful effects to aquatic

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

DOT
-----

UN number	UN1824
UN proper shipping name	Sodium hydroxide solution
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, N34, T7, TP2
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1824



UN proper shipping name Transport hazard class(es)	Sodium hydroxide solution	
Class	8	
Subsidiary risk	-	
Label(s)	8	
Packing group	II	
Environmental hazards	No.	
ERG Code	8L	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
IMDG		
UN number	UN1824	
UN proper shipping name	SODIUM HYDROXIDE SOLUTION	
Transport hazard class(es)		
Class	8	
Subsidiary risk	-	
Packing group	11	
Environmental nazaros		
Marine pollutant		
EmS	F-A, S-B	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
15. Regulatory information		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Expe	ort Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Sub	ostance List (40 CFR 302.4)	
Sodium hydroxide (C/ SARA 304 Emergency re	AS 1310-73-2) Listed. Ilease notification	
Not regulated. OSHA Specifically Regul	lated Substances (29 CFR 1910.1001-1053)	
Not listed.		
Toxic Substances Control Ac	<b>ct (TSCA)</b> All components of the mixture on the TSCA 8(b) inventory are designated "active".	
Superfund Amendments and Rea SARA 302 Extremely hazardo	authorization Act of 1986 (SARA) ous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Corrosive to metal Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	



#### US state regulations

US. Massachusetts RTK - Substance List

Sodium hydroxide (CAS 1310-73-2)

- US. New Jersey Worker and Community Right-to-Know Act Sodium hydroxide (CAS 1310-73-2)
- US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydroxide (CAS 1310-73-2)

#### US. Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sodium hydroxide (CAS 1310-73-2)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	16-Aug-2016
Revision date	02-March-2023
Version #	04
NFPA ratings	3 0
List of abbreviations	EC50: Effective Concentration, 50% PEL: Permissible Exposure Limit.

Disclaimer

TDC, L.L.C. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

