



BARGE: GM 1018

INNAGE TRIM TABLE
"HERMETIC"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	- 00-1/2	00-1/2	- 01-0/8	01-0/8	- 01-5/8	01-5/8	- 02-1/8	02-1/8	- 02-5/8	02-5/8	- 03-1/8	03-1/8
3 STBD	- 00-1/2	00-1/2	- 01-0/8	01-0/8	- 01-5/8	01-5/8	- 02-1/8	02-1/8	- 02-5/8	02-5/8	- 03-1/8	03-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 3 PORT IS 01-0/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 3 PORT, THE TRIM CORRECTED INNAGE IS 4'-01'

LENGTH BETWEEN DRAFT MARKS: 262'-00"

August 18, 2016



BARGE: GM 1018
JEFFBOAT 15-2113

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK REFERENCE GAUGE HEIGHT: 16'-01"

Table with 25 columns representing different gauge heights (0 FT. to 15 FT.) and multiple rows representing various measurements and capacities. Each cell contains numerical values representing capacity in barrels.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 08/12/2016 BY: JM
DATE COMPUTED: 08/18/2016 BY: CL
DATE ISSUED: 08/18/2016





BARGE: GM 1018

JEFFBOAT 15-2113

FUEL TANK

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 4'-02 1/8"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	0	6	2,117	0	4,234	6	6,351	0	8,468	6	10,586	0	12,703	6	14,820	0		6	
1/8	44	1/8	2,161	1/8	4,278	1/8	6,395	1/8	8,513	1/8	10,630	1/8	12,747	1/8	14,857	1/8		1/8	
1/4	88	1/4	2,205	1/4	4,322	1/4	6,440	1/4	8,557	1/4	10,674	1/4	12,791	1/4	14,893	1/4		1/4	
3/8	132	3/8	2,249	3/8	4,367	3/8	6,484	3/8	8,601	3/8	10,718	3/8	12,835	3/8	14,930	3/8		3/8	
1/2	176	1/2	2,294	1/2	4,411	1/2	6,528	1/2	8,645	1/2	10,762	1/2	12,879	1/2	14,967	1/2		1/2	
5/8	221	5/8	2,338	5/8	4,455	5/8	6,572	5/8	8,689	5/8	10,806	5/8	12,923	5/8	15,004	5/8		5/8	
3/4	265	3/4	2,382	3/4	4,499	3/4	6,616	3/4	8,733	3/4	10,850	3/4	12,967	3/4	15,040	3/4		3/4	
7/8	309	7/8	2,426	7/8	4,543	7/8	6,660	7/8	8,777	7/8	10,894	7/8	13,011	7/8	15,077	7/8		7/8	
1	353	7	2,470	1	4,587	7	6,704	1	8,821	7	10,938	1	13,056	7	15,114	1		7	
1/8	397	1/8	2,514	1/8	4,631	1/8	6,748	1/8	8,865	1/8	10,983	1/8	13,100	1/8	15,136	1/8		1/8	
1/4	441	1/4	2,558	1/4	4,675	1/4	6,792	1/4	8,910	1/4	11,027	1/4	13,144	1/4	15,158	1/4		1/4	
3/8	485	3/8	2,602	3/8	4,719	3/8	6,837	3/8	8,954	3/8	11,071	3/8	13,188	3/8	15,180	3/8		3/8	
1/2	529	1/2	2,646	1/2	4,764	1/2	6,881	1/2	8,998	1/2	11,115	1/2	13,232	1/2	15,202	1/2		1/2	
5/8	573	5/8	2,691	5/8	4,808	5/8	6,925	5/8	9,042	5/8	11,159	5/8	13,276	5/8	15,224	5/8		5/8	
3/4	617	3/4	2,735	3/4	4,852	3/4	6,969	3/4	9,086	3/4	11,203	3/4	13,320	3/4	15,246	3/4		3/4	
7/8	662	7/8	2,779	7/8	4,896	7/8	7,013	7/8	9,130	7/8	11,247	7/8	13,364	7/8	15,268	7/8		7/8	
2	706	8	2,823	2	4,940	8	7,057	2	9,174	8	11,291	2	13,408	8	15,290	2		8	
1/8	750	1/8	2,867	1/8	4,984	1/8	7,101	1/8	9,218	1/8	11,335	1/8	13,453	1/8	15,298	1/8		1/8	
1/4	794	1/4	2,911	1/4	5,028	1/4	7,145	1/4	9,262	1/4	11,380	1/4	13,497	1/4	15,305	1/4		1/4	
3/8	838	3/8	2,955	3/8	5,072	3/8	7,189	3/8	9,307	3/8	11,424	3/8	13,541	3/8	15,312	3/8		3/8	
1/2	882	1/2	2,999	1/2	5,116	1/2	7,233	1/2	9,351	1/2	11,468	1/2	13,585	1/2	15,320	1/2		1/2	
5/8	926	5/8	3,043	5/8	5,160	5/8	7,278	5/8	9,395	5/8	11,512	5/8	13,629	5/8	15,327	5/8		5/8	
3/4	970	3/4	3,087	3/4	5,205	3/4	7,322	3/4	9,439	3/4	11,556	3/4	13,673	3/4	15,334	3/4		3/4	
7/8	1,014	7/8	3,132	7/8	5,249	7/8	7,366	7/8	9,483	7/8	11,600	7/8	13,717	7/8	15,342	7/8		7/8	
3	1,059	9	3,176	3	5,293	9	7,410	3	9,527	9	11,644	3	13,761	9	15,349	3		9	
1/8	1,103	1/8	3,220	1/8	5,337	1/8	7,454	1/8	9,571	1/8	11,688	1/8	13,805	1/8		1/8		1/8	
1/4	1,147	1/4	3,264	1/4	5,381	1/4	7,498	1/4	9,615	1/4	11,732	1/4	13,850	1/4		1/4		1/4	
3/8	1,191	3/8	3,308	3/8	5,425	3/8	7,542	3/8	9,659	3/8	11,776	3/8	13,894	3/8		3/8		3/8	
1/2	1,235	1/2	3,352	1/2	5,469	1/2	7,586	1/2	9,703	1/2	11,821	1/2	13,938	1/2		1/2		1/2	
5/8	1,279	5/8	3,396	5/8	5,513	5/8	7,630	5/8	9,748	5/8	11,865	5/8	13,982	5/8		5/8		5/8	
3/4	1,323	3/4	3,440	3/4	5,557	3/4	7,675	3/4	9,792	3/4	11,909	3/4	14,026	3/4		3/4		3/4	
7/8	1,367	7/8	3,484	7/8	5,602	7/8	7,719	7/8	9,836	7/8	11,953	7/8	14,070	7/8		7/8		7/8	
4	1,411	10	3,529	4	5,646	10	7,763	4	9,880	10	11,997	4	14,114	10		4		10	
1/8	1,456	1/8	3,573	1/8	5,690	1/8	7,807	1/8	9,924	1/8	12,041	1/8	14,158	1/8		1/8		1/8	
1/4	1,500	1/4	3,617	1/4	5,734	1/4	7,851	1/4	9,968	1/4	12,085	1/4	14,202	1/4		1/4		1/4	
3/8	1,544	3/8	3,661	3/8	5,778	3/8	7,895	3/8	10,012	3/8	12,129	3/8	14,246	3/8		3/8		3/8	
1/2	1,588	1/2	3,705	1/2	5,822	1/2	7,939	1/2	10,056	1/2	12,173	1/2	14,291	1/2		1/2		1/2	
5/8	1,632	5/8	3,749	5/8	5,866	5/8	7,983	5/8	10,100	5/8	12,218	5/8	14,335	5/8		5/8		5/8	
3/4	1,676	3/4	3,793	3/4	5,910	3/4	8,027	3/4	10,145	3/4	12,262	3/4	14,379	3/4		3/4		3/4	
7/8	1,720	7/8	3,837	7/8	5,954	7/8	8,072	7/8	10,189	7/8	12,306	7/8	14,423	7/8		7/8		7/8	
5	1,764	11	3,881	5	5,999	11	8,116	5	10,233	11	12,350	5	14,467	11		5		11	
1/8	1,808	1/8	3,925	1/8	6,043	1/8	8,160	1/8	10,277	1/8	12,394	1/8	14,511	1/8		1/8		1/8	
1/4	1,852	1/4	3,970	1/4	6,087	1/4	8,204	1/4	10,321	1/4	12,438	1/4	14,555	1/4		1/4		1/4	
3/8	1,897	3/8	4,014	3/8	6,131	3/8	8,248	3/8	10,365	3/8	12,482	3/8	14,599	3/8		3/8		3/8	
1/2	1,941	1/2	4,058	1/2	6,175	1/2	8,292	1/2	10,409	1/2	12,526	1/2	14,643	1/2		1/2		1/2	
5/8	1,985	5/8	4,102	5/8	6,219	5/8	8,336	5/8	10,453	5/8	12,570	5/8	14,688	5/8		5/8		5/8	
3/4	2,029	3/4	4,146	3/4	6,263	3/4	8,380	3/4	10,497	3/4	12,615	3/4	14,732	3/4		3/4		3/4	
7/8	2,073	7/8	4,190	7/8	6,307	7/8	8,424	7/8	10,542	7/8	12,659	7/8	14,776	7/8		7/8		7/8	

NOTE: GAUGE POINT: 8" DIAMETER HATCH.

DATE STRAPPED: 08/12/2016 BY: JM
 DATE COMPUTED: 08/18/2016 BY: CL
 DATE ISSUED: 08/18/2016

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.