



BARGE "GRIFCO 3012"
GRIFCO TRANSPORTATION COMPANY
OUTAGE TABLE

TANK NO.
1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4607

Table with 17 columns (1 FT. to 16 FT.) and 17 rows (0 to 16). Each cell contains numerical values representing measurements at different depths and distances.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

REFERENCE GAUGE HEIGHT : 16'-3 1/4" (TO RIM OF HATCH LOCATED ON EXPANSION TRUNK)

STRAPPED: 8/4/08

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of an inspector.

INSPECTORATE AMERICA CORPORATION





BARGE "GRIFCO 3012"
GRIFCO TRANSPORTATION COMPANY

TANK NO.

3 PORT OR STAR

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4607

Large table with columns for gauge heights (1 FT. to 16 FT.) and rows for different gauge locations (0 to 34). Each cell contains numerical capacity values.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

REFERENCE GAUGE HEIGHT : 16'-3 1/2" (TO RIM OF HATCH LOCATED ON EXPANSION TRUNK)

STRAPPED: 8/4/03

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of an inspector.

INSPECTORATE AMERICA CORPORATION