



BARGE "GRIFCO 3803"  
GRIFCO TRANSPORTATION ONE, LTD

TANK NO.

1PORT OR STAR

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4433

Table with columns for gauge height (3 FT. to 19 FT.) and corresponding capacity values. The table is organized in a grid where the first column lists gauge heights and subsequent columns show capacity readings for various gauge locations.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 1/1503

\*\* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT: 19'-0 3/4" (RIM OF 2" DIA. BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE  
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND  
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

*[Signature]*

INSPECTORATE AMERICA CORPORATION



BARGE "GRIFCO 3803"
GRIFCO TRANSPORTATION ONE, LTD
OUTAGE TABLE

TANK NO.
2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4433

Table with columns for gauge height (3 FT. to 19 FT.) and corresponding capacity values for various tank sections.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 1/15/03

\*\* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 19'-1 1/4" (RIM OF 2" DIA. BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "GRIFCO 3803"
GRIFCO TRANSPORTATION ONE, LTD
OUTGAGE TABLE

TANK NO.
2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4433

Large table with columns for gauge height (3 FT. to 19 FT.) and rows for various measurements (0, 1/4, 1/2, 3/4). Includes numerical values and capacity indicators.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 1/15/03

\*\*\* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 19'-0 1/2" (RIM OF 2" DIA. BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature: [Handwritten]
INSPECTORATE AMERICA CORPORATION





BARGE "GRIFCO 3803" GRIFCO TRANSPORTATION ONE, LTD

TANK NO. 3 STAR

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4433

Table with columns for gauge height (3 FT. to 19 FT.) and capacity values. Includes a diagonal line in the 3 FT. column and various capacity readings for each gauge height.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 1/15/03

\*\*\* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 19'-0 3/4" (RIM OF 2" DIA. BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation signature and name



BARGE "GRIFCO 3803" GRIFCO TRANSPORTATION ONE, LTD

TANK NO. 4 PORT

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4433

Table with columns for gauge heights (3 FT. to 19 FT.) and rows for various measurement points (0 to 34). Each cell contains numerical values representing capacity or measurement data.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 1/15/03

\*\* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 19'-0 3/4" (RIM OF 2" DIA. BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "GRIFCO 3803" GRIFCO TRANSPORTATION ONE, LTD

OUTAGE TABLE

TANK NO. 4 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4433

Table with 20 columns (3 FT. to 19 FT.) and 20 rows (D to 3/4). Each cell contains a numerical value representing capacity. Includes a diagonal line in the top-left cell.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 1/15/03

\*\* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 19'-0 1/2" (RIM OF 2" DIA. BALL VALVE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION

