

## 1. Identification

<b>Product identifier</b>	<b>Sodium Hydrosulfide Solution</b>
<b>Other means of identification</b>	
<b>Product number</b>	GENLP-TDC-001
<b>Recommended use</b>	Product is a unique alkaline material, playing a vital role in many industrial processes.
<b>Recommended restrictions</b>	Use in accordance with supplier's recommendations.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Manufacturer</b>	TDC, L.L.C. and TDC Services, LLC
<b>Address</b>	1916 Farmerville Hwy Ruston, LA 71270
<b>Telephone</b>	Customer Service (800) 422-6274
<b>Email</b>	TDCcustomerservice@genlp.com
<b>CHEMTREC:</b>	800-424-9300 (Domestic – North America)
<b>CHEMTREC:</b>	+1-703-527-3887 (International)

## 2. Hazard(s) identification

<b>Physical hazards</b>	Corrosive to metals	Category 1
<b>Health hazards</b>	Acute toxicity, oral	Category 3
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
<b>OSHA defined hazards</b>	Not classified.	
<b>Label elements</b>		



<b>Signal word</b>	Danger
<b>Hazard statement</b>	May be corrosive to metals. Toxic if swallowed. Causes severe skin burns and eye damage. Very toxic to aquatic life.
<b>Precautionary statement</b>	
<b>Prevention</b>	Keep only in original container. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response</b>	If swallowed: Immediately call a poison center/doctor. Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Absorb spillage to prevent material damage.
<b>Storage</b>	Store locked up. Store in corrosive resistant container with a resistant inner liner.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	CAS number	%
Sodium hydrosulfide	16721-80-5	5-49
Sodium carbonate	497-19-8	<5
Sodium sulfide	1313-82-2	<5

**Composition comments** Components not listed are either non-hazardous or are below reportable limits. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not give mouth-to-mouth resuscitation. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Most important symptoms/effects, acute and delayed** Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Toxic if swallowed. Causes digestive tract burns.

**Indication of immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

**Suitable extinguishing media** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media** No restrictions known.

**Specific hazards arising from the chemical** During fire, gases hazardous to health may be formed. Hydrogen sulfide (H<sub>2</sub>S) may be given off when this material is heated. Do not depend on sense of smell for warning.

**Special protective equipment and precautions for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions** Cool containers exposed to heat with water spray and remove container, if no risk is involved.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Recover as much material as possible.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Recover the product and place in a suitable container for reuse. Neutralization/oxidation of residue using dilute bleach or peroxide. Recover as much product as possible.

**Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.



## 7. Handling and storage

### Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Hydrogen sulfide, a very toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS). Protect from heat and direct sunlight. Store at temperature below 150°F. Provide appropriate secondary containment.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Type	Value
Hydrogen sulfide (CAS 7783-06-4)	Ceiling	20 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Hydrogen sulfide (CAS 7783-06-4)	STEL	5 ppm
	TWA	1 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Hydrogen sulfide (CAS 7783-06-4)	Ceiling	15 mg/m <sup>3</sup>
		10 ppm

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear chemical splash goggles and face shield.

#### Skin protection

##### Hand protection

Neoprene gloves are recommended. Wear appropriate chemical resistant gloves.

#### Skin protection

##### Other

Wear appropriate chemical resistant clothing.

#### Respiratory protection

Do not breathe dust/fume/gas/mist/vapors/spray. In case of insufficient ventilation, wear suitable respiratory equipment. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

#### Thermal hazards

Wear appropriate thermal protective equipment.

### General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

#### Physical state

Liquid.

#### Form

Liquid.

#### Color

Yellow to red to dark green or black.

#### Odor

Rotten egg or mercaptan odor typical.

#### Odor threshold

Not available.

#### pH

11.5 - 12.5



<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	253 - 269 °F (122.8 - 131.7 °C)
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	

<b>Explosive limit - lower (%)</b>	4 % (hydrogen sulfide)
<b>Explosive limit - upper (%)</b>	46 % (hydrogen sulfide)
<b>Vapor pressure</b>	17 mm Hg (68 °F (20 °C))
<b>Vapor density</b>	1.17 (Air= 1)
<b>Relative density</b>	1.152 - 1.331 (H2O=1)

<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Completely soluble in water.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Pounds per gallon</b>	9.6 - 11.1 lb/gal

## 10. Stability and reactivity

<b>Reactivity</b>	Reacts violently with strong acids. This product will react with oxidizing agents. May be corrosive to metals. Reacts violently with diazonium salts.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Heating this product will evolve toxic fumes of hydrogen sulfide, sulfoxides and sodium oxide. Fire conditions will also cause the production of sulfur dioxide. Contact with acids increases the formation of hydrogen sulfide. Hydrogen sulfide may form flammable mixtures with air. Heating to decomposition emits toxic fumes of sulfoxides and sodium oxide.
<b>Conditions to avoid</b>	Contact with incompatible materials. Do not mix with other chemicals.
<b>Incompatible materials</b>	Acids, alkalis, oxidizing agents, light metals, aldehydes or organic anhydrides. Alkylene oxides. Aldehydes. Alcohols. Glycols. Phenols.
<b>Hazardous decomposition products</b>	Uncontrolled heating of this product will evolve toxic fumes of hydrogen sulfide, sulfoxides and sodium oxide. Fire conditions will also cause the production of sulfur dioxide.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause irritation to the respiratory system.
<b>Skin contact</b>	Causes severe skin burns.
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	Toxic if swallowed. Causes digestive tract burns.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Toxic if swallowed. Causes digestive tract burns.
---	---

### Information on toxicological effects

<b>Acute toxicity</b>	Toxic if swallowed.
-----------------------	---------------------

Components	Species	Test Results
Sodium carbonate (CAS 497-19-8)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg
<b>Oral</b>		
LD50	Rat	2080 mg/kg
Sodium hydrosulfide (CAS 16721-80-5)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	100 - 215 mg/kg
Sodium sulfide (CAS 1313-82-2)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	208 mg/kg
<b>Skin corrosion/irritation</b>	Causes severe skin burns.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Not listed.		
<b>NTP Report on Carcinogens</b>		
Not listed.		
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b>		
Not listed.		
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not an aspiration hazard.	
<b>Further information</b>	No other specific acute or chronic health impact noted.	

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life.

Components	Species	Test Results	
Sodium carbonate (CAS 497-19-8)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Ceriodaphnia dubia	200 mg/l, 48 Hours
Fish	LC50	Lepomis macrochirus	300 mg/l, 96 Hours
Sodium hydrosulfide (CAS 16721-80-5)			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	LC50	Lepomis macrochirus	> 0.0478 mg/l, 96 Hours
<i>Chronic</i>			
Fish	LOAEL	Lepomis macrochirus	> 0.0041 mg/l, 97 days

Components	Species	Test Results
Sodium sulfide (CAS 1313-82-2)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	LC50 Crustacea	0.08 mg/l, 48 Hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.	
<b>Bioaccumulative potential</b>	No data available.	
<b>Mobility in soil</b>	This product is water soluble and may disperse in soil.	
<b>Other adverse effects</b>	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.	

### 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] D003: Waste Reactive material The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

<b>UN number</b>	UN2922
<b>UN proper shipping name</b>	Corrosive liquids, toxic, n.o.s. (Sodium hydrosulfide)
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	6.1
<b>Label(s)</b>	8, 6.1
<b>Packing group</b>	II
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	B3, IB2, T7, TP2
<b>Packaging exceptions</b>	154
<b>Packaging non bulk</b>	202
<b>Packaging bulk</b>	243

#### IATA

<b>UN number</b>	UN2922
<b>UN proper shipping name</b>	Corrosive liquid, toxic, n.o.s. (Sodium hydrosulfide)
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	6.1
<b>Label(s)</b>	8, 6.1
<b>Packing group</b>	II
<b>Environmental hazards</b>	Yes
<b>ERG Code</b>	8P
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

#### IMDG

<b>UN number</b>	UN2922
<b>UN proper shipping name</b>	CORROSIVE LIQUID, TOXIC, N.O.S. (SODIUM HYDROSULFIDE)
<b>Transport hazard class(es)</b>	
<b>Class</b>	8

<b>Subsidiary risk</b>	6.1
<b>Packing group</b>	II
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-B
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
<b>General information</b>	DOT Regulated Marine Pollutant.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium hydrosulfide (CAS 16721-80-5) Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Toxic Substances Control Act (TSCA)** All components of the mixture on the TSCA 8(b) inventory are designated "active".

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Corrosive to metal  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

#### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Contains component(s) regulated under the Safe Drinking Water Act.

### US state regulations

#### US. Massachusetts RTK - Substance List

Sodium hydrosulfide (CAS 16721-80-5)  
Sodium sulfide (CAS 1313-82-2)

#### US. New Jersey Worker and Community Right-to-Know Act

Sodium hydrosulfide (CAS 16721-80-5)  
Sodium sulfide (CAS 1313-82-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydrosulfide (CAS 16721-80-5)

#### US. Rhode Island RTK

Sodium hydrosulfide (CAS 16721-80-5)

**California Proposition 65**

**WARNING:** This product may expose you to trace chemicals, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

<b>Issue date</b>	F1 -0E * -20F1
<b>Revision date</b>	04-May-2020
<b>Version #</b>	0G
<b>NFPA ratings</b>	

**List of abbreviations**

EC50: Effective Concentration, 50%.  
 LOAEC: Lowest observed adverse effect concentration.  
 LC50: Lethal Concentration, 50%.  
 IC50: Inhibitory concentration, 50%.  
 TWA: Time weighted average.  
 STEL: Short term exposure limit.

**Disclaimer**

TDC, L.L.C. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.