



BARGE "ENERGY 6506"

HORNBECK OFFSHORE TRANSPORTATION, LLC


HULL NO. 508

CORRECTION TABLE FOR TRIM AFT.					
FOR OUTAGE GAUGES ONLY					
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2, 3 or 6 PORT OR STAR.	TANKS NO. 4 PORT OR STAR.	TANK NO. 5 PORT	TANK NO. 5 STAR.
0'-6"	(+) 0'-0 1/4"	NIL	(-) 0'-0 1/8"	(-) 0'-0 1/4"	(+) 0'-0 1/8"
1'-0"	(+) 0'-0 3/8"	NIL	(-) 0'-0 1/4"	(-) 0'-0 1/2"	(+) 0'-0 1/4"
1'-6"	(+) 0'-0 5/8"	NIL	(-) 0'-0 1/4"	(-) 0'-0 3/4"	(+) 0'-0 1/2"
2'-0"	(+) 0'-0 3/4"	NIL	(-) 0'-0 3/8"	(-) 0'-1"	(+) 0'-0 5/8"
2'-6"	(+) 0'-1"	NIL	(-) 0'-0 1/2"	(-) 0'-1 1/4"	(+) 0'-0 3/4"
3'-0"	(+) 0'-1 1/8"	NIL	(-) 0'-0 5/8"	(-) 0'-1 1/2"	(+) 0'-0 7/8"
3'-6"	(+) 0'-1 3/8"	NIL	(-) 0'-0 3/4"	(-) 0'-1 5/8"	(+) 0'-1"
4'-0"	(+) 0'-1 1/2"	NIL	(-) 0'-0 3/4"	(-) 0'-1 7/8"	(+) 0'-1 1/4"
4'-6"	(+) 0'-1 3/4"	NIL	(-) 0'-0 7/8"	(-) 0'-2 1/8"	(+) 0'-1 3/8"
5'-0"	(+) 0'-1 7/8"	NIL	(-) 0'-1"	(-) 0'-2 3/8"	(+) 0'-1 1/2"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "INNAGE" GAUGES, REVERSE SIGNS.

DATE: 6/25/07 BY: 
INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
PORT

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

Table with 28 columns (IN 9 FT. to IN 17 FT.) and 48 rows of capacity data in barrels of 42 US gallons.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-3 1/2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
PORT

OUTAGE TABLE

IN	18 FT.	IN	18 FT.	IN	19 FT.	IN	19 FT.	IN	20 FT.	IN	20 FT.	IN	21 FT.	IN	21 FT.	IN	22 FT.	IN	22 FT.	IN	23 FT.	IN	23 FT.	IN	24 FT.	IN	24 FT.	IN	25 FT.	IN	25 FT.	IN	26 FT.	IN	26 FT.
0	2,312.90	6	2,200.53	0	2,088.16	6	1,975.80	0	1,863.43	6	1,751.06	0	1,638.69	6	1,526.32	0	1,413.96	6	1,301.59	0	1,189.22	6	1,076.85	0	964.48	6	852.12	0	739.75	6	627.38	0	515.01	6	402.64
1/8	2,310.56	1/8	2,198.19	1/8	2,085.82	1/8	1,973.45	1/8	1,861.09	1/8	1,748.72	1/8	1,636.35	1/8	1,523.98	1/8	1,411.61	1/8	1,299.25	1/8	1,186.88	1/8	1,074.51	1/8	962.14	1/8	849.77	1/8	737.41	1/8	625.04	1/8	512.67	1/8	400.30
1/4	2,308.22	1/4	2,195.85	1/4	2,083.48	1/4	1,971.11	1/4	1,858.75	1/4	1,746.38	1/4	1,634.01	1/4	1,521.64	1/4	1,409.27	1/4	1,296.91	1/4	1,184.54	1/4	1,072.17	1/4	959.80	1/4	847.43	1/4	735.07	1/4	622.70	1/4	510.33	1/4	397.96
3/8	2,305.88	3/8	2,193.51	3/8	2,081.14	3/8	1,968.77	3/8	1,856.40	3/8	1,744.04	3/8	1,631.67	3/8	1,519.30	3/8	1,406.93	3/8	1,294.56	3/8	1,182.20	3/8	1,069.83	3/8	957.46	3/8	845.09	3/8	732.72	3/8	620.36	3/8	507.99	3/8	395.62
1/2	2,303.54	1/2	2,191.17	1/2	2,078.80	1/2	1,966.43	1/2	1,854.06	1/2	1,741.70	1/2	1,629.33	1/2	1,516.96	1/2	1,404.59	1/2	1,292.22	1/2	1,179.86	1/2	1,067.49	1/2	955.12	1/2	842.75	1/2	730.38	1/2	618.02	1/2	505.65	1/2	393.28
5/8	2,301.19	5/8	2,188.83	5/8	2,076.46	5/8	1,964.09	5/8	1,851.72	5/8	1,739.35	5/8	1,626.99	5/8	1,514.62	5/8	1,402.25	5/8	1,289.88	5/8	1,177.51	5/8	1,065.15	5/8	952.78	5/8	840.41	5/8	728.04	5/8	615.67	5/8	503.31	5/8	390.94
3/4	2,298.85	3/4	2,186.49	3/4	2,074.12	3/4	1,961.75	3/4	1,849.38	3/4	1,737.01	3/4	1,624.65	3/4	1,512.28	3/4	1,399.91	3/4	1,287.54	3/4	1,175.17	3/4	1,062.81	3/4	950.44	3/4	838.07	3/4	725.70	3/4	613.33	3/4	500.97	3/4	388.60
7/8	2,296.51	7/8	2,184.14	7/8	2,071.78	7/8	1,959.41	7/8	1,847.04	7/8	1,734.67	7/8	1,622.30	7/8	1,509.94	7/8	1,397.57	7/8	1,285.20	7/8	1,172.83	7/8	1,060.46	7/8	948.10	7/8	835.73	7/8	723.36	7/8	610.99	7/8	498.62	7/8	386.26
1	2,294.17	7	2,181.80	1	2,069.44	7	1,957.07	1	1,844.70	7	1,732.33	1	1,619.96	7	1,507.60	1	1,395.23	7	1,282.86	1	1,170.49	7	1,058.12	1	945.76	7	833.39	1	721.02	7	608.65	1	496.28	7	383.92
1/8	2,291.83	1/8	2,179.46	1/8	2,067.09	1/8	1,954.73	1/8	1,842.36	1/8	1,729.99	1/8	1,617.62	1/8	1,505.25	1/8	1,392.89	1/8	1,280.52	1/8	1,168.15	1/8	1,055.78	1/8	943.41	1/8	831.05	1/8	718.68	1/8	606.31	1/8	493.94	1/8	381.57
1/4	2,289.49	1/4	2,177.12	1/4	2,064.75	1/4	1,952.39	1/4	1,840.02	1/4	1,727.65	1/4	1,615.28	1/4	1,502.91	1/4	1,390.55	1/4	1,278.18	1/4	1,165.81	1/4	1,053.44	1/4	941.07	1/4	828.71	1/4	716.34	1/4	603.97	1/4	491.60	1/4	379.23
3/8	2,287.15	3/8	2,174.78	3/8	2,062.41	3/8	1,950.04	3/8	1,837.68	3/8	1,725.31	3/8	1,612.94	3/8	1,500.57	3/8	1,388.20	3/8	1,275.84	3/8	1,163.47	3/8	1,051.10	3/8	938.73	3/8	826.36	3/8	714.00	3/8	601.63	3/8	489.26	3/8	376.89
1/2	2,284.81	1/2	2,172.44	1/2	2,060.07	1/2	1,947.70	1/2	1,835.34	1/2	1,722.97	1/2	1,610.60	1/2	1,498.23	1/2	1,385.86	1/2	1,273.50	1/2	1,161.13	1/2	1,048.76	1/2	936.39	1/2	824.02	1/2	711.66	1/2	599.29	1/2	486.92	1/2	374.55
5/8	2,282.47	5/8	2,170.10	5/8	2,057.73	5/8	1,945.36	5/8	1,832.99	5/8	1,720.63	5/8	1,608.26	5/8	1,495.89	5/8	1,383.52	5/8	1,271.15	5/8	1,158.79	5/8	1,046.42	5/8	934.05	5/8	821.68	5/8	709.31	5/8	596.95	5/8	484.58	5/8	372.21
3/4	2,280.13	3/4	2,167.76	3/4	2,055.39	3/4	1,943.02	3/4	1,830.65	3/4	1,718.29	3/4	1,605.92	3/4	1,493.55	3/4	1,381.18	3/4	1,268.81	3/4	1,156.45	3/4	1,044.08	3/4	931.71	3/4	819.34	3/4	706.97	3/4	594.61	3/4	482.24	3/4	369.87
7/8	2,277.78	7/8	2,165.42	7/8	2,053.05	7/8	1,940.68	7/8	1,828.31	7/8	1,715.94	7/8	1,603.58	7/8	1,491.21	7/8	1,378.84	7/8	1,266.47	7/8	1,154.10	7/8	1,041.74	7/8	929.37	7/8	817.00	7/8	704.63	7/8	592.26	7/8	479.90	7/8	367.53
2	2,275.44	8	2,163.08	2	2,050.71	8	1,938.34	2	1,825.97	8	1,713.60	2	1,601.24	8	1,488.87	2	1,376.50	8	1,264.13	2	1,151.76	8	1,039.40	2	927.03	8	814.66	2	702.29	8	589.92	2	477.56	8	365.19
1/8	2,273.10	1/8	2,160.73	1/8	2,048.37	1/8	1,936.00	1/8	1,823.63	1/8	1,711.26	1/8	1,598.89	1/8	1,486.53	1/8	1,374.16	1/8	1,261.79	1/8	1,149.42	1/8	1,037.05	1/8	924.69	1/8	812.32	1/8	699.95	1/8	587.58	1/8	475.21	1/8	362.85
1/4	2,270.76	1/4	2,158.39	1/4	2,046.03	1/4	1,933.66	1/4	1,821.29	1/4	1,708.92	1/4	1,596.55	1/4	1,484.19	1/4	1,371.82	1/4	1,259.45	1/4	1,147.08	1/4	1,034.71	1/4	922.35	1/4	809.98	1/4	697.61	1/4	585.24	1/4	472.87	1/4	360.51
3/8	2,268.42	3/8	2,156.05	3/8	2,043.68	3/8	1,931.32	3/8	1,818.95	3/8	1,706.58	3/8	1,594.21	3/8	1,481.84	3/8	1,369.48	3/8	1,257.11	3/8	1,144.74	3/8	1,032.37	3/8	920.00	3/8	807.64	3/8	695.27	3/8	582.90	3/8	470.53	3/8	358.16
1/2	2,266.08	1/2	2,153.71	1/2	2,041.34	1/2	1,928.98	1/2	1,816.61	1/2	1,704.24	1/2	1,591.87	1/2	1,479.50	1/2	1,367.14	1/2	1,254.77	1/2	1,142.40	1/2	1,030.03	1/2	917.66	1/2	805.30	1/2	692.93	1/2	580.56	1/2	468.19	1/2	355.82
5/8	2,263.74	5/8	2,151.37	5/8	2,039.00	5/8	1,926.63	5/8	1,814.27	5/8	1,701.90	5/8	1,589.53	5/8	1,477.16	5/8	1,364.79	5/8	1,252.43	5/8	1,140.06	5/8	1,027.69	5/8	915.32	5/8	802.95	5/8	690.59	5/8	578.22	5/8	465.85	5/8	353.48
3/4	2,261.40	3/4	2,149.03	3/4	2,036.66	3/4	1,924.29	3/4	1,811.93	3/4	1,699.56	3/4	1,587.19	3/4	1,474.82	3/4	1,362.45	3/4	1,250.09	3/4	1,137.72	3/4	1,025.35	3/4	912.98	3/4	800.61	3/4	688.25	3/4	575.88	3/4	463.51	3/4	351.14
7/8	2,259.06	7/8	2,146.69	7/8	2,034.32	7/8	1,921.95	7/8	1,809.58	7/8	1,697.22	7/8	1,584.85	7/8	1,472.48	7/8	1,360.11	7/8	1,247.74	7/8	1,135.38	7/8	1,023.01	7/8	910.64	7/8	798.27	7/8	685.90	7/8	573.54	7/8	461.17	7/8	348.80
3	2,256.72	9	2,144.35	3	2,031.98	9	1,919.61	3	1,807.24	9	1,694.88	3	1,582.51	9	1,470.14	3	1,357.77	9	1,245.40	3	1,133.04	9	1,020.67	3	908.30	9	795.93	3	683.56	9	571.20	3	458.83	9	346.46
1/8	2,254.37	1/8	2,142.01	1/8	2,029.64	1/8	1,917.27	1/8	1,804.90	1/8	1,692.53	1/8	1,580.17	1/8	1,467.80	1/8	1,355.43	1/8	1,243.06	1/8	1,130.69	1/8	1,018.33	1/8	905.96	1/8	793.59	1/8	681.22	1/8	568.85	1/8	456.49	1/8	344.12
1/4	2,252.03	1/4	2,139.67	1/4	2,027.30	1/4	1,914.93	1/4	1,802.56	1/4	1,690.19	1/4	1,577.83	1/4	1,465.46	1/4	1,353.09	1/4	1,240.72	1/4	1,128.35	1/4	1,015.99	1/4	903.62	1/4	791.25	1/4	678.88	1/4	566.51	1/4	454.15	1/4	341.78
3/8	2,249.69	3/8	2,137.32	3/8	2,024.96	3/8	1,912.59	3/8	1,800.22	3/8	1,687.85	3/8	1,575.48	3/8	1,463.12	3/8	1,350.75	3/8	1,238.38	3/8	1,126.01	3/8	1,013.64	3/8	901.28	3/8	788.91	3/8	676.54	3/8	564.17	3/8	451.80	3/8	339.44
1/2	2,247.35	1/2	2,134.98	1/2	2,022.62	1/2	1,910.25	1/2	1,797.88	1/2	1,685.51	1/2	1,573.14	1/2	1,460.78	1/2	1,348.41	1/2	1,236.04	1/2	1,123.67	1/2	1,011.30	1/2	898.94	1/2	786.57	1/2	674.20	1/2	561.83	1/2	449.46	1/2	337.10
5/8	2,245.01	5/8	2,132.64	5/8	2,020.27	5/8	1,907.91	5/8	1,795.54	5/8	1,683.17	5/8	1,570.80	5/8	1,458.43	5/8	1,346.07	5/8	1,233.70	5/8	1,121.33	5/8	1,008.96	5/8	896.59	5/8	784.23	5/8	671.86	5/8	559.49	5/8	447.12	5/8	334.75
3/4	2,242.67	3/4	2,130.30	3/4	2,017.93	3/4	1,905.57	3/4	1,793.20	3/4	1,680.83	3/4	1,568.46	3/4	1,456.09	3/4	1,343.73	3/4	1,231.36	3/4	1,118.99	3/4	1,006.62	3/4	894.25	3/4	781.89	3/4	669.52	3/4	557.15	3/4	444.78	3/4	332.41
7/8	2,240.33	7/8	2,127.96	7/8	2,015.59	7/8	1,903.22	7/8	1,790.86	7/8	1,678.49	7/8	1,566.12	7/8	1,453.75	7/8	1,341.38	7/8	1,229.02	7/8	1,116.65	7/8	1,004.28	7/8	891.91	7/8	779.								



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
PORT

OUTAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	290.28	6	177.91	0	67.88	6		0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	287.93	1/8	175.57	1/8	65.89	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	285.59	1/4	173.23	1/4	63.90	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	283.25	3/8	170.88	3/8	61.91	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	280.91	1/2	168.54	1/2	59.92	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	278.57	5/8	166.20	5/8	58.16	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	276.23	3/4	163.86	3/4	56.41	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	273.89	7/8	161.52	7/8	54.65	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	271.55	7	159.18	1	52.90	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	269.21	1/8	156.84	1/8	51.14	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	266.87	1/4	154.50	1/4	49.38	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	264.52	3/8	152.16	3/8	47.63	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	262.18	1/2	149.82	1/2	45.87	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	259.84	5/8	147.47	5/8	44.35	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	257.50	3/4	145.13	3/4	42.83	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	255.16	7/8	142.79	7/8	41.31	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	252.82	8	140.45	2	39.78	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	250.48	1/8	138.11	1/8	38.26	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	248.14	1/4	135.77	1/4	36.74	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	245.80	3/8	133.43	3/8	35.22	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	243.46	1/2	131.09	1/2	33.70	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	241.11	5/8	128.75	5/8	32.41	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	238.77	3/4	126.41	3/4	31.12	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	236.43	7/8	124.06	7/8	29.83	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	234.09	9	121.72	3	28.55	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	231.75	1/8	119.38	1/8	27.26	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	229.41	1/4	117.04	1/4	25.97	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	227.07	3/8	114.70	3/8	24.69	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	224.73	1/2	112.36	1/2	* 23.40	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	222.39	5/8	110.02	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	220.05	3/4	107.68	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	217.70	7/8	105.34	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	215.36	10	103.00	4		10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	213.02	1/8	100.65	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	210.68	1/4	98.31	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	208.34	3/8	95.97	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	206.00	1/2	93.63	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	203.66	5/8	91.41	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	201.32	3/4	89.18	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	198.98	7/8	86.96	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	196.64	11	84.74	5		11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	194.29	1/8	82.51	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	191.95	1/4	80.29	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	189.61	3/8	78.06	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	187.27	1/2	75.84	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	184.93	5/8	73.85	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	182.59	3/4	71.86	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	180.25	7/8	69.87	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-3 1/2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
STAR

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.
0		6		0		6		0		6		6	5,915.89	6	5,851.40	0	5,734.65	6	5,616.71	0	5,498.77	6	5,380.84	0	5,262.90	6	5,144.97	0	5,027.03	6	4,909.09	0	4,791.16	6	4,673.22
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,915.32	1/8	5,849.14	1/8	5,732.19	1/8	5,614.25	1/8	5,496.32	1/8	5,378.38	1/8	5,260.44	1/8	5,142.51	1/8	5,024.57	1/8	4,906.64	1/8	4,788.70	1/8	4,670.76
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,914.75	1/4	5,846.88	1/4	5,729.73	1/4	5,611.80	1/4	5,493.86	1/4	5,375.92	1/4	5,257.99	1/4	5,140.05	1/4	5,022.12	1/4	4,904.18	1/4	4,786.24	1/4	4,668.31
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,914.18	3/8	5,844.62	3/8	5,727.27	3/8	5,609.34	3/8	5,491.40	3/8	5,373.47	3/8	5,255.53	3/8	5,137.59	3/8	5,019.66	3/8	4,901.72	3/8	4,783.79	3/8	4,665.85
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,913.62	1/2	5,842.36	1/2	5,724.82	1/2	5,606.88	1/2	5,488.95	1/2	5,371.01	1/2	5,253.07	1/2	5,135.14	1/2	5,017.20	1/2	4,899.27	1/2	4,781.33	1/2	4,663.39
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,913.05	5/8	5,840.10	5/8	5,722.36	5/8	5,604.42	5/8	5,486.49	5/8	5,368.55	5/8	5,250.62	5/8	5,132.68	5/8	5,014.74	5/8	4,896.81	5/8	4,778.87	5/8	4,660.94
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,912.48	3/4	5,837.84	3/4	5,719.90	3/4	5,601.97	3/4	5,484.03	3/4	5,366.10	3/4	5,248.16	3/4	5,130.22	3/4	5,012.29	3/4	4,894.35	3/4	4,776.42	3/4	4,658.48
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,911.63	7/8	5,835.38	7/8	5,717.45	7/8	5,599.51	7/8	5,481.57	7/8	5,363.64	7/8	5,245.70	7/8	5,127.77	7/8	5,009.83	7/8	4,891.89	7/8	4,773.96	7/8	4,656.02
1	7	1	7	1	7	1	7	1	7	1	7	1	5,910.78	1	5,832.93	1	5,714.99	1	5,597.05	1	5,479.12	1	5,361.18	1	5,243.25	1	5,125.31	1	5,007.37	1	4,889.44	1	4,771.50	1	4,653.57
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,909.93	1/8	5,830.47	1/8	5,712.53	1/8	5,594.60	1/8	5,476.66	1/8	5,358.72	1/8	5,240.79	1/8	5,122.85	1/8	5,004.92	1/8	4,886.98	1/8	4,769.04	1/8	4,651.11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,909.08	1/4	5,828.01	1/4	5,710.08	1/4	5,592.14	1/4	5,474.20	1/4	5,356.27	1/4	5,238.33	1/4	5,120.40	1/4	5,002.46	1/4	4,884.52	1/4	4,766.59	1/4	4,648.65
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,908.23	3/8	5,825.56	3/8	5,707.62	3/8	5,589.68	3/8	5,471.75	3/8	5,353.81	3/8	5,235.87	3/8	5,117.94	3/8	5,000.00	3/8	4,882.07	3/8	4,764.13	3/8	4,646.19
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,907.38	1/2	5,823.10	1/2	5,705.16	1/2	5,587.23	1/2	5,469.29	1/2	5,351.35	1/2	5,233.42	1/2	5,115.48	1/2	4,997.55	1/2	4,879.61	1/2	4,761.67	1/2	4,643.74
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,906.53	5/8	5,820.64	5/8	5,702.70	5/8	5,584.77	5/8	5,466.83	5/8	5,348.90	5/8	5,230.96	5/8	5,113.02	5/8	4,995.09	5/8	4,877.15	5/8	4,759.22	5/8	4,641.28
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,905.68	3/4	5,818.18	3/4	5,700.25	3/4	5,582.31	3/4	5,464.38	3/4	5,346.44	3/4	5,228.50	3/4	5,110.57	3/4	4,992.63	3/4	4,874.70	3/4	4,756.76	3/4	4,638.82
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,904.55	7/8	5,815.73	7/8	5,697.79	7/8	5,579.85	7/8	5,461.92	7/8	5,343.98	7/8	5,226.05	7/8	5,108.11	7/8	4,990.17	7/8	4,872.24	7/8	4,754.30	7/8	4,636.37
2	8	2	8	2	8	2	8	2	8	2	8	2	5,903.42	2	5,813.27	2	5,695.33	2	5,577.40	2	5,459.46	2	5,341.53	2	5,223.59	2	5,105.65	2	4,987.72	2	4,869.78	2	4,751.85	2	4,633.91
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,902.28	1/8	5,810.81	1/8	5,692.88	1/8	5,574.94	1/8	5,457.00	1/8	5,339.07	1/8	5,221.13	1/8	5,103.20	1/8	4,985.26	1/8	4,867.32	1/8	4,749.39	1/8	4,631.45
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,901.15	1/4	5,808.36	1/4	5,690.42	1/4	5,572.48	1/4	5,454.55	1/4	5,336.61	1/4	5,218.68	1/4	5,100.74	1/4	4,982.80	1/4	4,864.87	1/4	4,746.93	1/4	4,629.00
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,900.02	3/8	5,805.90	3/8	5,687.96	3/8	5,570.03	3/8	5,452.09	3/8	5,334.15	3/8	5,216.22	3/8	5,098.28	3/8	4,980.35	3/8	4,862.41	3/8	4,744.47	3/8	4,626.54
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,898.89	1/2	5,803.44	1/2	5,685.51	1/2	5,567.57	1/2	5,449.63	1/2	5,331.70	1/2	5,213.76	1/2	5,095.83	1/2	4,977.89	1/2	4,859.95	1/2	4,742.02	1/2	4,624.08
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,897.76	5/8	5,800.98	5/8	5,683.05	5/8	5,565.11	5/8	5,447.18	5/8	5,329.24	5/8	5,211.30	5/8	5,093.37	5/8	4,975.43	5/8	4,857.50	5/8	4,739.56	5/8	4,621.62
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,896.62	3/4	5,798.53	3/4	5,680.59	3/4	5,562.66	3/4	5,444.72	3/4	5,326.78	3/4	5,208.85	3/4	5,090.91	3/4	4,972.98	3/4	4,855.04	3/4	4,737.10	3/4	4,619.17
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,895.21	7/8	5,796.07	7/8	5,678.13	7/8	5,560.20	7/8	5,442.26	7/8	5,324.33	7/8	5,206.39	7/8	5,088.45	7/8	4,970.52	7/8	4,852.58	7/8	4,734.65	7/8	4,616.71
3	9	3	9	3	9	3	9	3	9	3	9	3	5,893.80	3	5,793.61	3	5,675.68	3	5,557.74	3	5,439.81	3	5,321.87	3	5,203.93	3	5,086.00	3	4,968.06	3	4,850.13	3	4,732.19	3	4,614.25
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,892.38	1/8	5,791.16	1/8	5,673.22	1/8	5,555.28	1/8	5,437.35	1/8	5,319.41	1/8	5,201.48	1/8	5,083.54	1/8	4,965.60	1/8	4,847.67	1/8	4,729.73	1/8	4,611.80
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,890.97	1/4	5,788.70	1/4	5,670.76	1/4	5,552.83	1/4	5,434.89	1/4	5,316.96	1/4	5,199.02	1/4	5,081.08	1/4	4,963.15	1/4	4,845.21	1/4	4,727.28	1/4	4,609.34
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,889.55	3/8	5,786.24	3/8	5,668.31	3/8	5,550.37	3/8	5,432.43	3/8	5,314.50	3/8	5,196.56	3/8	5,078.63	3/8	4,960.69	3/8	4,842.75	3/8	4,724.82	3/8	4,606.88
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,888.14	1/2	5,783.79	1/2	5,665.85	1/2	5,547.91	1/2	5,429.98	1/2	5,312.04	1/2	5,194.11	1/2	5,076.17	1/2	4,958.23	1/2	4,840.30	1/2	4,722.36	1/2	4,604.43
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,886.73	5/8	5,781.33	5/8	5,663.39	5/8	5,545.46	5/8	5,427.52	5/8	5,309.58	5/8	5,191.65	5/8	5,073.71	5/8	4,955.78	5/8	4,837.84	5/8	4,719.90	5/8	4,601.97
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,885.31	3/4	5,778.87	3/4	5,660.94	3/4	5,543.00	3/4	5,425.06	3/4	5,307.13	3/4	5,189.19	3/4	5,071.26	3/4	4,953.32	3/4	4,835.38	3/4	4,717.45	3/4	4,599.51
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,883.62	7/8	5,776.41	7/8	5,658.48	7/8	5,540.54	7/8	5,422.61	7/8	5,304.67	7/8	5,186.73	7/8	5,068.80	7/8	4,950.86	7/8	4,832.93	7/8	4,714.99	7/8	4,597.05
4	10	4	10	4	10	4	10	4	10	4	10	4	5,881.92	4	5,773.96	4	5,656.02	4	5,538.09	4	5,420.15	4	5,302.21	4	5,184.28	4	5,066.34	4	4,948.41	4	4,830.47	4	4,712.53	4	4,594.60
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,880.22	1/8	5,771.50	1/8	5,653.56	1/8	5,535.63	1/8	5,417.69	1/8													



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
STAR

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	4,555.29	6	4,437.35	0	4,319.41	6	4,201.48	0	4,083.54	6	3,965.61	0	3,847.67	6	3,729.73	0	3,611.80	6	3,493.86	0	3,375.93	6	3,257.99	0	3,140.05	6	3,022.12	0	2,904.18	6	2,786.25	0	2,668.31	6	2,550.37
1/8	4,552.83	1/8	4,434.89	1/8	4,316.96	1/8	4,199.02	1/8	4,081.08	1/8	3,963.15	1/8	3,845.21	1/8	3,727.28	1/8	3,609.34	1/8	3,491.40	1/8	3,373.47	1/8	3,255.53	1/8	3,137.60	1/8	3,019.66	1/8	2,901.72	1/8	2,783.79	1/8	2,665.85	1/8	2,547.92
1/4	4,550.37	1/4	4,432.44	1/4	4,314.50	1/4	4,196.56	1/4	4,078.63	1/4	3,960.69	1/4	3,842.76	1/4	3,724.82	1/4	3,606.88	1/4	3,488.95	1/4	3,371.01	1/4	3,253.08	1/4	3,135.14	1/4	3,017.20	1/4	2,899.27	1/4	2,781.33	1/4	2,663.40	1/4	2,545.46
3/8	4,547.91	3/8	4,429.98	3/8	4,312.04	3/8	4,194.11	3/8	4,076.17	3/8	3,958.23	3/8	3,840.30	3/8	3,722.36	3/8	3,604.43	3/8	3,486.49	3/8	3,368.55	3/8	3,250.62	3/8	3,132.68	3/8	3,014.75	3/8	2,896.81	3/8	2,778.87	3/8	2,660.94	3/8	2,543.00
1/2	4,545.46	1/2	4,427.52	1/2	4,309.59	1/2	4,191.65	1/2	4,073.71	1/2	3,955.78	1/2	3,837.84	1/2	3,719.91	1/2	3,601.97	1/2	3,484.03	1/2	3,366.10	1/2	3,248.16	1/2	3,130.23	1/2	3,012.29	1/2	2,894.35	1/2	2,776.42	1/2	2,658.48	1/2	2,540.55
5/8	4,543.00	5/8	4,425.06	5/8	4,307.13	5/8	4,189.19	5/8	4,071.26	5/8	3,953.32	5/8	3,835.38	5/8	3,717.45	5/8	3,599.51	5/8	3,481.58	5/8	3,363.64	5/8	3,245.70	5/8	3,127.77	5/8	3,009.83	5/8	2,891.90	5/8	2,773.96	5/8	2,656.02	5/8	2,538.09
3/4	4,540.54	3/4	4,422.61	3/4	4,304.67	3/4	4,186.74	3/4	4,068.80	3/4	3,950.86	3/4	3,832.93	3/4	3,714.99	3/4	3,597.06	3/4	3,479.12	3/4	3,361.18	3/4	3,243.25	3/4	3,125.31	3/4	3,007.38	3/4	2,889.44	3/4	2,771.50	3/4	2,653.57	3/4	2,533.63
7/8	4,538.09	7/8	4,420.15	7/8	4,302.21	7/8	4,184.28	7/8	4,066.34	7/8	3,948.41	7/8	3,830.47	7/8	3,712.53	7/8	3,594.60	7/8	3,476.66	7/8	3,358.73	7/8	3,240.79	7/8	3,122.85	7/8	3,004.92	7/8	2,886.98	7/8	2,769.05	7/8	2,651.11	7/8	2,533.17
1	4,535.63	7	4,417.69	1	4,299.76	7	4,181.82	1	4,063.89	7	3,945.95	1	3,828.01	7	3,710.08	1	3,592.14	7	3,474.21	1	3,356.27	7	3,238.33	1	3,120.40	7	3,002.46	1	2,884.53	7	2,766.59	1	2,648.65	7	2,530.72
1/8	4,533.17	1/8	4,415.24	1/8	4,297.30	1/8	4,179.36	1/8	4,061.43	1/8	3,943.49	1/8	3,825.56	1/8	3,707.62	1/8	3,589.68	1/8	3,471.75	1/8	3,353.81	1/8	3,235.88	1/8	3,117.94	1/8	3,000.00	1/8	2,882.07	1/8	2,764.13	1/8	2,646.20	1/8	2,528.26
1/4	4,530.72	1/4	4,412.78	1/4	4,294.84	1/4	4,176.91	1/4	4,058.97	1/4	3,941.04	1/4	3,823.10	1/4	3,705.16	1/4	3,587.23	1/4	3,469.29	1/4	3,351.36	1/4	3,233.42	1/4	3,115.48	1/4	2,997.55	1/4	2,879.61	1/4	2,761.68	1/4	2,643.74	1/4	2,525.80
3/8	4,528.26	3/8	4,410.32	3/8	4,292.39	3/8	4,174.45	3/8	4,056.51	3/8	3,938.58	3/8	3,820.64	3/8	3,702.71	3/8	3,584.77	3/8	3,466.83	3/8	3,348.90	3/8	3,230.96	3/8	3,113.03	3/8	2,995.09	3/8	2,877.15	3/8	2,759.22	3/8	2,641.28	3/8	2,523.35
1/2	4,525.80	1/2	4,407.87	1/2	4,289.93	1/2	4,171.99	1/2	4,054.06	1/2	3,936.12	1/2	3,818.19	1/2	3,700.25	1/2	3,582.31	1/2	3,464.38	1/2	3,346.44	1/2	3,228.51	1/2	3,110.57	1/2	2,992.63	1/2	2,874.70	1/2	2,756.76	1/2	2,638.83	1/2	2,520.89
5/8	4,523.34	5/8	4,405.41	5/8	4,287.47	5/8	4,169.54	5/8	4,051.60	5/8	3,933.66	5/8	3,815.73	5/8	3,697.79	5/8	3,579.86	5/8	3,461.92	5/8	3,343.98	5/8	3,226.05	5/8	3,108.11	5/8	2,990.18	5/8	2,872.24	5/8	2,754.30	5/8	2,636.37	5/8	2,518.43
3/4	4,520.89	3/4	4,402.95	3/4	4,285.02	3/4	4,167.08	3/4	4,049.14	3/4	3,931.21	3/4	3,813.27	3/4	3,695.34	3/4	3,577.40	3/4	3,459.46	3/4	3,341.53	3/4	3,223.59	3/4	3,105.66	3/4	2,987.72	3/4	2,869.78	3/4	2,751.85	3/4	2,633.91	3/4	2,515.98
7/8	4,518.43	7/8	4,400.49	7/8	4,282.56	7/8	4,164.62	7/8	4,046.69	7/8	3,928.75	7/8	3,810.81	7/8	3,692.88	7/8	3,574.94	7/8	3,457.01	7/8	3,339.07	7/8	3,221.13	7/8	3,103.20	7/8	2,985.26	7/8	2,867.33	7/8	2,749.39	7/8	2,631.45	7/8	2,513.52
2	4,515.97	8	4,398.04	2	4,280.10	8	4,162.17	2	4,044.23	8	3,926.29	2	3,808.36	8	3,690.42	2	3,572.49	8	3,454.55	2	3,336.61	8	3,218.68	2	3,100.74	8	2,982.81	2	2,864.87	8	2,746.93	2	2,629.00	8	2,511.06
1/8	4,513.52	1/8	4,395.58	1/8	4,277.64	1/8	4,159.71	1/8	4,041.77	1/8	3,923.84	1/8	3,805.90	1/8	3,687.96	1/8	3,570.03	1/8	3,452.09	1/8	3,334.16	1/8	3,216.22	1/8	3,098.28	1/8	2,980.35	1/8	2,862.41	1/8	2,744.48	1/8	2,626.54	1/8	2,508.60
1/4	4,511.06	1/4	4,393.12	1/4	4,275.19	1/4	4,157.25	1/4	4,039.32	1/4	3,921.38	1/4	3,803.44	1/4	3,685.51	1/4	3,567.57	1/4	3,449.64	1/4	3,331.70	1/4	3,213.76	1/4	3,095.83	1/4	2,977.89	1/4	2,859.96	1/4	2,742.02	1/4	2,624.08	1/4	2,506.15
3/8	4,508.60	3/8	4,390.67	3/8	4,272.73	3/8	4,154.79	3/8	4,036.86	3/8	3,918.92	3/8	3,800.99	3/8	3,683.05	3/8	3,565.11	3/8	3,447.18	3/8	3,329.24	3/8	3,211.31	3/8	3,093.37	3/8	2,975.43	3/8	2,857.50	3/8	2,739.56	3/8	2,621.63	3/8	2,503.69
1/2	4,506.15	1/2	4,388.21	1/2	4,270.27	1/2	4,152.34	1/2	4,034.40	1/2	3,916.47	1/2	3,798.53	1/2	3,680.59	1/2	3,562.66	1/2	3,444.72	1/2	3,326.79	1/2	3,208.85	1/2	3,090.91	1/2	2,972.98	1/2	2,855.04	1/2	2,737.11	1/2	2,619.17	1/2	2,501.23
5/8	4,503.69	5/8	4,385.75	5/8	4,267.82	5/8	4,149.88	5/8	4,031.94	5/8	3,914.01	5/8	3,796.07	5/8	3,678.14	5/8	3,560.20	5/8	3,442.26	5/8	3,324.33	5/8	3,206.39	5/8	3,088.46	5/8	2,970.52	5/8	2,852.58	5/8	2,734.65	5/8	2,616.71	5/8	2,498.78
3/4	4,501.23	3/4	4,383.30	3/4	4,265.36	3/4	4,147.42	3/4	4,029.49	3/4	3,911.55	3/4	3,793.62	3/4	3,675.68	3/4	3,557.74	3/4	3,439.81	3/4	3,321.87	3/4	3,203.94	3/4	3,086.00	3/4	2,968.06	3/4	2,850.13	3/4	2,732.19	3/4	2,614.26	3/4	2,496.32
7/8	4,498.77	7/8	4,380.84	7/8	4,262.90	7/8	4,144.97	7/8	4,027.03	7/8	3,909.09	7/8	3,791.16	7/8	3,673.22	7/8	3,555.29	7/8	3,437.35	7/8	3,319.41	7/8	3,201.48	7/8	3,083.54	7/8	2,965.61	7/8	2,847.67	7/8	2,729.73	7/8	2,611.80	7/8	2,493.86
3	4,496.32	9	4,378.38	3	4,260.45	9	4,142.51	3	4,024.57	9	3,906.64	3	3,788.70	9	3,670.77	3	3,552.83	9	3,434.89	3	3,316.96	9	3,199.02	3	3,081.09	9	2,963.15	3	2,845.21	9	2,727.28	3	2,609.34	9	2,491.41
1/8	4,493.86	1/8	4,375.92	1/8	4,257.99	1/8	4,140.05	1/8	4,022.12	1/8	3,904.18	1/8	3,786.24	1/8	3,668.31	1/8	3,550.37	1/8	3,432.44	1/8	3,314.50	1/8	3,196.56	1/8	3,078.63	1/8	2,960.69	1/8	2,842.76	1/8	2,724.82	1/8	2,606.88	1/8	2,488.95
1/4	4,491.40	1/4	4,373.47	1/4	4,255.53	1/4	4,137.60	1/4	4,019.66	1/4	3,901.72	1/4	3,783.79	1/4	3,665.85	1/4	3,547.92	1/4	3,429.98	1/4	3,312.04	1/4	3,194.11	1/4	3,076.17	1/4	2,958.24	1/4	2,840.30	1/4	2,722.36	1/4	2,604.43	1/4	2,486.49
3/8	4,488.95	3/8	4,371.01	3/8	4,253.07	3/8	4,135.14	3/8	4,017.20	3/8	3,899.27	3/8	3,781.33	3/8	3,663.39	3/8	3,545.46	3/8	3,427.52	3/8	3,309.59	3/8	3,191.65	3/8	3,073.71	3/8	2,957.78	3/8	2,837.84	3/8	2,719.91	3/8	2,601.97	3/8	2,484.03
1/2	4,486.49	1/2	4,368.55	1/2	4,250.62	1/2	4,132.68	1/2	4,014.75	1/2	3,896.81	1/2	3,778.87	1/2	3,660.94	1/2	3,543.00	1/2	3,425.07	1/2	3,307.13	1/2	3,189.19	1/2	3,071.26	1/2	2,953.32	1/2	2,835.39	1/2	2,717.45	1/2	2,599.51	1/2	2,481.58
5/8	4,484.03	5/8	4,366.10	5/8	4,248.16	5/8	4,130.22	5/8	4,012.29	5/8	3,894.35	5/8	3,776.42	5/8	3,658.48	5/8	3,540.54	5/8	3,422.61	5/8	3,304.67	5/8	3,186.74	5/8	3,068.80	5/8	2,950.86	5/8	2,832.93	5/8	2,714.99	5/8	2,597.06	5/8	2,479.12
3/4	4,481.58	3/4	4,363.64	3/4	4,245.70	3/4	4,127.77	3/4	4,009.83	3/4	3,891.90	3/4	3,773.96	3/4	3,656.02	3/4	3,538.09	3/4	3,420.15	3/4	3,302.22	3/4	3,184.28	3/4	3,0										



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
STAR

OUTAGE TABLE

SHEET NO. 3 OF 4 HULL NO. 508

Table with columns for IN, FT., and capacity values for various tank sections (18 FT. to 26 FT.).

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-4 1/4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo.



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 1
STAR

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	309.59	6	191.65	0	75.44	6		0		6		0		6		0		6		0		6		0		6		0		6		6	
1/8	307.13	1/8	189.20	1/8	73.35	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	304.68	1/4	186.74	1/4	71.26	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	302.22	3/8	184.28	3/8	69.17	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	299.76	1/2	181.83	1/2	67.08	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	297.30	5/8	179.37	5/8	64.99	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	294.85	3/4	176.91	3/4	62.90	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	292.39	7/8	174.45	7/8	61.06	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	289.93	7	172.00	1	59.22	7		1		7		1		7		1		7		1		7		1		7		1		7		1	
1/8	287.48	1/8	169.54	1/8	57.37	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	285.02	1/4	167.08	1/4	55.53	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	282.56	3/8	164.63	3/8	53.69	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	280.11	1/2	162.17	1/2	51.85	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	277.65	5/8	159.71	5/8	50.00	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	275.19	3/4	157.26	3/4	48.16	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	272.73	7/8	154.80	7/8	46.56	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	270.28	8	152.34	2	44.97	8		2		8		2		8		2		8		2		8		2		8		2		8		2	
1/8	267.82	1/8	149.88	1/8	43.37	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	265.36	1/4	147.43	1/4	41.77	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	262.91	3/8	144.97	3/8	40.17	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	260.45	1/2	142.51	1/2	38.58	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	257.99	5/8	140.06	5/8	36.98	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	255.54	3/4	137.60	3/4	35.38	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	253.08	7/8	135.14	7/8	34.03	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	250.62	9	132.69	3	32.68	9		3		9		3		9		3		9		3		9		3		9		3		9		3	
1/8	248.16	1/8	130.23	1/8	31.33	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	245.71	1/4	127.77	1/4	29.98	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	243.25	3/8	125.31	3/8	28.63	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	240.79	1/2	122.86	1/2	27.28	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	238.34	5/8	120.40	5/8	25.93	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	235.88	3/4	117.94	3/4	24.58	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	233.42	7/8	115.49	7/8	23.47	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	230.97	10	113.03	4	22.36	10		4		10		4		10		4		10		4		10		4		10		4		10		4	
1/8	228.51	1/8	110.57	1/8	21.26	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	226.05	1/4	108.12	1/4	* 20.15	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	223.59	3/8	105.66	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	221.14	1/2	103.20	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	218.68	5/8	100.74	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	216.22	3/4	98.29	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	213.77	7/8	95.95	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	211.31	11	93.62	5		11		5		11		5		11		5		11		5		11		5		11		5		11		5	
1/8	208.85	1/8	91.29	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	206.40	1/4	88.95	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	203.94	3/8	86.62	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	201.48	1/2	84.28	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	199.02	5/8	81.95	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	196.57	3/4	79.62	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	194.11	7/8	77.53	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-4 1/4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


 INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
PORT

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.
0		6		0		6		0		6		6	5,295.65	6	5,234.72	0	5,129.85	6	5,024.44	0	4,919.03	6	4,813.62	0	4,708.22	6	4,602.81	0	4,497.40	6	4,391.99	0	4,286.58	6	4,181.18
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,294.99	1/8	5,232.59	1/8	5,127.65	1/8	5,022.24	1/8	4,916.84	1/8	4,811.43	1/8	4,706.02	1/8	4,600.61	1/8	4,495.20	1/8	4,389.80	1/8	4,284.39	1/8	4,178.98
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,294.34	1/4	5,230.46	1/4	5,125.46	1/4	5,020.05	1/4	4,914.64	1/4	4,809.23	1/4	4,703.82	1/4	4,598.42	1/4	4,493.01	1/4	4,387.60	1/4	4,282.19	1/4	4,176.78
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,293.68	3/8	5,228.33	3/8	5,123.26	3/8	5,017.85	3/8	4,912.44	3/8	4,807.04	3/8	4,701.63	3/8	4,596.22	3/8	4,490.81	3/8	4,385.40	3/8	4,280.00	3/8	4,174.59
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,293.03	1/2	5,226.20	1/2	5,121.06	1/2	5,015.66	1/2	4,910.25	1/2	4,804.84	1/2	4,699.43	1/2	4,594.02	1/2	4,488.62	1/2	4,383.21	1/2	4,277.80	1/2	4,172.39
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,292.37	5/8	5,224.08	5/8	5,118.87	5/8	5,013.46	5/8	4,908.05	5/8	4,802.64	5/8	4,697.24	5/8	4,591.83	5/8	4,486.42	5/8	4,381.01	5/8	4,275.60	5/8	4,170.20
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,291.72	3/4	5,221.95	3/4	5,116.67	3/4	5,011.26	3/4	4,905.86	3/4	4,800.45	3/4	4,695.04	3/4	4,589.63	3/4	4,484.22	3/4	4,378.82	3/4	4,273.41	3/4	4,168.00
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,291.06	7/8	5,219.82	7/8	5,114.48	7/8	5,009.07	7/8	4,903.66	7/8	4,798.25	7/8	4,692.84	7/8	4,587.44	7/8	4,482.03	7/8	4,376.62	7/8	4,271.21	7/8	4,165.80
1		7		1		7		1		7		7	5,290.41	7	5,217.69	1	5,112.28	7	5,006.87	1	4,901.46	7	4,796.06	1	4,690.65	7	4,585.24	1	4,479.83	7	4,374.42	1	4,269.02	7	4,163.61
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,289.51	1/8	5,215.49	1/8	5,110.08	1/8	5,004.68	1/8	4,899.27	1/8	4,793.86	1/8	4,688.45	1/8	4,583.04	1/8	4,477.64	1/8	4,372.23	1/8	4,266.82	1/8	4,161.41
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,288.61	1/4	5,213.30	1/4	5,107.89	1/4	5,002.48	1/4	4,897.07	1/4	4,791.66	1/4	4,686.26	1/4	4,580.85	1/4	4,475.44	1/4	4,370.03	1/4	4,264.62	1/4	4,159.22
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,287.71	3/8	5,211.10	3/8	5,105.69	3/8	5,000.28	3/8	4,894.88	3/8	4,789.47	3/8	4,684.06	3/8	4,578.65	3/8	4,473.24	3/8	4,367.84	3/8	4,262.43	3/8	4,157.02
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,286.80	1/2	5,208.90	1/2	5,103.50	1/2	4,998.09	1/2	4,892.68	1/2	4,787.27	1/2	4,681.86	1/2	4,576.46	1/2	4,471.05	1/2	4,365.64	1/2	4,260.23	1/2	4,154.82
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,285.90	5/8	5,206.71	5/8	5,101.30	5/8	4,995.89	5/8	4,890.48	5/8	4,785.08	5/8	4,679.67	5/8	4,574.26	5/8	4,468.85	5/8	4,363.44	5/8	4,258.04	5/8	4,152.63
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,285.00	3/4	5,204.51	3/4	5,099.10	3/4	4,993.70	3/4	4,888.29	3/4	4,782.88	3/4	4,677.47	3/4	4,572.06	3/4	4,466.66	3/4	4,361.25	3/4	4,255.84	3/4	4,150.43
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,284.10	7/8	5,202.32	7/8	5,096.91	7/8	4,991.50	7/8	4,886.09	7/8	4,780.68	7/8	4,675.28	7/8	4,569.87	7/8	4,464.46	7/8	4,359.05	7/8	4,253.64	7/8	4,148.24
2		8		2		8		2		8		8	5,283.20	8	5,200.12	2	5,094.71	8	4,989.30	2	4,883.90	8	4,778.49	2	4,673.08	8	4,567.67	2	4,462.26	8	4,356.86	2	4,251.45	8	4,146.04
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,282.05	1/8	5,197.92	1/8	5,092.52	1/8	4,987.11	1/8	4,881.70	1/8	4,776.29	1/8	4,670.88	1/8	4,565.48	1/8	4,460.07	1/8	4,354.66	1/8	4,249.25	1/8	4,143.84
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,280.91	1/4	5,195.73	1/4	5,090.32	1/4	4,984.91	1/4	4,879.50	1/4	4,774.10	1/4	4,668.69	1/4	4,563.28	1/4	4,457.87	1/4	4,352.46	1/4	4,247.06	1/4	4,141.65
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,279.76	3/8	5,193.53	3/8	5,088.12	3/8	4,982.72	3/8	4,877.31	3/8	4,771.90	3/8	4,666.49	3/8	4,561.08	3/8	4,455.68	3/8	4,350.27	3/8	4,244.86	3/8	4,139.45
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,278.62	1/2	5,191.34	1/2	5,085.93	1/2	4,980.52	1/2	4,875.11	1/2	4,769.70	1/2	4,664.30	1/2	4,558.89	1/2	4,453.48	1/2	4,348.07	1/2	4,242.66	1/2	4,137.26
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,277.47	5/8	5,189.14	5/8	5,083.73	5/8	4,978.32	5/8	4,872.92	5/8	4,767.51	5/8	4,662.10	5/8	4,556.69	5/8	4,451.28	5/8	4,345.88	5/8	4,240.47	5/8	4,135.06
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,276.32	3/4	5,186.94	3/4	5,081.54	3/4	4,976.13	3/4	4,870.72	3/4	4,765.31	3/4	4,659.90	3/4	4,554.50	3/4	4,449.09	3/4	4,343.68	3/4	4,238.27	3/4	4,132.86
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,275.18	7/8	5,184.75	7/8	5,079.34	7/8	4,973.93	7/8	4,868.52	7/8	4,763.12	7/8	4,657.71	7/8	4,552.30	7/8	4,446.89	7/8	4,341.48	7/8	4,236.08	7/8	4,130.67
3		9		3		9		3		9		9	5,274.03	9	5,182.55	3	5,077.14	9	4,971.74	3	4,866.33	9	4,760.92	3	4,655.51	9	4,550.10	3	4,444.70	9	4,339.29	3	4,233.88	9	4,128.47
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,272.64	1/8	5,180.36	1/8	5,074.95	1/8	4,969.54	1/8	4,864.13	1/8	4,758.72	1/8	4,653.32	1/8	4,547.91	1/8	4,442.50	1/8	4,337.09	1/8	4,231.68	1/8	4,126.28
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,271.25	1/4	5,178.16	1/4	5,072.75	1/4	4,967.34	1/4	4,861.94	1/4	4,756.53	1/4	4,651.12	1/4	4,545.71	1/4	4,440.30	1/4	4,334.90	1/4	4,229.49	1/4	4,124.08
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,269.86	3/8	5,175.96	3/8	5,070.56	3/8	4,965.15	3/8	4,859.74	3/8	4,754.33	3/8	4,648.92	3/8	4,543.52	3/8	4,438.11	3/8	4,332.70	3/8	4,227.29	3/8	4,121.88
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,268.46	1/2	5,173.77	1/2	5,068.36	1/2	4,962.95	1/2	4,857.54	1/2	4,752.14	1/2	4,646.73	1/2	4,541.32	1/2	4,435.91	1/2	4,330.50	1/2	4,225.10	1/2	4,119.69
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,267.07	5/8	5,171.57	5/8	5,066.16	5/8	4,960.76	5/8	4,855.35	5/8	4,749.94	5/8	4,644.53	5/8	4,539.12	5/8	4,433.72	5/8	4,328.31	5/8	4,222.90	5/8	4,117.49
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,265.68	3/4	5,169.38	3/4	5,063.97	3/4	4,958.56	3/4	4,853.15	3/4	4,747.74	3/4	4,642.34	3/4	4,536.93	3/4	4,431.52	3/4	4,326.11	3/4	4,220.70	3/4	4,115.30
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,264.29	7/8	5,167.18	7/8	5,061.77	7/8	4,956.36	7/8	4,850.96	7/8	4,745.55	7/8	4,640.14	7/8	4,534.73	7/8	4,429.32	7/8	4,323.92	7/8	4,218.51	7/8	4,113.10
4		10		4		10		4		10		10	5,262.90	10	5,164.98	4	5,059.58	10	4,954.17	4	4,848.76	10	4,743.35	4	4,637.94	10	4,532.54	4	4,427.13	10	4,321.72	4	4,216.31	10	4,110.90
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,261.26	1/8	5,162.79	1/8	5,057.38	1/8	4,951.97	1/8	4,846.56	1/8	4,741.16	1/8	4,635.75	1/8	4,530								



BARGE "ENERGY 6506"

HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2

PORT

OUTAGE TABLE

SHEET NO. 2 OF 4 HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	4,075.77	6	3,970.36	0	3,864.95	6	3,759.54	0	3,654.14	6	3,548.73	0	3,443.32	6	3,337.91	0	3,232.50	6	3,127.10	0	3,021.69	6	2,916.28	0	2,810.87	6	2,705.46	0	2,600.06	6	2,494.65	0	2,389.24	6	2,283.83
1/8	4,073.57	1/8	3,968.16	1/8	3,862.76	1/8	3,757.35	1/8	3,651.94	1/8	3,546.53	1/8	3,441.12	1/8	3,335.72	1/8	3,230.31	1/8	3,124.90	1/8	3,019.49	1/8	2,914.08	1/8	2,808.68	1/8	2,703.27	1/8	2,597.86	1/8	2,492.45	1/8	2,387.04	1/8	2,281.64
1/4	4,071.38	1/4	3,965.97	1/4	3,860.56	1/4	3,755.15	1/4	3,649.74	1/4	3,544.34	1/4	3,438.93	1/4	3,333.52	1/4	3,228.11	1/4	3,122.70	1/4	3,017.30	1/4	2,911.89	1/4	2,806.48	1/4	2,701.07	1/4	2,595.66	1/4	2,490.26	1/4	2,384.85	1/4	2,279.44
3/8	4,069.18	3/8	3,963.77	3/8	3,858.36	3/8	3,752.96	3/8	3,647.55	3/8	3,542.14	3/8	3,436.73	3/8	3,331.32	3/8	3,225.92	3/8	3,120.51	3/8	3,015.10	3/8	2,909.69	3/8	2,804.28	3/8	2,698.88	3/8	2,593.47	3/8	2,488.06	3/8	2,382.65	3/8	2,277.24
1/2	4,066.98	1/2	3,961.58	1/2	3,856.17	1/2	3,750.76	1/2	3,645.35	1/2	3,539.94	1/2	3,434.54	1/2	3,329.13	1/2	3,223.72	1/2	3,118.31	1/2	3,012.90	1/2	2,907.50	1/2	2,802.09	1/2	2,696.68	1/2	2,591.27	1/2	2,485.86	1/2	2,380.46	1/2	2,275.05
5/8	4,064.79	5/8	3,959.38	5/8	3,853.97	5/8	3,748.56	5/8	3,643.16	5/8	3,537.75	5/8	3,432.34	5/8	3,326.93	5/8	3,221.52	5/8	3,116.12	5/8	3,010.71	5/8	2,905.30	5/8	2,799.89	5/8	2,694.48	5/8	2,589.08	5/8	2,483.67	5/8	2,378.26	5/8	2,272.85
3/4	4,062.59	3/4	3,957.18	3/4	3,851.78	3/4	3,746.37	3/4	3,640.96	3/4	3,535.55	3/4	3,430.14	3/4	3,324.74	3/4	3,219.33	3/4	3,113.92	3/4	3,008.51	3/4	2,903.10	3/4	2,797.70	3/4	2,692.29	3/4	2,586.88	3/4	2,481.47	3/4	2,376.06	3/4	2,270.66
7/8	4,060.40	7/8	3,954.99	7/8	3,849.58	7/8	3,744.17	7/8	3,638.76	7/8	3,533.36	7/8	3,427.95	7/8	3,322.54	7/8	3,217.13	7/8	3,111.72	7/8	3,006.32	7/8	2,900.91	7/8	2,795.50	7/8	2,690.09	7/8	2,584.68	7/8	2,479.28	7/8	2,373.87	7/8	2,268.46
1	4,058.20	7	3,952.79	1	3,847.38	7	3,741.98	1	3,636.57	7	3,531.16	1	3,425.75	7	3,320.34	1	3,214.94	7	3,109.53	1	3,004.12	7	2,898.71	1	2,793.30	7	2,687.90	1	2,582.49	7	2,477.08	1	2,371.67	7	2,266.26
1/8	4,056.00	1/8	3,950.60	1/8	3,845.19	1/8	3,739.78	1/8	3,634.37	1/8	3,528.96	1/8	3,423.56	1/8	3,318.15	1/8	3,212.74	1/8	3,107.33	1/8	3,001.92	1/8	2,896.52	1/8	2,791.11	1/8	2,685.70	1/8	2,580.29	1/8	2,474.88	1/8	2,369.48	1/8	2,264.07
1/4	4,053.81	1/4	3,948.40	1/4	3,842.99	1/4	3,737.58	1/4	3,632.18	1/4	3,526.77	1/4	3,421.36	1/4	3,315.95	1/4	3,210.54	1/4	3,105.14	1/4	2,999.73	1/4	2,894.32	1/4	2,788.91	1/4	2,683.50	1/4	2,578.10	1/4	2,472.69	1/4	2,367.28	1/4	2,261.87
3/8	4,051.61	3/8	3,946.20	3/8	3,840.80	3/8	3,735.39	3/8	3,629.98	3/8	3,524.57	3/8	3,419.16	3/8	3,313.76	3/8	3,208.35	3/8	3,102.94	3/8	2,997.53	3/8	2,892.12	3/8	2,786.72	3/8	2,681.31	3/8	2,575.90	3/8	2,470.49	3/8	2,365.08	3/8	2,259.68
1/2	4,049.42	1/2	3,944.01	1/2	3,838.60	1/2	3,733.19	1/2	3,627.78	1/2	3,522.38	1/2	3,416.97	1/2	3,311.56	1/2	3,206.15	1/2	3,100.74	1/2	2,995.34	1/2	2,889.93	1/2	2,784.52	1/2	2,679.11	1/2	2,573.70	1/2	2,468.30	1/2	2,357.89	1/2	2,252.48
5/8	4,047.22	5/8	3,941.81	5/8	3,836.40	5/8	3,731.00	5/8	3,625.59	5/8	3,520.18	5/8	3,414.77	5/8	3,309.36	5/8	3,203.96	5/8	3,098.55	5/8	2,993.14	5/8	2,887.73	5/8	2,782.32	5/8	2,676.92	5/8	2,571.51	5/8	2,466.10	5/8	2,350.69	5/8	2,245.28
3/4	4,045.02	3/4	3,939.62	3/4	3,834.21	3/4	3,728.80	3/4	3,623.39	3/4	3,517.98	3/4	3,412.58	3/4	3,307.17	3/4	3,201.76	3/4	3,096.35	3/4	2,990.94	3/4	2,885.54	3/4	2,780.13	3/4	2,674.72	3/4	2,569.31	3/4	2,463.90	3/4	2,358.50	3/4	2,253.09
7/8	4,042.83	7/8	3,937.42	7/8	3,832.01	7/8	3,726.60	7/8	3,621.20	7/8	3,515.79	7/8	3,410.38	7/8	3,304.97	7/8	3,199.56	7/8	3,094.16	7/8	2,988.75	7/8	2,883.34	7/8	2,777.93	7/8	2,672.52	7/8	2,567.12	7/8	2,461.71	7/8	2,356.30	7/8	2,250.89
2	4,040.63	8	3,935.22	2	3,829.82	8	3,724.41	2	3,619.00	8	3,513.59	2	3,408.18	8	3,302.78	2	3,197.37	8	3,091.96	2	2,986.55	8	2,881.14	2	2,775.74	8	2,670.33	2	2,564.92	8	2,459.51	2	2,354.10	8	2,248.70
1/8	4,038.44	1/8	3,933.03	1/8	3,827.62	1/8	3,722.21	1/8	3,616.80	1/8	3,511.40	1/8	3,405.99	1/8	3,300.58	1/8	3,195.17	1/8	3,089.76	1/8	2,984.36	1/8	2,878.95	1/8	2,773.54	1/8	2,668.13	1/8	2,562.72	1/8	2,457.32	1/8	2,351.91	1/8	2,246.50
1/4	4,036.24	1/4	3,930.83	1/4	3,825.42	1/4	3,720.02	1/4	3,614.61	1/4	3,509.20	1/4	3,403.79	1/4	3,298.38	1/4	3,192.98	1/4	3,087.57	1/4	2,982.16	1/4	2,876.75	1/4	2,771.34	1/4	2,665.94	1/4	2,560.53	1/4	2,455.12	1/4	2,349.71	1/4	2,244.30
3/8	4,034.04	3/8	3,928.64	3/8	3,823.23	3/8	3,717.82	3/8	3,612.41	3/8	3,507.00	3/8	3,401.60	3/8	3,296.19	3/8	3,190.78	3/8	3,085.37	3/8	2,979.96	3/8	2,874.56	3/8	2,769.15	3/8	2,663.74	3/8	2,558.33	3/8	2,452.92	3/8	2,347.52	3/8	2,242.11
1/2	4,031.85	1/2	3,926.44	1/2	3,821.03	1/2	3,715.62	1/2	3,610.22	1/2	3,504.81	1/2	3,399.40	1/2	3,293.99	1/2	3,188.58	1/2	3,083.18	1/2	2,977.77	1/2	2,872.36	1/2	2,766.95	1/2	2,661.54	1/2	2,556.14	1/2	2,450.73	1/2	2,345.32	1/2	2,239.91
5/8	4,029.65	5/8	3,924.24	5/8	3,818.84	5/8	3,713.43	5/8	3,608.02	5/8	3,502.61	5/8	3,397.20	5/8	3,291.80	5/8	3,186.39	5/8	3,080.98	5/8	2,975.57	5/8	2,870.16	5/8	2,764.76	5/8	2,659.35	5/8	2,553.94	5/8	2,448.53	5/8	2,343.12	5/8	2,237.72
3/4	4,027.46	3/4	3,922.05	3/4	3,816.64	3/4	3,711.23	3/4	3,605.82	3/4	3,500.42	3/4	3,395.01	3/4	3,289.60	3/4	3,184.19	3/4	3,078.78	3/4	2,973.38	3/4	2,867.97	3/4	2,762.56	3/4	2,657.15	3/4	2,551.74	3/4	2,446.34	3/4	2,340.93	3/4	2,235.52
7/8	4,025.26	7/8	3,919.85	7/8	3,814.44	7/8	3,709.04	7/8	3,603.63	7/8	3,498.22	7/8	3,392.81	7/8	3,287.40	7/8	3,182.00	7/8	3,076.59	7/8	2,971.18	7/8	2,865.77	7/8	2,760.36	7/8	2,654.96	7/8	2,549.55	7/8	2,444.14	7/8	2,338.73	7/8	2,233.32
3	4,023.06	9	3,917.66	3	3,812.25	9	3,706.84	3	3,601.43	9	3,496.02	3	3,390.62	9	3,285.21	3	3,179.80	9	3,074.39	3	2,968.98	9	2,863.58	3	2,758.17	9	2,652.76	3	2,547.35	9	2,441.94	3	2,336.54	9	2,231.13
1/8	4,020.87	1/8	3,915.46	1/8	3,810.05	1/8	3,704.64	1/8	3,599.24	1/8	3,493.83	1/8	3,388.42	1/8	3,283.01	1/8	3,177.60	1/8	3,072.20	1/8	2,966.79	1/8	2,861.38	1/8	2,755.97	1/8	2,650.56	1/8	2,545.16	1/8	2,439.75	1/8	2,334.34	1/8	2,228.93
1/4	4,018.67	1/4	3,913.26	1/4	3,807.86	1/4	3,702.45	1/4	3,597.04	1/4	3,491.63	1/4	3,386.22	1/4	3,280.82	1/4	3,175.41	1/4	3,070.00	1/4	2,964.59	1/4	2,859.18	1/4	2,753.78	1/4	2,648.37	1/4	2,542.96	1/4	2,437.55	1/4	2,332.14	1/4	2,226.74
3/8	4,016.48	3/8	3,911.07	3/8	3,805.66	3/8	3,700.25	3/8	3,594.84	3/8	3,489.44	3/8	3,384.03	3/8	3,278.62	3/8	3,173.21	3/8	3,067.80	3/8	2,962.40	3/8	2,856.99	3/8	2,751.58	3/8	2,646.17	3/8	2,540.76	3/8	2,435.36	3/8	2,329.95	3/8	2,224.54
1/2	4,014.28	1/2	3,908.87	1/2	3,803.46	1/2	3,698.06	1/2	3,592.65	1/2	3,487.24	1/2	3,381.83	1/2	3,276.42	1/2	3,171.02	1/2	3,065.61	1/2	2,960.20	1/2	2,854.79	1/2	2,749.38	1/2	2,643.98	1/2	2,538.57	1/2	2,433.16	1/2	2,327.75	1/2	2,222.34
5/8	4,012.08	5/8	3,906.68	5/8	3,801.27	5/8	3,695.86	5/8	3,590.45	5/8	3,485.04	5/8	3,379.64	5/8	3,274.23	5/8	3,168.82	5/8	3,063.41	5/8	2,958.00	5/8	2,852.60	5/8	2,747.19	5/8	2,641.78	5/8	2,536.37	5/8	2,430.96	5/8	2,325.56	5/8	2,220.15
3/4	4,009.89	3/4	3,904.48	3/4	3,799.07	3/4	3,693.66	3/4	3,588.26	3/4	3,482.85	3/4	3,377.44	3/4	3,272.03	3/4	3,166.62	3/4	3,061.22	3/4	2,955.81	3/4	2,850.40	3/4											



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
PORT

OUTAGE TABLE

SHEET NO. 3 OF 4

HULL NO. 508

Table with 24 columns (IN 18 FT. to IN 26 FT.) and 24 rows (0 to 7/8). Each cell contains numerical values representing measurements or capacities. Includes a note at the bottom: 'CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS'.

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo.



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
PORT

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	281.08	6	175.67	0	71.14	6		0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	278.88	1/8	173.48	1/8	69.28	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	276.69	1/4	171.28	1/4	67.41	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	274.49	3/8	169.08	3/8	65.54	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	272.30	1/2	166.89	1/2	63.68	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	270.10	5/8	164.69	5/8	61.81	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	267.90	3/4	162.50	3/4	59.94	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	265.71	7/8	160.30	7/8	58.08	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	263.51	7	158.10	1	56.21	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	261.32	1/8	155.91	1/8	54.56	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	259.12	1/4	153.71	1/4	52.91	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	256.92	3/8	151.52	3/8	51.27	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	254.73	1/2	149.32	1/2	49.62	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	252.53	5/8	147.12	5/8	47.97	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	250.34	3/4	144.93	3/4	46.33	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	248.14	7/8	142.73	7/8	44.68	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	245.94	8	140.54	2	43.03	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	243.75	1/8	138.34	1/8	41.60	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	241.55	1/4	136.14	1/4	40.18	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	239.36	3/8	133.95	3/8	38.75	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	237.16	1/2	131.75	1/2	37.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	234.96	5/8	129.56	5/8	35.89	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	232.77	3/4	127.36	3/4	34.46	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	230.57	7/8	125.16	7/8	33.04	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	228.38	9	122.97	3	31.61	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	226.18	1/8	120.77	1/8	30.40	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	223.98	1/4	118.58	1/4	29.19	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	221.79	3/8	116.38	3/8	27.99	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	219.59	1/2	114.18	1/2	26.78	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	217.40	5/8	111.99	5/8	25.57	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	215.20	3/4	109.79	3/4	24.37	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	213.00	7/8	107.60	7/8	23.16	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	210.81	10	105.40	4	* 21.95	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	208.61	1/8	103.20	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	206.42	1/4	101.01	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	204.22	3/8	98.81	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	202.02	1/2	96.62	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	199.83	5/8	94.42	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	197.63	3/4	92.22	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	195.44	7/8	90.03	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	193.24	11	87.83	5		11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	191.04	1/8	85.75	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	188.85	1/4	83.66	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	186.65	3/8	81.57	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	184.46	1/2	79.49	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	182.26	5/8	77.40	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	180.06	3/4	75.32	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	177.87	7/8	73.23	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
STAR

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

Table with 22 columns (IN 0 FT. to IN 8 FT.) and 22 rows (0 to 7/8). Each cell contains two numerical values representing capacity measurements.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
STAR

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

Table with columns for IN, FT., and numerical values. Rows represent different tank sections and measurements.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
STAR

OUTAGE TABLE

SHEET NO. 3 OF 4

HULL NO. 508

Table with 28 columns (IN, 18 FT., IN, 18 FT., IN, 19 FT., IN, 19 FT., IN, 20 FT., IN, 20 FT., IN, 21 FT., IN, 21 FT., IN, 22 FT., IN, 22 FT., IN, 23 FT., IN, 23 FT., IN, 24 FT., IN, 24 FT., IN, 25 FT., IN, 25 FT., IN, 26 FT., IN, 26 FT.) and multiple rows of numerical data.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 2
STAR

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	286.46	6	175.58	0	67.01	6		0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	284.15	1/8	173.27	1/8	65.04	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	281.84	1/4	170.96	1/4	63.08	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	279.53	3/8	168.65	3/8	61.12	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	277.22	1/2	166.34	1/2	59.15	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	274.91	5/8	164.03	5/8	57.42	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	272.60	3/4	161.72	3/4	55.69	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	270.29	7/8	159.41	7/8	53.95	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	267.98	7	157.10	1	52.22	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	265.67	1/8	154.79	1/8	50.49	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	263.36	1/4	152.48	1/4	48.75	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	261.05	3/8	150.17	3/8	47.02	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	258.74	1/2	147.86	1/2	45.29	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	256.43	5/8	145.55	5/8	43.79	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	254.12	3/4	143.24	3/4	42.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	251.81	7/8	140.93	7/8	40.78	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	249.50	8	138.62	2	39.28	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	247.19	1/8	136.31	1/8	37.78	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	244.88	1/4	134.00	1/4	36.28	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	242.57	3/8	131.69	3/8	34.77	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	240.26	1/2	129.38	1/2	33.27	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	237.95	5/8	127.07	5/8	32.00	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	235.64	3/4	124.76	3/4	30.73	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	233.33	7/8	122.45	7/8	29.46	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	231.02	9	120.14	3	28.19	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	228.71	1/8	117.83	1/8	26.92	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	226.40	1/4	115.52	1/4	25.65	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	224.09	3/8	113.21	3/8	24.38	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	221.78	1/2	110.90	1/2	23.11	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	219.47	5/8	108.59	5/8	22.07	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	217.16	3/4	106.28	3/4	21.03	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	214.85	7/8	103.97	7/8	19.99	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	212.54	10	101.66	4	* 18.95	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	210.23	1/8	99.35	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	207.92	1/4	97.04	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	205.61	3/8	94.73	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	203.30	1/2	92.42	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	200.99	5/8	90.23	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	198.68	3/4	88.03	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	196.37	7/8	85.84	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	194.06	11	83.64	5		11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	191.75	1/8	81.45	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	189.44	1/4	79.25	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	187.13	3/8	77.06	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	184.82	1/2	74.86	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	182.51	5/8	72.90	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	180.20	3/4	70.94	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	177.89	7/8	68.97	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
PORT

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	
0		6		0		6		0		6		0	6	5,261.02	0	5,160.82	6	5,055.31	0	4,949.81	6	4,844.30	0	4,738.80	6	4,633.30	0	4,527.79	6	4,422.29	0	4,316.78	6	4,211.28		
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,259.38	1/8	5,158.62	1/8	5,053.11	1/8	4,947.61	1/8	4,842.11	1/8	4,736.60	1/8	4,631.10	1/8	4,525.59	1/8	4,420.09	1/8	4,314.59	1/8	4,209.08		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,257.74	1/4	5,156.42	1/4	5,050.92	1/4	4,945.41	1/4	4,839.91	1/4	4,734.40	1/4	4,628.90	1/4	4,523.40	1/4	4,417.89	1/4	4,312.39	1/4	4,206.88		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,256.10	3/8	5,154.22	3/8	5,048.72	3/8	4,943.21	3/8	4,837.71	3/8	4,732.21	3/8	4,626.70	3/8	4,521.20	3/8	4,415.69	3/8	4,310.19	3/8	4,204.69		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,303.59	1/2	5,254.46	1/2	5,152.02	1/2	5,046.52	1/2	4,941.02	1/2	4,835.51	1/2	4,730.01	1/2	4,624.50	1/2	4,519.00	1/2	4,413.50	1/2	4,307.99	1/2	4,202.49
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,303.18	5/8	5,252.58	5/8	5,149.83	5/8	5,044.32	5/8	4,938.82	5/8	4,833.31	5/8	4,727.81	5/8	4,622.31	5/8	4,516.80	5/8	4,411.30	5/8	4,305.79	5/8	4,200.29
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,302.77	3/4	5,250.70	3/4	5,147.63	3/4	5,042.12	3/4	4,936.62	3/4	4,831.12	3/4	4,725.61	3/4	4,620.11	3/4	4,514.60	3/4	4,409.10	3/4	4,303.60	3/4	4,198.09
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,302.37	7/8	5,248.81	7/8	5,145.43	7/8	5,039.93	7/8	4,934.42	7/8	4,828.92	7/8	4,723.41	7/8	4,617.91	7/8	4,512.41	7/8	4,406.90	7/8	4,301.40	7/8	4,195.89
1		7		1		7		1		7		1	7	5,301.96	7	5,246.93	7	5,143.23	7	5,037.73	7	4,932.22	7	4,826.72	7	4,721.22	7	4,615.71	7	4,510.21	7	4,404.70	7	4,299.20	7	4,193.70
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,301.55	1/8	5,245.04	1/8	5,141.03	1/8	5,035.53	1/8	4,930.03	1/8	4,824.52	1/8	4,719.02	1/8	4,613.51	1/8	4,508.01	1/8	4,402.51	1/8	4,297.00	1/8	4,191.50
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,301.14	1/4	5,243.16	1/4	5,138.84	1/4	5,033.33	1/4	4,927.83	1/4	4,822.32	1/4	4,716.82	1/4	4,611.32	1/4	4,505.81	1/4	4,400.31	1/4	4,294.80	1/4	4,189.30
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,300.73	3/8	5,241.28	3/8	5,136.64	3/8	5,031.13	3/8	4,925.63	3/8	4,820.13	3/8	4,714.62	3/8	4,609.12	3/8	4,503.61	3/8	4,398.11	3/8	4,292.61	3/8	4,187.10
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,300.32	1/2	5,239.39	1/2	5,134.44	1/2	5,028.94	1/2	4,923.43	1/2	4,817.93	1/2	4,712.42	1/2	4,606.92	1/2	4,501.42	1/2	4,395.91	1/2	4,290.41	1/2	4,184.90
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,299.67	5/8	5,237.26	5/8	5,129.22	5/8	5,023.72	5/8	4,918.21	5/8	4,812.71	5/8	4,707.21	5/8	4,601.71	5/8	4,496.21	5/8	4,390.71	5/8	4,285.21	5/8	4,179.71
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,299.01	3/4	5,235.13	3/4	5,130.04	3/4	5,024.54	3/4	4,919.04	3/4	4,813.53	3/4	4,708.03	3/4	4,602.52	3/4	4,497.02	3/4	4,391.52	3/4	4,286.01	3/4	4,180.51
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,298.36	7/8	5,233.01	7/8	5,127.85	7/8	5,022.34	7/8	4,916.84	7/8	4,811.33	7/8	4,705.83	7/8	4,600.33	7/8	4,494.82	7/8	4,389.32	7/8	4,283.81	7/8	4,178.31
2		8		2		8		2		8		2	8	5,297.70	8	5,230.88	8	5,125.65	8	5,020.14	8	4,914.64	8	4,809.14	8	4,703.63	8	4,598.13	8	4,492.62	8	4,387.12	8	4,281.62	8	4,176.11
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,297.05	1/8	5,228.75	1/8	5,123.45	1/8	5,017.95	1/8	4,912.44	1/8	4,806.94	1/8	4,701.43	1/8	4,595.93	1/8	4,490.43	1/8	4,384.92	1/8	4,279.42	1/8	4,173.91
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,296.39	1/4	5,226.62	1/4	5,121.25	1/4	5,015.75	1/4	4,910.24	1/4	4,804.74	1/4	4,699.24	1/4	4,593.73	1/4	4,488.23	1/4	4,382.72	1/4	4,277.22	1/4	4,171.72
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,295.74	3/8	5,224.49	3/8	5,119.05	3/8	5,013.55	3/8	4,908.05	3/8	4,802.54	3/8	4,697.04	3/8	4,591.53	3/8	4,486.03	3/8	4,380.53	3/8	4,275.02	3/8	4,169.52
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,295.08	1/2	5,222.36	1/2	5,116.86	1/2	5,011.35	1/2	4,905.85	1/2	4,800.34	1/2	4,694.84	1/2	4,589.34	1/2	4,483.83	1/2	4,378.33	1/2	4,272.82	1/2	4,167.32
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,294.18	5/8	5,220.16	5/8	5,114.66	5/8	5,009.15	5/8	4,903.65	5/8	4,798.15	5/8	4,692.64	5/8	4,587.14	5/8	4,481.63	5/8	4,376.13	5/8	4,270.63	5/8	4,165.12
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,293.28	3/4	5,217.96	3/4	5,112.46	3/4	5,006.96	3/4	4,901.45	3/4	4,795.95	3/4	4,690.44	3/4	4,584.94	3/4	4,479.44	3/4	4,373.93	3/4	4,268.43	3/4	4,162.92
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,292.38	7/8	5,215.77	7/8	5,110.26	7/8	5,004.76	7/8	4,899.25	7/8	4,793.75	7/8	4,688.25	7/8	4,582.74	7/8	4,477.24	7/8	4,371.73	7/8	4,266.23	7/8	4,160.73
3		9		3		9		3		9		3	9	5,291.48	9	5,213.57	9	5,108.06	9	5,002.56	9	4,897.06	9	4,791.55	9	4,686.05	9	4,580.54	9	4,475.04	9	4,369.54	9	4,264.03	9	4,158.53
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,290.58	1/8	5,211.37	1/8	5,105.87	1/8	5,000.36	1/8	4,894.86	1/8	4,789.35	1/8	4,683.85	1/8	4,578.35	1/8	4,472.84	1/8	4,367.34	1/8	4,261.83	1/8	4,156.33
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,289.67	1/4	5,209.17	1/4	5,103.67	1/4	4,998.16	1/4	4,892.66	1/4	4,787.16	1/4	4,681.65	1/4	4,576.15	1/4	4,470.64	1/4	4,365.14	1/4	4,259.64	1/4	4,154.13
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,288.77	3/8	5,206.97	3/8	5,101.47	3/8	4,995.97	3/8	4,890.46	3/8	4,784.96	3/8	4,679.45	3/8	4,573.95	3/8	4,468.45	3/8	4,362.94	3/8	4,257.44	3/8	4,151.93
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,287.87	1/2	5,204.78	1/2	5,099.27	1/2	4,993.77	1/2	4,888.26	1/2	4,782.76	1/2	4,677.26	1/2	4,571.75	1/2	4,466.25	1/2	4,360.74	1/2	4,255.24	1/2	4,149.74
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,286.73	5/8	5,202.58	5/8	5,097.07	5/8	4,991.57	5/8	4,886.07	5/8	4,780.56	5/8	4,675.06	5/8	4,569.55	5/8	4,464.05	5/8	4,358.55	5/8	4,253.04	5/8	4,147.54
3/4	3/4	3																																		



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
PORT

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

Table with 24 columns (IN 9 FT. to IN 17 FT.) and multiple rows of numerical data representing capacity measurements.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-7" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
PORT

OUTAGE TABLE

SHEET NO. 3 OF 4 HULL NO. 508

IN	18 FT.	IN	18 FT.	IN	19 FT.	IN	19 FT.	IN	20 FT.	IN	20 FT.	IN	21 FT.	IN	21 FT.	IN	22 FT.	IN	22 FT.	IN	23 FT.	IN	23 FT.	IN	24 FT.	IN	24 FT.	IN	25 FT.	IN	25 FT.	IN	26 FT.	IN	26 FT.
0	2,206.70	6	2,101.20	0	1,995.70	6	1,890.19	0	1,784.69	6	1,679.18	0	1,573.68	6	1,468.18	0	1,362.67	6	1,257.17	0	1,151.66	6	1,046.16	0	940.66	6	835.15	0	729.65	6	624.14	0	518.64	6	413.14
1/8	2,204.51	1/8	2,099.00	1/8	1,993.50	1/8	1,887.99	1/8	1,782.49	1/8	1,676.99	1/8	1,571.48	1/8	1,465.98	1/8	1,360.47	1/8	1,254.97	1/8	1,149.47	1/8	1,043.96	1/8	938.46	1/8	832.95	1/8	727.45	1/8	621.95	1/8	516.44	1/8	410.94
1/4	2,202.31	1/4	2,096.80	1/4	1,991.30	1/4	1,885.80	1/4	1,780.29	1/4	1,674.79	1/4	1,569.28	1/4	1,463.78	1/4	1,358.28	1/4	1,252.77	1/4	1,147.27	1/4	1,041.76	1/4	936.26	1/4	830.76	1/4	725.25	1/4	619.75	1/4	514.24	1/4	408.74
3/8	2,200.11	3/8	2,094.61	3/8	1,989.10	3/8	1,883.60	3/8	1,778.09	3/8	1,672.59	3/8	1,567.09	3/8	1,461.58	3/8	1,356.08	3/8	1,250.57	3/8	1,145.07	3/8	1,039.57	3/8	934.06	3/8	828.56	3/8	723.05	3/8	617.55	3/8	512.05	3/8	406.54
1/2	2,197.91	1/2	2,092.41	1/2	1,986.90	1/2	1,881.40	1/2	1,775.90	1/2	1,670.39	1/2	1,564.89	1/2	1,459.38	1/2	1,353.88	1/2	1,248.38	1/2	1,142.87	1/2	1,037.37	1/2	931.86	1/2	826.36	1/2	720.86	1/2	615.35	1/2	509.85	1/2	404.34
5/8	2,195.71	5/8	2,090.21	5/8	1,984.71	5/8	1,879.20	5/8	1,773.70	5/8	1,668.19	5/8	1,562.69	5/8	1,457.19	5/8	1,351.68	5/8	1,246.18	5/8	1,140.67	5/8	1,035.17	5/8	929.67	5/8	824.16	5/8	718.66	5/8	613.15	5/8	507.65	5/8	402.15
3/4	2,193.52	3/4	2,088.01	3/4	1,982.51	3/4	1,877.00	3/4	1,771.50	3/4	1,666.00	3/4	1,560.49	3/4	1,454.99	3/4	1,349.48	3/4	1,243.98	3/4	1,138.48	3/4	1,032.97	3/4	927.47	3/4	821.96	3/4	716.46	3/4	610.96	3/4	505.45	3/4	399.95
7/8	2,191.32	7/8	2,085.81	7/8	1,980.31	7/8	1,874.81	7/8	1,769.30	7/8	1,663.80	7/8	1,558.29	7/8	1,452.79	7/8	1,347.29	7/8	1,241.78	7/8	1,136.28	7/8	1,030.77	7/8	925.27	7/8	819.77	7/8	714.26	7/8	608.76	7/8	503.25	7/8	397.75
1	2,189.12	7	2,083.62	1	1,978.11	7	1,872.61	1	1,767.10	7	1,661.60	1	1,556.10	7	1,450.59	1	1,345.09	7	1,239.58	1	1,134.08	7	1,028.58	1	923.07	7	817.57	1	712.06	7	606.56	1	501.06	7	395.55
1/8	2,186.92	1/8	2,081.42	1/8	1,975.91	1/8	1,870.41	1/8	1,764.91	1/8	1,659.40	1/8	1,553.90	1/8	1,448.39	1/8	1,342.89	1/8	1,237.39	1/8	1,131.88	1/8	1,026.38	1/8	920.87	1/8	815.37	1/8	709.87	1/8	604.36	1/8	498.86	1/8	393.35
1/4	2,184.72	1/4	2,079.22	1/4	1,973.72	1/4	1,868.21	1/4	1,762.71	1/4	1,657.20	1/4	1,551.70	1/4	1,446.20	1/4	1,340.69	1/4	1,235.19	1/4	1,129.68	1/4	1,024.18	1/4	918.68	1/4	813.17	1/4	707.67	1/4	602.16	1/4	496.66	1/4	391.16
3/8	2,182.53	3/8	2,077.02	3/8	1,971.52	3/8	1,866.01	3/8	1,760.51	3/8	1,655.01	3/8	1,549.50	3/8	1,444.00	3/8	1,338.49	3/8	1,232.99	3/8	1,127.49	3/8	1,021.98	3/8	916.48	3/8	810.97	3/8	705.47	3/8	599.97	3/8	494.46	3/8	388.96
1/2	2,180.33	1/2	2,074.82	1/2	1,969.32	1/2	1,863.82	1/2	1,758.31	1/2	1,652.81	1/2	1,547.30	1/2	1,441.80	1/2	1,336.30	1/2	1,230.79	1/2	1,125.29	1/2	1,019.78	1/2	914.28	1/2	808.78	1/2	703.27	1/2	597.77	1/2	492.26	1/2	386.76
5/8	2,178.13	5/8	2,072.63	5/8	1,967.12	5/8	1,861.62	5/8	1,756.11	5/8	1,650.61	5/8	1,545.11	5/8	1,439.60	5/8	1,334.10	5/8	1,228.59	5/8	1,123.09	5/8	1,017.59	5/8	912.08	5/8	806.58	5/8	701.07	5/8	595.57	5/8	490.07	5/8	384.56
3/4	2,175.93	3/4	2,070.43	3/4	1,964.92	3/4	1,859.42	3/4	1,753.92	3/4	1,648.41	3/4	1,542.91	3/4	1,437.40	3/4	1,331.90	3/4	1,226.40	3/4	1,120.89	3/4	1,015.39	3/4	909.88	3/4	804.38	3/4	698.88	3/4	593.37	3/4	487.87	3/4	382.36
7/8	2,173.73	7/8	2,068.23	7/8	1,962.73	7/8	1,857.22	7/8	1,751.72	7/8	1,646.21	7/8	1,540.71	7/8	1,435.21	7/8	1,329.70	7/8	1,224.20	7/8	1,118.69	7/8	1,013.19	7/8	907.69	7/8	802.18	7/8	696.68	7/8	591.17	7/8	485.67	7/8	380.17
2	2,171.54	8	2,066.03	2	1,960.53	8	1,855.02	2	1,749.52	8	1,644.02	2	1,538.51	8	1,433.01	2	1,327.50	8	1,222.00	2	1,116.50	8	1,010.99	2	905.49	8	799.98	2	694.48	8	588.98	2	483.47	8	377.97
1/8	2,169.34	1/8	2,063.83	1/8	1,958.33	1/8	1,852.83	1/8	1,747.32	1/8	1,641.82	1/8	1,536.31	1/8	1,430.81	1/8	1,325.31	1/8	1,219.80	1/8	1,114.30	1/8	1,008.79	1/8	903.29	1/8	797.79	1/8	692.28	1/8	586.78	1/8	481.27	1/8	375.77
1/4	2,167.14	1/4	2,061.64	1/4	1,956.13	1/4	1,850.63	1/4	1,745.12	1/4	1,639.62	1/4	1,534.12	1/4	1,428.61	1/4	1,323.11	1/4	1,217.60	1/4	1,112.10	1/4	1,006.60	1/4	901.09	1/4	795.59	1/4	690.08	1/4	584.58	1/4	479.08	1/4	373.57
3/8	2,164.94	3/8	2,059.44	3/8	1,953.93	3/8	1,848.43	3/8	1,742.93	3/8	1,637.42	3/8	1,531.92	3/8	1,426.41	3/8	1,320.91	3/8	1,215.41	3/8	1,109.90	3/8	1,004.40	3/8	898.89	3/8	793.39	3/8	687.89	3/8	582.38	3/8	476.88	3/8	371.37
1/2	2,162.74	1/2	2,057.24	1/2	1,951.74	1/2	1,846.23	1/2	1,740.73	1/2	1,635.22	1/2	1,529.72	1/2	1,424.22	1/2	1,318.71	1/2	1,213.21	1/2	1,107.70	1/2	1,002.20	1/2	896.70	1/2	791.19	1/2	685.69	1/2	580.18	1/2	474.68	1/2	369.18
5/8	2,160.55	5/8	2,055.04	5/8	1,949.54	5/8	1,844.03	5/8	1,738.53	5/8	1,633.03	5/8	1,527.52	5/8	1,422.02	5/8	1,316.51	5/8	1,211.01	5/8	1,105.51	5/8	1,000.00	5/8	894.50	5/8	788.99	5/8	683.49	5/8	577.99	5/8	472.48	5/8	366.98
3/4	2,158.35	3/4	2,052.84	3/4	1,947.34	3/4	1,841.84	3/4	1,736.33	3/4	1,630.83	3/4	1,525.32	3/4	1,419.82	3/4	1,314.32	3/4	1,208.81	3/4	1,103.31	3/4	997.80	3/4	892.30	3/4	786.80	3/4	681.29	3/4	575.79	3/4	470.28	3/4	364.78
7/8	2,156.15	7/8	2,050.65	7/8	1,945.14	7/8	1,839.64	7/8	1,734.13	7/8	1,628.63	7/8	1,523.13	7/8	1,417.62	7/8	1,312.12	7/8	1,206.61	7/8	1,101.11	7/8	995.61	7/8	890.10	7/8	784.60	7/8	679.09	7/8	573.59	7/8	468.09	7/8	362.58
3	2,153.95	9	2,048.45	3	1,942.94	9	1,837.44	3	1,731.94	9	1,626.43	3	1,520.93	9	1,415.42	3	1,309.92	9	1,204.42	3	1,098.91	9	993.41	3	887.90	9	782.40	3	676.90	9	571.39	3	465.89	9	360.38
1/8	2,151.75	1/8	2,046.25	1/8	1,940.75	1/8	1,835.24	1/8	1,729.74	1/8	1,624.23	1/8	1,518.73	1/8	1,413.23	1/8	1,307.72	1/8	1,202.22	1/8	1,096.71	1/8	991.21	1/8	885.71	1/8	780.20	1/8	674.70	1/8	569.19	1/8	463.69	1/8	358.19
1/4	2,149.56	1/4	2,044.05	1/4	1,938.55	1/4	1,833.04	1/4	1,727.54	1/4	1,622.04	1/4	1,516.53	1/4	1,411.03	1/4	1,305.52	1/4	1,200.02	1/4	1,094.52	1/4	989.01	1/4	883.51	1/4	778.00	1/4	672.50	1/4	567.00	1/4	461.49	1/4	355.99
3/8	2,147.36	3/8	2,041.85	3/8	1,936.35	3/8	1,830.85	3/8	1,725.34	3/8	1,619.84	3/8	1,514.33	3/8	1,408.83	3/8	1,303.33	3/8	1,197.82	3/8	1,092.32	3/8	986.81	3/8	881.31	3/8	775.81	3/8	670.30	3/8	564.80	3/8	459.29	3/8	353.79
1/2	2,145.16	1/2	2,039.66	1/2	1,934.15	1/2	1,828.65	1/2	1,723.14	1/2	1,617.64	1/2	1,512.14	1/2	1,406.63	1/2	1,301.13	1/2	1,195.62	1/2	1,090.12	1/2	984.62	1/2	879.11	1/2	773.61	1/2	668.10	1/2	562.60	1/2	457.10	1/2	351.59
5/8	2,142.96	5/8	2,037.46	5/8	1,931.95	5/8	1,826.45	5/8	1,720.95	5/8	1,615.44	5/8	1,509.94	5/8	1,404.43	5/8	1,298.93	5/8	1,193.43	5/8	1,087.92	5/8	982.42	5/8	876.91	5/8	771.41	5/8	665.91	5/8	560.40	5/8	454.90	5/8	349.39
3/4	2,140.76	3/4	2,035.26	3/4	1,929.76	3/4	1,824.25	3/4	1,718.75	3/4	1,613.24	3/4	1,507.74	3/4	1,402.24	3/4	1,296.73	3/4	1,191.23	3/4	1,085.72	3/4	980.22	3/4	874.72	3/4	769.21	3/4	663.71	3/4	558.20	3/4	452.70	3/4	347.20
7/8	2,138.57	7/8	2,033.06	7/8	1,927.56	7/8	1,822.05	7/8	1,716.55	7/8	1,611.05	7/8	1,505.54	7/8	1,400.04	7/8	1,294.53	7/8	1,189.03	7/8	1,083.53	7/8	978.02	7/8	872.52	7/8	767.01	7/8	661.51						



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
PORT

OUTAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.	
0	307.63	6	202.13	0	96.62	6	18.00	0		6		6		0		6		0		6		0		6		0		6		0		6		0		6
1/8	305.43	1/8	199.93	1/8	94.43	1/8	17.01	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		
1/4	303.24	1/4	197.73	1/4	92.23	1/4	16.02	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		
3/8	301.04	3/8	195.53	3/8	90.03	3/8	15.04	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		
1/2	298.84	1/2	193.34	1/2	87.83	1/2	14.05	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		
5/8	296.64	5/8	191.14	5/8	85.75	5/8	13.28	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		
3/4	294.44	3/4	188.94	3/4	83.66	3/4	12.51	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		
7/8	292.25	7/8	186.74	7/8	81.57	7/8	11.74	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		
1	290.05	7	184.54	1	79.49	7	* 10.98	1		7		7		1		7		1		7		1		7		1		7		1		7		1		
1/8	287.85	1/8	182.35	1/8	77.40	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		
1/4	285.65	1/4	180.15	1/4	75.32	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		
3/8	283.45	3/8	177.95	3/8	73.23	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		
1/2	281.26	1/2	175.75	1/2	71.14	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		
5/8	279.06	5/8	173.55	5/8	69.28	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		
3/4	276.86	3/4	171.36	3/4	67.41	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		
7/8	274.66	7/8	169.16	7/8	65.54	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		
2	272.46	8	166.96	2	63.68	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8		
1/8	270.27	1/8	164.76	1/8	61.81	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		
1/4	268.07	1/4	162.56	1/4	59.94	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		
3/8	265.87	3/8	160.37	3/8	58.07	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		
1/2	263.67	1/2	158.17	1/2	56.21	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		
5/8	261.47	5/8	155.97	5/8	54.56	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		
3/4	259.28	3/4	153.77	3/4	52.91	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		
7/8	257.08	7/8	151.57	7/8	51.27	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		
3	254.88	9	149.38	3	49.62	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9		
1/8	252.68	1/8	147.18	1/8	47.97	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		
1/4	250.48	1/4	144.98	1/4	46.33	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		
3/8	248.29	3/8	142.78	3/8	44.68	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		
1/2	246.09	1/2	140.58	1/2	43.03	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		
5/8	243.89	5/8	138.39	5/8	41.60	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		
3/4	241.69	3/4	136.19	3/4	40.18	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		
7/8	239.49	7/8	133.99	7/8	38.75	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		
4	237.30	10	131.79	4	37.32	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10		
1/8	235.10	1/8	129.59	1/8	35.89	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		
1/4	232.90	1/4	127.40	1/4	34.46	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		
3/8	230.70	3/8	125.20	3/8	33.04	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		
1/2	228.50	1/2	123.00	1/2	31.61	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		
5/8	226.31	5/8	120.80	5/8	30.40	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		
3/4	224.11	3/4	118.60	3/4	29.19	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		
7/8	221.91	7/8	116.41	7/8	27.99	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		
5	219.71	11	114.21	5	26.78	11		5		11		5		11		5		11		5		11		5		11		5		11		5		11		
1/8	217.51	1/8	112.01	1/8	25.57	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		
1/4	215.32	1/4	109.81	1/4	24.37	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		
3/8	213.12	3/8	107.61	3/8	23.16	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		
1/2	210.92	1/2	105.42	1/2	21.95	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		
5/8	208.72	5/8	103.22	5/8	20.96	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		
3/4	206.52	3/4	101.02	3/4	19.98	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		
7/8	204.33	7/8	98.82	7/8	18.99	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-7" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
STAR

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.
0		6		0		6		0		6		0	5,547.76	6	5,496.67	0	5,389.32	6	5,278.78	0	5,168.24	6	5,057.69	0	4,947.15	6	4,836.60	0	4,726.06	6	4,615.52	0	4,504.97	6	4,394.43
1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,547.50	1/8	5,494.81	1/8	5,387.02	1/8	5,276.48	1/8	5,165.93	1/8	5,055.39	1/8	4,944.85	1/8	4,834.30	1/8	4,723.76	1/8	4,613.21	1/8	4,502.67	1/8	4,392.13
1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,547.23	1/4	5,492.95	1/4	5,384.72	1/4	5,274.17	1/4	5,163.63	1/4	5,053.09	1/4	4,942.54	1/4	4,832.00	1/4	4,721.45	1/4	4,610.91	1/4	4,500.37	1/4	4,389.82
3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,546.96	3/8	5,491.09	3/8	5,382.42	3/8	5,271.87	3/8	5,161.33	3/8	5,050.78	3/8	4,940.24	3/8	4,829.70	3/8	4,719.15	3/8	4,608.61	3/8	4,498.06	3/8	4,387.52
1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,546.69	1/2	5,489.23	1/2	5,380.11	1/2	5,269.57	1/2	5,159.02	1/2	5,048.48	1/2	4,937.94	1/2	4,827.39	1/2	4,716.85	1/2	4,606.30	1/2	4,495.76	1/2	4,385.22
5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,546.15	5/8	5,487.11	5/8	5,377.81	5/8	5,267.27	5/8	5,156.72	5/8	5,046.18	5/8	4,935.63	5/8	4,825.09	5/8	4,714.55	5/8	4,604.00	5/8	4,493.46	5/8	4,382.91
3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,545.62	3/4	5,484.98	3/4	5,375.51	3/4	5,264.96	3/4	5,154.42	3/4	5,043.87	3/4	4,933.33	3/4	4,822.79	3/4	4,712.24	3/4	4,601.70	3/4	4,491.15	3/4	4,380.61
7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,545.09	7/8	5,482.86	7/8	5,373.20	7/8	5,262.66	7/8	5,152.12	7/8	5,041.57	7/8	4,931.03	7/8	4,820.48	7/8	4,709.94	7/8	4,599.40	7/8	4,488.85	7/8	4,378.31
1		7		1		7		1		7		1	5,544.55	7	5,480.73	1	5,370.90	7	5,260.36	1	5,149.81	7	5,039.27	1	4,928.72	7	4,818.18	1	4,707.64	7	4,597.09	1	4,486.55	7	4,376.00
1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,544.02	1/8	5,478.61	1/8	5,368.60	1/8	5,258.05	1/8	5,147.51	1/8	5,036.97	1/8	4,926.42	1/8	4,815.88	1/8	4,705.33	1/8	4,594.79	1/8	4,484.25	1/8	4,373.70
1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,543.48	1/4	5,476.48	1/4	5,366.29	1/4	5,255.75	1/4	5,145.21	1/4	5,034.66	1/4	4,924.12	1/4	4,813.57	1/4	4,703.03	1/4	4,592.49	1/4	4,481.94	1/4	4,371.40
3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,542.95	3/8	5,474.36	3/8	5,363.99	3/8	5,253.45	3/8	5,142.90	3/8	5,032.36	3/8	4,921.82	3/8	4,811.27	3/8	4,700.73	3/8	4,590.18	3/8	4,479.64	3/8	4,369.10
1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,542.42	1/2	5,472.23	1/2	5,361.69	1/2	5,251.14	1/2	5,140.60	1/2	5,030.06	1/2	4,919.51	1/2	4,808.97	1/2	4,698.42	1/2	4,587.88	1/2	4,477.34	1/2	4,366.79
5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,541.62	5/8	5,469.93	5/8	5,359.39	5/8	5,248.84	5/8	5,138.30	5/8	5,027.75	5/8	4,917.21	5/8	4,806.67	5/8	4,696.12	5/8	4,585.58	5/8	4,475.03	5/8	4,364.49
3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,540.82	3/4	5,467.63	3/4	5,357.08	3/4	5,246.54	3/4	5,135.99	3/4	5,025.45	3/4	4,914.91	3/4	4,804.36	3/4	4,693.82	3/4	4,583.27	3/4	4,472.73	3/4	4,362.19
7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,540.02	7/8	5,465.32	7/8	5,354.78	7/8	5,244.24	7/8	5,133.69	7/8	5,023.15	7/8	4,912.60	7/8	4,802.06	7/8	4,691.52	7/8	4,580.97	7/8	4,470.43	7/8	4,359.88
2		8		2		8		2		8		2	5,539.22	8	5,463.02	2	5,352.48	8	5,241.93	2	5,131.39	8	5,020.84	2	4,910.30	8	4,799.76	2	4,689.21	8	4,578.67	2	4,468.12	8	4,357.58
1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,538.42	1/8	5,460.72	1/8	5,350.17	1/8	5,239.63	1/8	5,129.09	1/8	5,018.54	1/8	4,908.00	1/8	4,797.45	1/8	4,686.91	1/8	4,576.37	1/8	4,465.82	1/8	4,355.28
1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,537.62	1/4	5,458.41	1/4	5,347.87	1/4	5,237.33	1/4	5,126.78	1/4	5,016.24	1/4	4,905.69	1/4	4,795.15	1/4	4,684.61	1/4	4,574.06	1/4	4,463.52	1/4	4,352.97
3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,536.82	3/8	5,456.11	3/8	5,345.57	3/8	5,235.02	3/8	5,124.48	3/8	5,013.94	3/8	4,903.39	3/8	4,792.85	3/8	4,682.30	3/8	4,571.76	3/8	4,461.22	3/8	4,350.67
1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,536.02	1/2	5,453.81	1/2	5,343.26	1/2	5,232.72	1/2	5,122.18	1/2	5,011.63	1/2	4,901.09	1/2	4,790.54	1/2	4,680.00	1/2	4,569.46	1/2	4,458.91	1/2	4,348.37
5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,534.96	5/8	5,451.51	5/8	5,340.96	5/8	5,230.42	5/8	5,119.87	5/8	5,009.33	5/8	4,898.79	5/8	4,788.24	5/8	4,677.70	5/8	4,567.15	5/8	4,456.61	5/8	4,346.07
3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,533.90	3/4	5,449.20	3/4	5,338.66	3/4	5,228.11	3/4	5,117.57	3/4	5,007.03	3/4	4,896.48	3/4	4,785.94	3/4	4,675.39	3/4	4,564.85	3/4	4,454.31	3/4	4,343.76
7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,532.83	7/8	5,446.90	7/8	5,336.36	7/8	5,225.81	7/8	5,115.27	7/8	5,004.72	7/8	4,894.18	7/8	4,783.64	7/8	4,673.09	7/8	4,562.55	7/8	4,452.00	7/8	4,341.46
3		9		3		9		3		9		3	5,531.77	9	5,444.60	3	5,334.05	9	5,223.51	3	5,112.96	9	5,002.42	3	4,891.88	9	4,781.33	3	4,670.79	9	4,560.24	3	4,449.70	9	4,339.16
1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,530.70	1/8	5,442.29	1/8	5,331.75	1/8	5,221.21	1/8	5,110.66	1/8	5,000.12	1/8	4,889.57	1/8	4,779.03	1/8	4,668.49	1/8	4,557.94	1/8	4,447.40	1/8	4,336.85
1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,529.64	1/4	5,439.99	1/4	5,329.45	1/4	5,218.90	1/4	5,108.36	1/4	4,997.81	1/4	4,887.27	1/4	4,776.73	1/4	4,666.18	1/4	4,555.64	1/4	4,445.09	1/4	4,334.55
3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,528.58	3/8	5,437.69	3/8	5,327.14	3/8	5,216.60	3/8	5,106.06	3/8	4,995.51	3/8	4,884.97	3/8	4,774.42	3/8	4,663.88	3/8	4,553.34	3/8	4,442.79	3/8	4,332.25
1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,527.51	1/2	5,435.38	1/2	5,324.84	1/2	5,214.30	1/2	5,103.75	1/2	4,993.21	1/2	4,882.66	1/2	4,772.12	1/2	4,661.58	1/2	4,551.03	1/2	4,440.49	1/2	4,329.94
5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,526.18	5/8	5,433.08	5/8	5,322.54	5/8	5,211.99	5/8	5,101.45	5/8	4,990.91	5/8	4,880.36	5/8	4,769.82	5/8	4,659.27	5/8	4,548.73	5/8	4,438.19	5/8	4,327.64
3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,524.85	3/4	5,430.78	3/4	5,320.23	3/4	5,209.69	3/4	5,099.15	3/4	4,988.60	3/4	4,878.06	3/4	4,767.51	3/4	4,656.97	3/4	4,546.43	3/4	4,435.88	3/4	4,325.34
7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,523.52	7/8	5,428.48	7/8	5,317.93	7/8	5,207.39	7/8	5,096.84	7/8	4,986.30	7/8	4,875.76	7/8	4,765.21	7/8	4,654.67	7/8	4,544.12	7/8	4,433.58	7/8	4,323.04
4		10		4		10		4		10		4	5,522.19	10	5,426.17	4	5,315.63	10	5,205.08	4	5,094.54	10	4,984.00	4	4,873.45	10	4,762.91	4	4,652.36	10	4,541.82	4	4,431.28	10	4,320.73
1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,520.86	1/8	5,423.87	1/8	5,313.33	1/8	5,202.78	1/8	5,092.24	1/8	4,981.69	1/8	4,871.15	1/8	4,760.61	1/8	4,650.06	1/8	4,539.52	1/8	4,428.97	1/8	4,318.43
1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,519.53	1/4	5,421.57	1/4	5,311.02	1/4	5,200.48	1/4	5,089.93	1/4	4,979.39	1/4	4,868.85	1/4	4,758.30	1/4	4,647.76	1/4	4,537.21	1/4	4,426.67	1/4	4,316.13
3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,518.20	3/8	5,419.26	3/8	5,308.72	3/8	5,198.18	3/8	5,087.63	3/8	4,977.09	3/8	4,866.54	3/8	4,756.00	3/8	4,645.46	3/8	4,534.91	3/8	4,424.37</		



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
STAR

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

Table with 22 columns (IN 9 FT. to IN 17 FT.) and multiple rows of numerical data representing measurements and capacities.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-6 1/2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
STAR

OUTAGE TABLE

SHEET NO. 3 OF 4 HULL NO. 508

Table with columns for IN, FT., and numerical values. Rows represent different tank sections and measurements.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-6 1/2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 3
STAR

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	304.30	6	193.76	0	83.64	6	11.56	0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	302.00	1/8	191.45	1/8	81.45	1/8	10.75	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	299.69	1/4	189.15	1/4	79.25	1/4	9.94	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	297.39	3/8	186.85	3/8	77.06	3/8	9.13	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	295.09	1/2	184.54	1/2	74.86	1/2	* 8.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	292.79	5/8	182.24	5/8	72.90	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	290.48	3/4	179.94	3/4	70.94	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	288.18	7/8	177.64	7/8	68.97	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	285.88	7	175.33	1	67.01	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	283.57	1/8	173.03	1/8	65.04	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	281.27	1/4	170.73	1/4	63.08	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	278.97	3/8	168.42	3/8	61.12	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	276.66	1/2	166.12	1/2	59.15	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	274.36	5/8	163.82	5/8	57.42	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	272.06	3/4	161.51	3/4	55.69	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	269.76	7/8	159.21	7/8	53.95	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	267.45	8	156.91	2	52.22	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	265.15	1/8	154.61	1/8	50.49	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	262.85	1/4	152.30	1/4	48.75	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	260.54	3/8	150.00	3/8	47.02	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	258.24	1/2	147.70	1/2	45.29	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	255.94	5/8	145.39	5/8	43.79	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	253.63	3/4	143.09	3/4	42.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	251.33	7/8	140.79	7/8	40.78	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	249.03	9	138.48	3	39.28	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	246.73	1/8	136.18	1/8	37.78	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	244.42	1/4	133.88	1/4	36.28	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	242.12	3/8	131.58	3/8	34.77	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	239.82	1/2	129.27	1/2	33.27	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	237.51	5/8	126.97	5/8	32.00	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	235.21	3/4	124.67	3/4	30.73	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	232.91	7/8	122.36	7/8	29.46	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	230.60	10	120.06	4	28.19	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	228.30	1/8	117.76	1/8	26.92	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	226.00	1/4	115.45	1/4	25.65	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	223.70	3/8	113.15	3/8	24.38	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	221.39	1/2	110.85	1/2	23.11	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	219.09	5/8	108.55	5/8	22.07	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	216.79	3/4	106.24	3/4	21.03	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	214.48	7/8	103.94	7/8	19.99	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	212.18	11	101.64	5	18.95	11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	209.88	1/8	99.33	1/8	17.91	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	207.57	1/4	97.03	1/4	16.87	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	205.27	3/8	94.73	3/8	15.83	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	202.97	1/2	92.42	1/2	14.79	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	200.67	5/8	90.23	5/8	13.98	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	198.36	3/4	88.03	3/4	13.17	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	196.06	7/8	85.84	7/8	12.37	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
PORT

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

Table with 22 columns (IN 0 FT. to IN 8 FT.) and 22 rows (0 to 7/8). Each cell contains two numerical values representing measurements at different depths.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
PORT

OUTAGE TABLE

SHEET NO. 2 OF 4 HULL NO. 508

Table with columns for IN, 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT. and rows for various measurements and capacities.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
PORT

OUTAGE TABLE

SHEET NO. 3 OF 4 HULL NO. 508

Table with 24 columns (IN 18 FT. to IN 26 FT.) and 24 rows (0 to 7/8). Each cell contains numerical values representing measurements and capacities.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
PORT

OUTAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	258.96	6	153.65	0	52.91	6		0		6		0		6		0		6		6		0		6		0		6		0		6		6	
1/8	256.77	1/8	151.46	1/8	51.27	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	254.58	1/4	149.26	1/4	49.62	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	252.38	3/8	147.07	3/8	47.97	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	250.19	1/2	144.88	1/2	46.33	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	247.99	5/8	142.68	5/8	44.68	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	245.80	3/4	140.49	3/4	43.03	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	243.61	7/8	138.29	7/8	41.60	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	241.41	7	136.10	1	40.18	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	239.22	1/8	133.91	1/8	38.75	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	237.02	1/4	131.71	1/4	37.32	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	234.83	3/8	129.52	3/8	35.89	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	232.64	1/2	127.32	1/2	34.46	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	230.44	5/8	125.13	5/8	33.04	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	228.25	3/4	122.94	3/4	31.61	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	226.05	7/8	120.74	7/8	30.40	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	223.86	8	118.55	2	* 29.19	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	221.67	1/8	116.35	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	219.47	1/4	114.16	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	217.28	3/8	111.97	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	215.08	1/2	109.77	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	212.89	5/8	107.58	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	210.70	3/4	105.38	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	208.50	7/8	103.19	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	206.31	9	101.00	3		9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	204.11	1/8	98.80	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	201.92	1/4	96.61	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	199.73	3/8	94.41	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	197.53	1/2	92.22	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	195.34	5/8	90.03	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	193.14	3/4	87.83	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	190.95	7/8	85.75	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	188.76	10	83.66	4		10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	186.56	1/8	81.57	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	184.37	1/4	79.49	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	182.17	3/8	77.40	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	179.98	1/2	75.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	177.79	5/8	73.23	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	175.59	3/4	71.14	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	173.40	7/8	69.28	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	171.20	11	67.41	5		11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	169.01	1/8	65.54	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	166.82	1/4	63.68	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	164.62	3/8	61.81	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	162.43	1/2	59.94	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	160.23	5/8	58.07	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	158.04	3/4	56.21	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	155.85	7/8	54.56	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
STAR

OUTAGE TABLE

SHEET NO. 2 OF 4 HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	4,251.06	6	4,141.14	0	4,031.22	6	3,921.30	0	3,811.38	6	3,701.46	0	3,591.54	6	3,481.62	0	3,371.70	6	3,261.78	0	3,151.86	6	3,041.94	0	2,932.02	6	2,822.10	0	2,712.18	6	2,602.26	0	2,492.34	6	2,382.42
1/8	4,248.77	1/8	4,138.85	1/8	4,028.93	1/8	3,919.01	1/8	3,809.09	1/8	3,699.17	1/8	3,589.25	1/8	3,479.33	1/8	3,369.41	1/8	3,259.49	1/8	3,149.57	1/8	3,039.65	1/8	2,929.73	1/8	2,819.81	1/8	2,709.89	1/8	2,599.97	1/8	2,490.05	1/8	2,380.13
1/4	4,246.48	1/4	4,136.56	1/4	4,026.64	1/4	3,916.72	1/4	3,806.80	1/4	3,696.88	1/4	3,586.96	1/4	3,477.04	1/4	3,367.12	1/4	3,257.20	1/4	3,147.28	1/4	3,037.36	1/4	2,927.44	1/4	2,817.52	1/4	2,707.60	1/4	2,597.68	1/4	2,487.76	1/4	2,377.84
3/8	4,244.19	3/8	4,134.27	3/8	4,024.35	3/8	3,914.43	3/8	3,804.51	3/8	3,694.59	3/8	3,584.67	3/8	3,474.75	3/8	3,364.83	3/8	3,254.91	3/8	3,144.99	3/8	3,035.07	3/8	2,925.15	3/8	2,815.23	3/8	2,705.31	3/8	2,595.39	3/8	2,485.47	3/8	2,375.55
1/2	4,241.90	1/2	4,131.98	1/2	4,022.06	1/2	3,912.14	1/2	3,802.22	1/2	3,692.30	1/2	3,582.38	1/2	3,472.46	1/2	3,362.54	1/2	3,252.62	1/2	3,142.70	1/2	3,032.78	1/2	2,922.86	1/2	2,812.94	1/2	2,703.02	1/2	2,593.10	1/2	2,483.18	1/2	2,373.26
5/8	4,239.61	5/8	4,129.69	5/8	4,019.77	5/8	3,909.85	5/8	3,799.93	5/8	3,690.01	5/8	3,580.09	5/8	3,470.17	5/8	3,360.25	5/8	3,250.33	5/8	3,140.41	5/8	3,030.49	5/8	2,920.57	5/8	2,810.65	5/8	2,700.73	5/8	2,590.81	5/8	2,480.89	5/8	2,370.97
3/4	4,237.32	3/4	4,127.40	3/4	4,017.48	3/4	3,907.56	3/4	3,797.64	3/4	3,687.72	3/4	3,577.80	3/4	3,467.88	3/4	3,357.96	3/4	3,248.04	3/4	3,138.12	3/4	3,028.20	3/4	2,918.28	3/4	2,808.36	3/4	2,698.44	3/4	2,588.52	3/4	2,478.60	3/4	2,368.68
7/8	4,235.03	7/8	4,125.11	7/8	4,015.19	7/8	3,905.27	7/8	3,795.35	7/8	3,685.43	7/8	3,575.51	7/8	3,465.59	7/8	3,355.67	7/8	3,245.75	7/8	3,135.83	7/8	3,025.91	7/8	2,915.99	7/8	2,806.07	7/8	2,696.15	7/8	2,586.23	7/8	2,476.31	7/8	2,366.39
1	4,232.74	7	4,122.82	1	4,012.90	7	3,902.98	1	3,793.06	7	3,683.14	1	3,573.22	7	3,463.30	1	3,353.38	7	3,243.46	1	3,133.54	7	3,023.62	1	2,913.70	7	2,803.78	1	2,693.86	7	2,583.94	1	2,474.02	7	2,364.10
1/8	4,230.45	1/8	4,120.53	1/8	4,010.61	1/8	3,900.69	1/8	3,790.77	1/8	3,680.85	1/8	3,570.93	1/8	3,461.01	1/8	3,351.09	1/8	3,241.17	1/8	3,131.25	1/8	3,021.33	1/8	2,911.41	1/8	2,801.49	1/8	2,691.57	1/8	2,581.65	1/8	2,471.73	1/8	2,361.81
1/4	4,228.16	1/4	4,118.24	1/4	4,008.32	1/4	3,898.40	1/4	3,788.48	1/4	3,678.56	1/4	3,568.64	1/4	3,458.72	1/4	3,348.80	1/4	3,238.88	1/4	3,128.96	1/4	3,019.04	1/4	2,909.12	1/4	2,799.20	1/4	2,689.28	1/4	2,579.36	1/4	2,469.44	1/4	2,359.52
3/8	4,225.87	3/8	4,115.95	3/8	4,006.03	3/8	3,896.11	3/8	3,786.19	3/8	3,676.27	3/8	3,566.35	3/8	3,456.43	3/8	3,346.51	3/8	3,236.59	3/8	3,126.67	3/8	3,016.75	3/8	2,906.83	3/8	2,796.91	3/8	2,686.99	3/8	2,577.07	3/8	2,467.15	3/8	2,357.23
1/2	4,223.58	1/2	4,113.66	1/2	4,003.74	1/2	3,893.82	1/2	3,783.90	1/2	3,673.98	1/2	3,564.06	1/2	3,454.14	1/2	3,344.22	1/2	3,234.30	1/2	3,124.38	1/2	3,014.46	1/2	2,904.54	1/2	2,794.62	1/2	2,684.70	1/2	2,574.78	1/2	2,464.86	1/2	2,354.94
5/8	4,221.29	5/8	4,111.37	5/8	4,001.45	5/8	3,891.53	5/8	3,781.61	5/8	3,671.69	5/8	3,561.77	5/8	3,451.85	5/8	3,341.93	5/8	3,232.01	5/8	3,122.09	5/8	3,012.17	5/8	2,902.25	5/8	2,792.33	5/8	2,682.41	5/8	2,572.49	5/8	2,462.57	5/8	2,352.65
3/4	4,219.00	3/4	4,109.08	3/4	3,999.16	3/4	3,889.24	3/4	3,779.32	3/4	3,669.40	3/4	3,559.48	3/4	3,449.56	3/4	3,339.64	3/4	3,229.72	3/4	3,119.80	3/4	3,009.88	3/4	2,899.96	3/4	2,790.04	3/4	2,680.12	3/4	2,570.20	3/4	2,460.28	3/4	2,350.36
7/8	4,216.71	7/8	4,106.79	7/8	3,996.87	7/8	3,886.95	7/8	3,777.03	7/8	3,667.11	7/8	3,557.19	7/8	3,447.27	7/8	3,337.35	7/8	3,227.43	7/8	3,117.51	7/8	3,007.59	7/8	2,897.67	7/8	2,787.75	7/8	2,677.83	7/8	2,567.91	7/8	2,457.99	7/8	2,348.07
2	4,214.42	8	4,104.50	2	3,994.58	8	3,884.66	2	3,774.74	8	3,664.82	2	3,554.90	8	3,444.98	2	3,335.06	8	3,225.14	2	3,115.22	8	3,005.30	2	2,895.38	8	2,785.46	2	2,675.54	8	2,565.62	2	2,455.70	8	2,345.78
1/8	4,212.13	1/8	4,102.21	1/8	3,992.29	1/8	3,882.37	1/8	3,772.45	1/8	3,662.53	1/8	3,552.61	1/8	3,442.69	1/8	3,332.77	1/8	3,222.85	1/8	3,112.93	1/8	3,003.01	1/8	2,893.09	1/8	2,783.17	1/8	2,673.25	1/8	2,563.33	1/8	2,453.41	1/8	2,343.49
1/4	4,209.84	1/4	4,099.92	1/4	3,990.00	1/4	3,880.08	1/4	3,770.16	1/4	3,660.24	1/4	3,550.32	1/4	3,440.40	1/4	3,330.48	1/4	3,220.56	1/4	3,110.64	1/4	3,000.72	1/4	2,890.80	1/4	2,780.88	1/4	2,670.96	1/4	2,561.04	1/4	2,451.12	1/4	2,341.20
3/8	4,207.55	3/8	4,097.63	3/8	3,987.71	3/8	3,877.79	3/8	3,767.87	3/8	3,657.95	3/8	3,548.03	3/8	3,438.11	3/8	3,328.19	3/8	3,218.27	3/8	3,108.35	3/8	3,008.43	3/8	2,898.51	3/8	2,788.59	3/8	2,678.67	3/8	2,568.75	3/8	2,458.83	3/8	2,348.91
1/2	4,205.26	1/2	4,095.34	1/2	3,985.42	1/2	3,875.50	1/2	3,765.58	1/2	3,655.66	1/2	3,545.74	1/2	3,435.82	1/2	3,325.90	1/2	3,215.98	1/2	3,106.06	1/2	2,996.14	1/2	2,886.22	1/2	2,776.30	1/2	2,666.38	1/2	2,556.46	1/2	2,446.54	1/2	2,336.62
5/8	4,202.97	5/8	4,093.05	5/8	3,983.13	5/8	3,873.21	5/8	3,763.29	5/8	3,653.37	5/8	3,543.45	5/8	3,433.53	5/8	3,323.61	5/8	3,213.69	5/8	3,103.77	5/8	2,993.85	5/8	2,883.93	5/8	2,774.01	5/8	2,664.09	5/8	2,554.17	5/8	2,444.25	5/8	2,334.33
3/4	4,200.68	3/4	4,090.76	3/4	3,980.84	3/4	3,870.92	3/4	3,761.00	3/4	3,651.08	3/4	3,541.16	3/4	3,431.24	3/4	3,321.32	3/4	3,211.40	3/4	3,101.48	3/4	2,991.56	3/4	2,881.64	3/4	2,771.72	3/4	2,661.80	3/4	2,551.88	3/4	2,441.96	3/4	2,332.04
7/8	4,198.39	7/8	4,088.47	7/8	3,978.55	7/8	3,868.63	7/8	3,758.71	7/8	3,648.79	7/8	3,538.87	7/8	3,428.95	7/8	3,319.03	7/8	3,209.11	7/8	3,099.19	7/8	2,989.27	7/8	2,879.35	7/8	2,769.43	7/8	2,659.51	7/8	2,549.59	7/8	2,439.67	7/8	2,329.75
3	4,196.10	9	4,086.18	3	3,976.26	9	3,866.34	3	3,756.42	9	3,646.50	3	3,536.58	9	3,426.66	3	3,316.74	9	3,206.82	3	3,096.90	9	2,986.98	3	2,877.06	9	2,767.14	3	2,657.22	9	2,547.30	3	2,437.38	9	2,327.46
1/8	4,193.81	1/8	4,083.89	1/8	3,973.97	1/8	3,864.05	1/8	3,754.13	1/8	3,644.21	1/8	3,534.29	1/8	3,424.37	1/8	3,314.45	1/8	3,204.53	1/8	3,094.61	1/8	2,984.69	1/8	2,874.77	1/8	2,764.85	1/8	2,654.93	1/8	2,545.01	1/8	2,435.09	1/8	2,325.17
1/4	4,191.52	1/4	4,081.60	1/4	3,971.68	1/4	3,861.76	1/4	3,751.84	1/4	3,641.92	1/4	3,532.00	1/4	3,422.08	1/4	3,312.16	1/4	3,202.24	1/4	3,092.32	1/4	2,982.40	1/4	2,872.48	1/4	2,762.56	1/4	2,652.64	1/4	2,542.72	1/4	2,432.80	1/4	2,322.88
3/8	4,189.23	3/8	4,079.31	3/8	3,969.39	3/8	3,859.47	3/8	3,749.55	3/8	3,639.63	3/8	3,529.71	3/8	3,419.79	3/8	3,309.87	3/8	3,199.95	3/8	3,090.03	3/8	2,980.11	3/8	2,870.19	3/8	2,760.27	3/8	2,650.35	3/8	2,540.43	3/8	2,430.51	3/8	2,320.59
1/2	4,186.94	1/2	4,077.02	1/2	3,967.10	1/2	3,857.18	1/2	3,747.26	1/2	3,637.34	1/2	3,527.42	1/2	3,417.50	1/2	3,307.58	1/2	3,197.66	1/2	3,087.74	1/2	2,977.82	1/2	2,867.90	1/2	2,757.98	1/2	2,648.06	1/2	2,538.14	1/2	2,428.22	1/2	2,318.30
5/8	4,184.65	5/8	4,074.73	5/8	3,964.81	5/8	3,854.89	5/8	3,744.97	5/8	3,635.05	5/8	3,525.13	5/8	3,415.21	5/8	3,305.29	5/8	3,195.37	5/8	3,085.45	5/8	2,975.53	5/8	2,865.61	5/8	2,755.69	5/8	2,645.77	5/8	2,535.85	5/8	2,425.93	5/8	2,316.01
3/4	4,182.36	3/4	4,072.44	3/4	3,962.52	3/4	3,852.60	3/4	3,742.68	3/4	3,632.76	3/4	3,522.84	3/4	3,412.92	3/4	3,303.00	3/4	3,193.08	3/4	3,083.16	3/4	2,973.24	3/4	2,863.32	3/4	2,753.40	3/4	2						



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
STAR

OUTAGE TABLE

SHEET NO. 3 OF 4

HULL NO. 508

IN	18 FT.	IN	18 FT.	IN	19 FT.	IN	19 FT.	IN	20 FT.	IN	20 FT.	IN	21 FT.	IN	21 FT.	IN	22 FT.	IN	22 FT.	IN	23 FT.	IN	23 FT.	IN	24 FT.	IN	24 FT.	IN	25 FT.	IN	25 FT.	IN	26 FT.	IN	26 FT.
0	2,272.50	6	2,162.58	0	2,052.66	6	1,942.74	0	1,832.82	6	1,722.90	0	1,612.98	6	1,503.06	0	1,393.14	6	1,283.22	0	1,173.30	6	1,063.38	0	953.46	6	843.54	0	733.62	6	623.70	0	513.78	6	403.86
1/8	2,270.21	1/8	2,160.29	1/8	2,050.37	1/8	1,940.45	1/8	1,830.53	1/8	1,720.61	1/8	1,610.69	1/8	1,500.77	1/8	1,390.85	1/8	1,280.93	1/8	1,171.01	1/8	1,061.09	1/8	951.17	1/8	841.25	1/8	731.33	1/8	621.41	1/8	511.49	1/8	401.57
1/4	2,267.92	1/4	2,158.00	1/4	2,048.08	1/4	1,938.16	1/4	1,828.24	1/4	1,718.32	1/4	1,608.40	1/4	1,498.48	1/4	1,388.56	1/4	1,278.64	1/4	1,168.72	1/4	1,058.80	1/4	948.88	1/4	838.96	1/4	729.04	1/4	619.12	1/4	509.20	1/4	399.28
3/8	2,265.63	3/8	2,155.71	3/8	2,045.79	3/8	1,935.87	3/8	1,825.95	3/8	1,716.03	3/8	1,606.11	3/8	1,496.19	3/8	1,386.27	3/8	1,276.35	3/8	1,166.43	3/8	1,056.51	3/8	946.59	3/8	836.67	3/8	726.75	3/8	616.83	3/8	506.91	3/8	396.99
1/2	2,263.34	1/2	2,153.42	1/2	2,043.50	1/2	1,933.58	1/2	1,823.66	1/2	1,713.74	1/2	1,603.82	1/2	1,493.90	1/2	1,383.98	1/2	1,274.06	1/2	1,164.14	1/2	1,054.22	1/2	944.30	1/2	834.38	1/2	724.46	1/2	614.54	1/2	504.62	1/2	394.70
5/8	2,261.05	5/8	2,151.13	5/8	2,041.21	5/8	1,931.29	5/8	1,821.37	5/8	1,711.45	5/8	1,601.53	5/8	1,491.61	5/8	1,381.69	5/8	1,271.77	5/8	1,161.85	5/8	1,051.93	5/8	942.01	5/8	832.09	5/8	722.17	5/8	612.25	5/8	502.33	5/8	392.41
3/4	2,258.76	3/4	2,148.84	3/4	2,038.92	3/4	1,929.00	3/4	1,819.08	3/4	1,709.16	3/4	1,599.24	3/4	1,489.32	3/4	1,379.40	3/4	1,269.48	3/4	1,159.56	3/4	1,049.64	3/4	939.72	3/4	829.80	3/4	719.88	3/4	609.96	3/4	500.04	3/4	390.12
7/8	2,256.47	7/8	2,146.55	7/8	2,036.63	7/8	1,926.71	7/8	1,816.79	7/8	1,706.87	7/8	1,596.95	7/8	1,487.03	7/8	1,377.11	7/8	1,267.19	7/8	1,157.27	7/8	1,047.35	7/8	937.43	7/8	827.51	7/8	717.59	7/8	607.67	7/8	497.75	7/8	387.83
1	2,254.18	7	2,144.26	1	2,034.34	7	1,924.42	1	1,814.50	7	1,704.58	1	1,594.66	7	1,484.74	1	1,374.82	7	1,264.90	1	1,154.98	7	1,045.06	1	935.14	7	825.22	1	715.30	7	605.38	1	495.46	7	385.54
1/8	2,251.89	1/8	2,141.97	1/8	2,032.05	1/8	1,922.13	1/8	1,812.21	1/8	1,702.29	1/8	1,592.37	1/8	1,482.45	1/8	1,372.53	1/8	1,262.61	1/8	1,152.69	1/8	1,042.77	1/8	932.85	1/8	822.93	1/8	713.01	1/8	603.09	1/8	493.17	1/8	383.25
1/4	2,249.60	1/4	2,139.68	1/4	2,029.76	1/4	1,919.84	1/4	1,809.92	1/4	1,700.00	1/4	1,590.08	1/4	1,480.16	1/4	1,370.24	1/4	1,260.32	1/4	1,150.40	1/4	1,040.48	1/4	930.56	1/4	820.64	1/4	710.72	1/4	600.80	1/4	490.88	1/4	380.96
3/8	2,247.31	3/8	2,137.39	3/8	2,027.47	3/8	1,917.55	3/8	1,807.63	3/8	1,697.71	3/8	1,587.79	3/8	1,477.87	3/8	1,367.95	3/8	1,258.03	3/8	1,148.11	3/8	1,038.19	3/8	928.27	3/8	818.35	3/8	708.43	3/8	598.51	3/8	488.59	3/8	378.67
1/2	2,245.02	1/2	2,135.10	1/2	2,025.18	1/2	1,915.26	1/2	1,805.34	1/2	1,695.42	1/2	1,585.50	1/2	1,475.58	1/2	1,365.66	1/2	1,255.74	1/2	1,145.82	1/2	1,035.90	1/2	925.98	1/2	816.06	1/2	706.14	1/2	596.22	1/2	486.30	1/2	376.38
5/8	2,242.73	5/8	2,132.81	5/8	2,022.89	5/8	1,912.97	5/8	1,803.05	5/8	1,693.13	5/8	1,583.21	5/8	1,473.29	5/8	1,363.37	5/8	1,253.45	5/8	1,143.53	5/8	1,033.61	5/8	923.69	5/8	813.77	5/8	703.85	5/8	593.93	5/8	484.01	5/8	374.09
3/4	2,240.44	3/4	2,130.52	3/4	2,020.60	3/4	1,910.68	3/4	1,800.76	3/4	1,690.84	3/4	1,580.92	3/4	1,471.00	3/4	1,361.08	3/4	1,251.16	3/4	1,141.24	3/4	1,031.32	3/4	921.40	3/4	811.48	3/4	701.56	3/4	591.64	3/4	481.72	3/4	371.80
7/8	2,238.15	7/8	2,128.23	7/8	2,018.31	7/8	1,908.39	7/8	1,798.47	7/8	1,688.55	7/8	1,578.63	7/8	1,468.71	7/8	1,358.79	7/8	1,248.87	7/8	1,138.95	7/8	1,029.03	7/8	919.11	7/8	809.19	7/8	699.27	7/8	589.35	7/8	479.43	7/8	369.51
2	2,235.86	8	2,125.94	2	2,016.02	8	1,906.10	2	1,796.18	8	1,686.26	2	1,576.34	8	1,466.42	2	1,356.50	8	1,246.58	2	1,136.66	8	1,026.74	2	916.82	8	806.90	2	696.98	8	587.06	2	477.14	8	367.22
1/8	2,233.57	1/8	2,123.65	1/8	2,013.73	1/8	1,903.81	1/8	1,793.89	1/8	1,683.97	1/8	1,574.05	1/8	1,464.13	1/8	1,354.21	1/8	1,244.29	1/8	1,134.37	1/8	1,024.45	1/8	914.53	1/8	804.61	1/8	694.69	1/8	584.77	1/8	474.85	1/8	364.93
1/4	2,231.28	1/4	2,121.36	1/4	2,011.44	1/4	1,901.52	1/4	1,791.60	1/4	1,681.68	1/4	1,571.76	1/4	1,461.84	1/4	1,351.92	1/4	1,242.00	1/4	1,132.08	1/4	1,022.16	1/4	912.24	1/4	802.32	1/4	692.40	1/4	582.48	1/4	472.56	1/4	362.64
3/8	2,228.99	3/8	2,119.07	3/8	2,009.15	3/8	1,899.23	3/8	1,789.31	3/8	1,679.39	3/8	1,569.47	3/8	1,459.55	3/8	1,349.63	3/8	1,239.71	3/8	1,129.79	3/8	1,019.87	3/8	909.95	3/8	800.03	3/8	690.11	3/8	580.19	3/8	470.27	3/8	360.35
1/2	2,226.70	1/2	2,116.78	1/2	2,006.86	1/2	1,896.94	1/2	1,787.02	1/2	1,677.10	1/2	1,567.18	1/2	1,457.26	1/2	1,347.34	1/2	1,237.42	1/2	1,127.50	1/2	1,017.58	1/2	907.66	1/2	797.74	1/2	687.82	1/2	577.90	1/2	467.98	1/2	358.06
5/8	2,224.41	5/8	2,114.49	5/8	2,004.57	5/8	1,894.65	5/8	1,784.73	5/8	1,674.81	5/8	1,564.89	5/8	1,454.97	5/8	1,345.05	5/8	1,235.13	5/8	1,125.21	5/8	1,015.29	5/8	905.37	5/8	795.45	5/8	685.53	5/8	575.61	5/8	465.69	5/8	355.77
3/4	2,222.12	3/4	2,112.20	3/4	2,002.28	3/4	1,892.36	3/4	1,782.44	3/4	1,672.52	3/4	1,562.60	3/4	1,452.68	3/4	1,342.76	3/4	1,232.84	3/4	1,122.92	3/4	1,013.00	3/4	903.08	3/4	793.16	3/4	683.24	3/4	573.32	3/4	463.40	3/4	353.48
7/8	2,219.83	7/8	2,109.91	7/8	1,999.99	7/8	1,890.07	7/8	1,780.15	7/8	1,670.23	7/8	1,560.31	7/8	1,450.39	7/8	1,340.47	7/8	1,230.55	7/8	1,120.63	7/8	1,010.71	7/8	900.79	7/8	790.87	7/8	680.95	7/8	571.03	7/8	461.11	7/8	351.19
3	2,217.54	9	2,107.62	3	1,997.70	9	1,887.78	3	1,777.86	9	1,667.94	3	1,558.02	9	1,448.10	3	1,338.18	9	1,228.26	3	1,118.34	9	1,008.42	3	898.50	9	788.58	3	678.66	9	568.74	3	458.82	9	348.90
1/8	2,215.25	1/8	2,105.33	1/8	1,995.41	1/8	1,885.49	1/8	1,775.57	1/8	1,665.65	1/8	1,555.73	1/8	1,445.81	1/8	1,335.89	1/8	1,225.97	1/8	1,116.05	1/8	1,006.13	1/8	896.21	1/8	786.29	1/8	676.37	1/8	566.45	1/8	456.53	1/8	346.61
1/4	2,212.96	1/4	2,103.04	1/4	1,993.12	1/4	1,883.20	1/4	1,773.28	1/4	1,663.36	1/4	1,553.44	1/4	1,443.52	1/4	1,333.60	1/4	1,223.68	1/4	1,113.76	1/4	1,003.84	1/4	893.92	1/4	784.00	1/4	674.08	1/4	564.16	1/4	454.24	1/4	344.32
3/8	2,210.67	3/8	2,100.75	3/8	1,990.83	3/8	1,880.91	3/8	1,770.99	3/8	1,661.07	3/8	1,551.15	3/8	1,441.23	3/8	1,331.31	3/8	1,221.39	3/8	1,111.47	3/8	1,001.55	3/8	891.63	3/8	781.71	3/8	671.79	3/8	561.87	3/8	451.95	3/8	342.03
1/2	2,208.38	1/2	2,098.46	1/2	1,988.54	1/2	1,878.62	1/2	1,768.70	1/2	1,658.78	1/2	1,548.86	1/2	1,438.94	1/2	1,329.02	1/2	1,219.10	1/2	1,109.18	1/2	999.26	1/2	889.34	1/2	779.42	1/2	669.50	1/2	559.58	1/2	449.66	1/2	339.74
5/8	2,206.09	5/8	2,096.17	5/8	1,986.25	5/8	1,876.33	5/8	1,766.41	5/8	1,656.49	5/8	1,546.57	5/8	1,436.65	5/8	1,326.73	5/8	1,216.81	5/8	1,106.89	5/8	996.97	5/8	887.05	5/8	777.13	5/8	667.21	5/8	557.29	5/8	447.37	5/8	337.45
3/4	2,203.80	3/4	2,093.88	3/4	1,983.96	3/4	1,874.04	3/4	1,764.12	3/4	1,654.20	3/4	1,544.28	3/4	1,434.36	3/4	1,324.44	3/4	1,214.52	3/4	1,104.60	3/4	994.68	3/4	884.76	3/4	774.84	3/4	664.92	3/4	555.00	3/4	445.08	3/4	335.16
7/8	2,201.51	7/8	2,091.59	7/8	1,981.67	7/8	1,871.75	7/8	1,761.83	7/8	1,651.91	7/8	1,541.99	7/8	1,432.07	7/8	1,322.15	7/8	1,212.23	7/8	1,102.31	7/8	992.39												



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 4
STAR

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	293.94	6	184.02	0	74.86	6		0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	291.65	1/8	181.73	1/8	72.90	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	289.36	1/4	179.44	1/4	70.94	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	287.07	3/8	177.15	3/8	68.97	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	284.78	1/2	174.86	1/2	67.01	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	282.49	5/8	172.57	5/8	65.04	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	280.20	3/4	170.28	3/4	63.08	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	277.91	7/8	167.99	7/8	61.12	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	275.62	7	165.70	1	59.15	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	273.33	1/8	163.41	1/8	57.42	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	271.04	1/4	161.12	1/4	55.69	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	268.75	3/8	158.83	3/8	53.95	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	266.46	1/2	156.54	1/2	52.22	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	264.17	5/8	154.25	5/8	50.49	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	261.88	3/4	151.96	3/4	48.75	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	259.59	7/8	149.67	7/8	47.02	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	257.30	8	147.38	2	45.29	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	255.01	1/8	145.09	1/8	43.79	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	252.72	1/4	142.80	1/4	42.28	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	250.43	3/8	140.51	3/8	40.78	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	248.14	1/2	138.22	1/2	39.28	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	245.85	5/8	135.93	5/8	37.78	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	243.56	3/4	133.64	3/4	36.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	241.27	7/8	131.35	7/8	34.77	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	238.98	9	129.06	3	33.27	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	236.69	1/8	126.77	1/8	32.00	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	234.40	1/4	124.48	1/4	30.73	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	232.11	3/8	122.19	3/8	29.46	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	229.82	1/2	119.90	1/2	28.19	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	227.53	5/8	117.61	5/8	26.92	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	225.24	3/4	115.32	3/4	25.65	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	222.95	7/8	113.03	7/8	24.38	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	220.66	10	110.74	4	23.11	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	218.37	1/8	108.45	1/8	22.07	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	216.08	1/4	106.16	1/4	21.03	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	213.79	3/8	103.87	3/8	19.99	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	211.50	1/2	101.58	1/2	18.95	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	209.21	5/8	99.29	5/8	17.91	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	206.92	3/4	97.00	3/4	16.87	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	204.63	7/8	94.71	7/8	15.83	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	202.34	11	92.42	5	* 14.79	11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	200.05	1/8	90.23	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	197.76	1/4	88.03	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	195.47	3/8	85.84	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	193.18	1/2	83.64	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	190.89	5/8	81.45	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	188.60	3/4	79.25	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	186.31	7/8	77.06	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	


CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-5" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


 INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
PORT

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.		
0		6		0		6		0		6		0		6	5,272.70	0	5,172.36	6	5,066.61	0	4,960.87	6	4,855.12	0	4,749.38	6	4,643.64	0	4,537.89	6	4,432.15	0	4,326.40	6	4,220.66		
1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,271.06	1/8	5,170.15	1/8	5,064.41	1/8	4,958.66	1/8	4,852.92	1/8	4,747.18	1/8	4,641.43	1/8	4,535.69	1/8	4,429.94	1/8	4,324.20	1/8	4,218.46		
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,269.42	1/4	5,167.95	1/4	5,062.21	1/4	4,956.46	1/4	4,850.72	1/4	4,744.97	1/4	4,639.23	1/4	4,533.49	1/4	4,427.74	1/4	4,322.00	1/4	4,216.25		
3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,267.78	3/8	5,165.75	3/8	5,060.00	3/8	4,954.26	3/8	4,848.51	3/8	4,742.77	3/8	4,637.03	3/8	4,531.28	3/8	4,425.54	3/8	4,319.79	3/8	4,214.05		
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,315.27	1/2	5,266.14	1/2	5,163.54	1/2	5,057.80	1/2	4,952.06	1/2	4,846.31	1/2	4,740.57	1/2	4,634.82	1/2	4,529.08	1/2	4,423.34	1/2	4,317.59	1/2	4,211.85
5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,314.86	5/8	5,264.26	5/8	5,161.34	5/8	5,055.60	5/8	4,949.85	5/8	4,844.11	5/8	4,738.36	5/8	4,632.62	5/8	4,526.88	5/8	4,421.13	5/8	4,315.39	5/8	4,209.64
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,314.45	3/4	5,159.14	3/4	5,053.39	3/4	4,947.65	3/4	4,841.91	3/4	4,736.16	3/4	4,630.42	3/4	4,524.67	3/4	4,418.93	3/4	4,313.19	3/4	4,207.44	3/4	4,101.25
7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,314.05	7/8	5,156.94	7/8	5,051.19	7/8	4,945.45	7/8	4,839.70	7/8	4,733.96	7/8	4,628.21	7/8	4,522.47	7/8	4,416.73	7/8	4,310.98	7/8	4,205.24		
1		7		1		7		1		7		1		1	5,313.64	7	5,258.61	1	5,154.73	7	5,048.99	1	4,943.24	7	4,837.50	1	4,731.76	7	4,626.01	1	4,520.27	7	4,414.52	1	4,308.78	7	4,203.04
1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,313.23	1/8	5,256.72	1/8	5,152.53	1/8	5,046.78	1/8	4,941.04	1/8	4,835.30	1/8	4,729.55	1/8	4,623.81	1/8	4,518.06	1/8	4,412.32	1/8	4,306.58	1/8	4,200.83
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,312.82	1/4	5,254.84	1/4	5,150.33	1/4	5,044.58	1/4	4,938.84	1/4	4,833.09	1/4	4,727.35	1/4	4,621.61	1/4	4,515.86	1/4	4,410.12	1/4	4,304.37	1/4	4,198.63
3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,312.41	3/8	5,252.96	3/8	5,148.12	3/8	5,042.38	3/8	4,936.63	3/8	4,830.89	3/8	4,725.15	3/8	4,619.40	3/8	4,513.66	3/8	4,407.91	3/8	4,302.17	3/8	4,196.43
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,312.00	1/2	5,251.07	1/2	5,145.92	1/2	5,040.18	1/2	4,934.43	1/2	4,828.69	1/2	4,722.94	1/2	4,617.20	1/2	4,511.46	1/2	4,405.71	1/2	4,299.97	1/2	4,194.22
5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,311.35	5/8	5,248.94	5/8	5,143.72	5/8	5,037.97	5/8	4,932.23	5/8	4,826.48	5/8	4,720.74	5/8	4,615.00	5/8	4,509.25	5/8	4,403.51	5/8	4,297.76	5/8	4,192.02
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,310.69	3/4	5,246.81	3/4	5,141.51	3/4	5,035.77	3/4	4,930.03	3/4	4,824.28	3/4	4,718.54	3/4	4,612.79	3/4	4,507.05	3/4	4,401.31	3/4	4,295.56	3/4	4,189.82
7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,310.04	7/8	5,244.69	7/8	5,139.31	7/8	5,033.57	7/8	4,927.82	7/8	4,822.08	7/8	4,716.33	7/8	4,610.59	7/8	4,504.85	7/8	4,399.10	7/8	4,293.36	7/8	4,187.61
2		8		2		8		2		8		2		2	5,309.38	8	5,242.56	2	5,137.11	8	5,031.36	2	4,925.62	8	4,819.88	2	4,714.13	8	4,608.39	2	4,502.64	8	4,396.90	2	4,291.16	8	4,185.41
1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,308.73	1/8	5,240.43	1/8	5,134.90	1/8	5,029.16	1/8	4,923.42	1/8	4,817.67	1/8	4,711.93	1/8	4,606.18	1/8	4,500.44	1/8	4,394.70	1/8	4,288.95	1/8	4,183.21
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,308.07	1/4	5,238.30	1/4	5,132.70	1/4	5,026.96	1/4	4,921.21	1/4	4,815.47	1/4	4,709.73	1/4	4,603.98	1/4	4,498.24	1/4	4,392.49	1/4	4,286.75	1/4	4,181.01
3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,307.42	3/8	5,236.17	3/8	5,130.50	3/8	5,024.75	3/8	4,919.01	3/8	4,813.27	3/8	4,707.52	3/8	4,601.78	3/8	4,496.03	3/8	4,390.29	3/8	4,284.55	3/8	4,176.80
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,306.76	1/2	5,234.04	1/2	5,128.30	1/2	5,022.55	1/2	4,916.81	1/2	4,811.06	1/2	4,705.32	1/2	4,599.58	1/2	4,493.83	1/2	4,388.09	1/2	4,282.34	1/2	4,176.60
5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,305.86	5/8	5,231.84	5/8	5,126.09	5/8	5,020.35	5/8	4,914.60	5/8	4,808.86	5/8	4,703.12	5/8	4,597.37	5/8	4,491.63	5/8	4,385.88	5/8	4,280.14	5/8	4,174.40
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,304.96	3/4	5,229.63	3/4	5,123.89	3/4	5,018.15	3/4	4,912.40	3/4	4,806.66	3/4	4,700.91	3/4	4,595.17	3/4	4,489.43	3/4	4,383.68	3/4	4,277.94	3/4	4,172.19
7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,304.06	7/8	5,227.43	7/8	5,121.69	7/8	5,015.94	7/8	4,910.20	7/8	4,804.45	7/8	4,698.71	7/8	4,592.97	7/8	4,487.22	7/8	4,381.48	7/8	4,275.73	7/8	4,169.99
3		9		3		9		3		9		3		3	5,303.16	9	5,225.23	3	5,119.48	9	5,013.74	3	4,908.00	9	4,802.25	3	4,696.51	9	4,590.76	3	4,485.02	9	4,379.28	3	4,273.53	9	4,167.79
1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,302.26	1/8	5,223.03	1/8	5,117.28	1/8	5,011.54	1/8	4,905.79	1/8	4,800.05	1/8	4,694.30	1/8	4,588.56	1/8	4,482.82	1/8	4,377.07	1/8	4,271.33	1/8	4,165.58
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,301.35	1/4	5,220.82	1/4	5,115.08	1/4	5,009.33	1/4	4,903.59	1/4	4,797.85	1/4	4,692.10	1/4	4,586.36	1/4	4,480.61	1/4	4,374.87	1/4	4,269.13	1/4	4,163.38
3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	5,300.45	3/8	5,218.62	3/8	5,112.87	3/8	5,007.13	3/8	4,901.39	3/8	4,795.64	3/8	4,689.90	3/8	4,584.15	3/8	4,478.41	3/8	4,372.67	3/8	4,266.92	3/8	4,161.18
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	5,299.55	1/2	5,216.42	1/2	5,110.67	1/2	5,004.93	1/2	4,899.18	1/2	4,793.44	1/2	4,687.70	1/2	4,581.95	1/2	4,476.21	1/2	4,370.46	1/2	4,264.72	1/2	4,158.98
5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	5,298.41	5/8	5,214.21	5/8	5,108.47	5/8	5,002.72	5/8	4,896.98	5/8	4,791.24	5/8	4,685.49	5/8	4,579.75	5/8	4,474.00	5/8	4,368.26	5/8	4,262.52	5/8	4,156.77
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	5,297.26	3/4	5,212.01	3/4	5,106.27	3/4	5,000.52	3/4	4,894.78	3/4	4,789.03	3/4	4,683.29	3/4	4,577.55	3/4	4,471.80	3/4	4,366.06	3/4	4,260.31	3/4	4,154.57
7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	5,296.11	7/8	5,209.81	7/8	5,104.06	7/8	4,998.32	7/8	4,892.57	7/8	4,786.83	7/8	4,681.09	7/8	4,575.34	7/8	4,469.60	7/8	4,363.85	7/8	4,258.11	7/8	4,152.37
4		10		4		10		4		10		4		4	5,294.97	10	5,207.60	4	5,101.86	10	4,996.12	4	4,890.37	10	4,784.63	4	4,678.88	10	4,573.14	4	4,467.40	10	4,361.65	4	4,255.91	10	4,150.16
1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	5,293.82	1/8	5,205.40	1/8	5,099.66	1/8	4,993.91	1/8	4,888.17	1/8	4,782.42	1/8	4,676.68	1/8	4,570.94	1/8	4,465.19	1/8	4,359.45	1/8	4,253.70	1/8	4,147.96
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	5,292.68	1/4	5,203.20	1/4	5,097.45	1/4	4,991.71	1/4	4,885.97	1/4	4,780.22	1/4	4,674.48	1/4	4,568.73	1/4	4,462.99	1/4	4,357.25	1/4			



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
PORT

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	4,114.92	6	4,009.17	0	3,903.43	6	3,797.68	0	3,691.94	6	3,586.20	0	3,480.45	6	3,374.71	0	3,268.96	6	3,163.22	0	3,057.48	6	2,951.73	0	2,845.99	6	2,740.24	0	2,634.50	6	2,528.76	0	2,423.01	6	2,317.27
1/8	4,112.71	1/8	4,006.97	1/8	3,901.22	1/8	3,795.48	1/8	3,689.74	1/8	3,583.99	1/8	3,478.25	1/8	3,372.50	1/8	3,266.76	1/8	3,161.02	1/8	3,055.27	1/8	2,949.53	1/8	2,843.78	1/8	2,738.04	1/8	2,632.30	1/8	2,526.55	1/8	2,420.81	1/8	2,315.06
1/4	4,110.51	1/4	4,004.77	1/4	3,899.02	1/4	3,793.28	1/4	3,687.53	1/4	3,581.79	1/4	3,476.05	1/4	3,370.30	1/4	3,264.56	1/4	3,158.81	1/4	3,053.07	1/4	2,947.33	1/4	2,841.58	1/4	2,735.84	1/4	2,630.09	1/4	2,524.35	1/4	2,418.61	1/4	2,312.86
3/8	4,108.31	3/8	4,002.56	3/8	3,896.82	3/8	3,791.07	3/8	3,685.33	3/8	3,579.59	3/8	3,473.84	3/8	3,368.10	3/8	3,262.35	3/8	3,156.61	3/8	3,050.87	3/8	2,945.12	3/8	2,839.38	3/8	2,733.63	3/8	2,627.89	3/8	2,522.15	3/8	2,416.40	3/8	2,310.66
1/2	4,106.10	1/2	4,000.36	1/2	3,894.62	1/2	3,788.87	1/2	3,683.13	1/2	3,577.38	1/2	3,471.64	1/2	3,365.90	1/2	3,260.15	1/2	3,154.41	1/2	3,048.66	1/2	2,942.92	1/2	2,837.18	1/2	2,731.43	1/2	2,625.69	1/2	2,519.94	1/2	2,414.20	1/2	2,308.46
5/8	4,103.90	5/8	3,998.16	5/8	3,892.41	5/8	3,786.67	5/8	3,680.92	5/8	3,575.18	5/8	3,469.44	5/8	3,363.69	5/8	3,257.95	5/8	3,152.20	5/8	3,046.46	5/8	2,940.72	5/8	2,834.97	5/8	2,729.23	5/8	2,623.48	5/8	2,517.74	5/8	2,412.00	5/8	2,306.25
3/4	4,101.70	3/4	3,995.95	3/4	3,890.21	3/4	3,784.47	3/4	3,678.72	3/4	3,572.98	3/4	3,467.23	3/4	3,361.49	3/4	3,255.75	3/4	3,150.00	3/4	3,044.26	3/4	2,938.51	3/4	2,832.77	3/4	2,727.03	3/4	2,621.28	3/4	2,515.54	3/4	2,409.79	3/4	2,304.05
7/8	4,099.49	7/8	3,993.75	7/8	3,888.01	7/8	3,782.26	7/8	3,676.52	7/8	3,570.77	7/8	3,465.03	7/8	3,359.29	7/8	3,253.54	7/8	3,147.80	7/8	3,042.05	7/8	2,936.31	7/8	2,830.57	7/8	2,724.82	7/8	2,619.08	7/8	2,513.33	7/8	2,407.59	7/8	2,301.85
1	4,097.29	7	3,991.55	1	3,885.80	7	3,780.06	1	3,674.32	7	3,568.57	1	3,462.83	7	3,357.08	1	3,251.34	7	3,145.60	1	3,039.85	7	2,934.11	1	2,828.36	7	2,722.62	1	2,616.88	7	2,511.13	1	2,405.39	7	2,299.64
1/8	4,095.09	1/8	3,989.34	1/8	3,883.60	1/8	3,777.86	1/8	3,672.11	1/8	3,566.37	1/8	3,460.62	1/8	3,354.88	1/8	3,249.14	1/8	3,143.39	1/8	3,037.65	1/8	2,931.90	1/8	2,826.16	1/8	2,720.42	1/8	2,614.67	1/8	2,508.93	1/8	2,403.18	1/8	2,297.44
1/4	4,092.89	1/4	3,987.14	1/4	3,881.40	1/4	3,775.65	1/4	3,669.91	1/4	3,564.17	1/4	3,458.42	1/4	3,352.68	1/4	3,246.93	1/4	3,141.19	1/4	3,035.45	1/4	2,929.70	1/4	2,823.96	1/4	2,718.21	1/4	2,612.47	1/4	2,506.73	1/4	2,400.98	1/4	2,295.24
3/8	4,090.68	3/8	3,984.94	3/8	3,879.19	3/8	3,773.45	3/8	3,667.71	3/8	3,561.96	3/8	3,456.22	3/8	3,350.47	3/8	3,244.73	3/8	3,138.99	3/8	3,033.24	3/8	2,927.50	3/8	2,821.75	3/8	2,716.01	3/8	2,610.27	3/8	2,504.52	3/8	2,398.78	3/8	2,293.03
1/2	4,088.48	1/2	3,982.74	1/2	3,876.99	1/2	3,771.25	1/2	3,665.50	1/2	3,559.76	1/2	3,454.02	1/2	3,348.27	1/2	3,242.53	1/2	3,136.78	1/2	3,031.04	1/2	2,925.30	1/2	2,819.55	1/2	2,713.81	1/2	2,608.06	1/2	2,502.32	1/2	2,396.58	1/2	2,290.83
5/8	4,086.28	5/8	3,980.53	5/8	3,874.79	5/8	3,769.04	5/8	3,663.30	5/8	3,557.56	5/8	3,451.81	5/8	3,346.07	5/8	3,240.32	5/8	3,134.58	5/8	3,028.84	5/8	2,923.09	5/8	2,817.35	5/8	2,711.60	5/8	2,605.86	5/8	2,500.12	5/8	2,394.37	5/8	2,288.63
3/4	4,084.07	3/4	3,978.33	3/4	3,872.59	3/4	3,766.84	3/4	3,661.10	3/4	3,555.35	3/4	3,449.61	3/4	3,343.87	3/4	3,238.12	3/4	3,132.38	3/4	3,026.63	3/4	2,920.89	3/4	2,815.15	3/4	2,709.40	3/4	2,603.66	3/4	2,497.91	3/4	2,392.17	3/4	2,286.43
7/8	4,081.87	7/8	3,976.13	7/8	3,870.38	7/8	3,764.64	7/8	3,658.89	7/8	3,553.15	7/8	3,447.41	7/8	3,341.66	7/8	3,235.92	7/8	3,130.17	7/8	3,024.43	7/8	2,918.69	7/8	2,812.94	7/8	2,707.20	7/8	2,601.45	7/8	2,495.71	7/8	2,389.97	7/8	2,284.22
2	4,079.67	8	3,973.92	2	3,868.18	8	3,762.44	2	3,656.69	8	3,550.95	2	3,445.20	8	3,339.46	2	3,233.72	8	3,127.97	2	3,022.23	8	2,916.48	2	2,810.74	8	2,705.00	2	2,599.25	8	2,493.51	2	2,387.76	8	2,282.02
1/8	4,077.46	1/8	3,971.72	1/8	3,865.98	1/8	3,760.23	1/8	3,654.49	1/8	3,548.74	1/8	3,443.00	1/8	3,337.26	1/8	3,231.51	1/8	3,125.77	1/8	3,020.02	1/8	2,914.28	1/8	2,808.54	1/8	2,702.79	1/8	2,597.05	1/8	2,491.30	1/8	2,385.56	1/8	2,279.82
1/4	4,075.26	1/4	3,969.52	1/4	3,863.77	1/4	3,758.03	1/4	3,652.29	1/4	3,546.54	1/4	3,440.80	1/4	3,335.05	1/4	3,229.31	1/4	3,123.57	1/4	3,017.82	1/4	2,912.08	1/4	2,806.33	1/4	2,700.59	1/4	2,594.85	1/4	2,489.10	1/4	2,383.36	1/4	2,277.61
3/8	4,073.06	3/8	3,967.31	3/8	3,861.57	3/8	3,755.83	3/8	3,650.08	3/8	3,544.34	3/8	3,438.59	3/8	3,332.85	3/8	3,227.11	3/8	3,121.36	3/8	3,015.62	3/8	2,909.87	3/8	2,804.13	3/8	2,698.39	3/8	2,592.64	3/8	2,486.90	3/8	2,381.15	3/8	2,275.41
1/2	4,070.86	1/2	3,965.11	1/2	3,859.37	1/2	3,753.62	1/2	3,647.88	1/2	3,542.14	1/2	3,436.39	1/2	3,330.65	1/2	3,224.90	1/2	3,119.16	1/2	3,013.42	1/2	2,907.67	1/2	2,801.93	1/2	2,696.18	1/2	2,590.44	1/2	2,484.70	1/2	2,378.95	1/2	2,273.21
5/8	4,068.65	5/8	3,962.91	5/8	3,857.16	5/8	3,751.42	5/8	3,645.68	5/8	3,539.93	5/8	3,434.19	5/8	3,328.44	5/8	3,222.70	5/8	3,116.96	5/8	3,011.21	5/8	2,905.47	5/8	2,799.72	5/8	2,693.98	5/8	2,588.24	5/8	2,482.49	5/8	2,376.75	5/8	2,271.00
3/4	4,066.45	3/4	3,960.71	3/4	3,854.96	3/4	3,749.22	3/4	3,643.47	3/4	3,537.73	3/4	3,431.99	3/4	3,326.24	3/4	3,220.50	3/4	3,114.75	3/4	3,009.01	3/4	2,903.27	3/4	2,797.52	3/4	2,691.78	3/4	2,586.03	3/4	2,480.29	3/4	2,374.55	3/4	2,268.80
7/8	4,064.25	7/8	3,958.50	7/8	3,852.76	7/8	3,747.01	7/8	3,641.27	7/8	3,535.53	7/8	3,429.78	7/8	3,324.04	7/8	3,218.29	7/8	3,112.55	7/8	3,006.81	7/8	2,901.06	7/8	2,795.32	7/8	2,689.57	7/8	2,583.83	7/8	2,478.09	7/8	2,372.34	7/8	2,266.60
3	4,062.04	9	3,956.30	3	3,850.56	9	3,744.81	3	3,639.07	9	3,533.32	3	3,427.58	9	3,321.84	3	3,216.09	9	3,110.35	3	3,004.60	9	2,898.86	3	2,793.12	9	2,687.37	3	2,581.63	9	2,475.88	3	2,370.14	9	2,264.40
1/8	4,059.84	1/8	3,954.10	1/8	3,848.35	1/8	3,742.61	1/8	3,636.86	1/8	3,531.12	1/8	3,425.38	1/8	3,319.63	1/8	3,213.89	1/8	3,108.14	1/8	3,002.40	1/8	2,896.66	1/8	2,790.91	1/8	2,685.17	1/8	2,579.42	1/8	2,473.68	1/8	2,367.94	1/8	2,262.19
1/4	4,057.64	1/4	3,951.89	1/4	3,846.15	1/4	3,740.41	1/4	3,634.66	1/4	3,528.92	1/4	3,423.17	1/4	3,317.43	1/4	3,211.69	1/4	3,105.94	1/4	3,000.20	1/4	2,894.45	1/4	2,788.71	1/4	2,682.97	1/4	2,577.22	1/4	2,471.48	1/4	2,365.73	1/4	2,259.99
3/8	4,055.43	3/8	3,949.69	3/8	3,843.95	3/8	3,738.20	3/8	3,632.46	3/8	3,526.71	3/8	3,420.97	3/8	3,315.23	3/8	3,209.48	3/8	3,103.74	3/8	2,997.99	3/8	2,892.25	3/8	2,786.51	3/8	2,680.76	3/8	2,575.02	3/8	2,469.27	3/8	2,363.53	3/8	2,257.79
1/2	4,053.23	1/2	3,947.49	1/2	3,841.74	1/2	3,736.00	1/2	3,630.26	1/2	3,524.51	1/2	3,418.77	1/2	3,313.02	1/2	3,207.28	1/2	3,101.54	1/2	2,995.79	1/2	2,890.05	1/2	2,784.30	1/2	2,678.56	1/2	2,572.82	1/2	2,467.07	1/2	2,361.33	1/2	2,255.58
5/8	4,051.03	5/8	3,945.28	5/8	3,839.54	5/8	3,733.80	5/8	3,628.05	5/8	3,522.31	5/8	3,416.56	5/8	3,310.82	5/8	3,205.08	5/8	3,099.33	5/8	2,993.59	5/8	2,887.84	5/8	2,782.10	5/8	2,676.36	5/8	2,570.61	5/8	2,464.87	5/8	2,359.12	5/8	2,253.38
3/4	4,048.83	3/4	3,943.08	3/4	3,837.34	3/4	3,731.59	3/4	3,625.85	3/4	3,520.11	3/4	3,414.36	3/4	3,308.62	3/4	3,202.87	3/4	3,097.13	3/4	2,991.39	3/4	2,885.64	3/4	2,779.90										



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
PORT

OUTAGE TABLE

SHEET NO. 3 OF 4

HULL NO. 508

IN	18 FT.	IN	18 FT.	IN	19 FT.	IN	19 FT.	IN	20 FT.	IN	20 FT.	IN	21 FT.	IN	21 FT.	IN	22 FT.	IN	22 FT.	IN	23 FT.	IN	23 FT.	IN	24 FT.	IN	24 FT.	IN	25 FT.	IN	25 FT.	IN	26 FT.	IN	26 FT.
0	2,211.52	6	2,105.78	0	2,000.04	6	1,894.29	0	1,788.55	6	1,682.80	0	1,577.06	6	1,471.32	0	1,365.57	6	1,259.83	0	1,154.08	6	1,048.34	0	942.60	6	836.85	0	731.11	6	625.36	0	519.62	6	413.88
1/8	2,209.32	1/8	2,103.58	1/8	1,997.83	1/8	1,892.09	1/8	1,786.34	1/8	1,680.60	1/8	1,574.86	1/8	1,469.11	1/8	1,363.37	1/8	1,257.62	1/8	1,151.88	1/8	1,046.14	1/8	940.39	1/8	834.65	1/8	728.90	1/8	623.16	1/8	517.42	1/8	411.67
1/4	2,207.12	1/4	2,101.37	1/4	1,995.63	1/4	1,889.89	1/4	1,784.14	1/4	1,678.40	1/4	1,572.65	1/4	1,466.91	1/4	1,361.17	1/4	1,255.42	1/4	1,149.68	1/4	1,043.93	1/4	938.19	1/4	832.45	1/4	726.70	1/4	620.96	1/4	515.21	1/4	409.47
3/8	2,204.91	3/8	2,099.17	3/8	1,993.43	3/8	1,887.68	3/8	1,781.94	3/8	1,676.19	3/8	1,570.45	3/8	1,464.71	3/8	1,358.96	3/8	1,253.22	3/8	1,147.47	3/8	1,041.73	3/8	935.99	3/8	830.24	3/8	724.50	3/8	618.75	3/8	513.01	3/8	407.27
1/2	2,202.71	1/2	2,096.97	1/2	1,991.22	1/2	1,885.48	1/2	1,779.74	1/2	1,673.99	1/2	1,568.25	1/2	1,462.50	1/2	1,356.76	1/2	1,251.02	1/2	1,145.27	1/2	1,039.53	1/2	933.78	1/2	828.04	1/2	722.30	1/2	616.55	1/2	510.81	1/2	405.06
5/8	2,200.51	5/8	2,094.76	5/8	1,989.02	5/8	1,883.28	5/8	1,777.53	5/8	1,671.79	5/8	1,566.04	5/8	1,460.30	5/8	1,354.56	5/8	1,248.81	5/8	1,143.07	5/8	1,037.32	5/8	931.58	5/8	825.84	5/8	720.09	5/8	614.35	5/8	508.60	5/8	402.86
3/4	2,198.31	3/4	2,092.56	3/4	1,986.82	3/4	1,881.07	3/4	1,775.33	3/4	1,669.59	3/4	1,563.84	3/4	1,458.10	3/4	1,352.35	3/4	1,246.61	3/4	1,140.87	3/4	1,035.12	3/4	929.38	3/4	823.63	3/4	717.89	3/4	612.15	3/4	506.40	3/4	400.66
7/8	2,196.10	7/8	2,090.36	7/8	1,984.61	7/8	1,878.87	7/8	1,773.13	7/8	1,667.38	7/8	1,561.64	7/8	1,455.89	7/8	1,350.15	7/8	1,244.41	7/8	1,138.66	7/8	1,032.92	7/8	927.17	7/8	821.43	7/8	715.69	7/8	609.94	7/8	504.20	7/8	398.45
1	2,193.90	7	2,088.16	1	1,982.41	7	1,876.67	1	1,770.92	7	1,665.18	1	1,559.44	7	1,453.69	1	1,347.95	7	1,242.20	1	1,136.46	7	1,030.72	1	924.97	7	819.23	1	713.48	7	607.74	1	502.00	7	396.25
1/8	2,191.70	1/8	2,085.95	1/8	1,980.21	1/8	1,874.46	1/8	1,768.72	1/8	1,662.98	1/8	1,557.23	1/8	1,451.49	1/8	1,345.74	1/8	1,240.00	1/8	1,134.26	1/8	1,028.51	1/8	922.77	1/8	817.02	1/8	711.28	1/8	605.54	1/8	499.79	1/8	394.05
1/4	2,189.49	1/4	2,083.75	1/4	1,978.01	1/4	1,872.26	1/4	1,766.52	1/4	1,660.77	1/4	1,555.03	1/4	1,449.29	1/4	1,343.54	1/4	1,237.80	1/4	1,132.05	1/4	1,026.31	1/4	920.57	1/4	814.82	1/4	709.08	1/4	603.33	1/4	497.59	1/4	391.85
3/8	2,187.29	3/8	2,081.55	3/8	1,975.80	3/8	1,870.06	3/8	1,764.31	3/8	1,658.57	3/8	1,552.83	3/8	1,447.08	3/8	1,341.34	3/8	1,235.59	3/8	1,129.85	3/8	1,024.11	3/8	918.36	3/8	812.62	3/8	706.87	3/8	601.13	3/8	495.39	3/8	389.64
1/2	2,185.09	1/2	2,079.34	1/2	1,973.60	1/2	1,867.86	1/2	1,762.11	1/2	1,656.37	1/2	1,550.62	1/2	1,444.88	1/2	1,339.14	1/2	1,233.39	1/2	1,127.65	1/2	1,021.90	1/2	916.16	1/2	810.42	1/2	704.67	1/2	598.93	1/2	493.18	1/2	387.44
5/8	2,182.88	5/8	2,077.14	5/8	1,971.40	5/8	1,865.65	5/8	1,759.91	5/8	1,654.16	5/8	1,548.42	5/8	1,442.68	5/8	1,336.93	5/8	1,231.19	5/8	1,125.44	5/8	1,019.70	5/8	913.96	5/8	808.21	5/8	702.47	5/8	596.72	5/8	490.98	5/8	385.24
3/4	2,180.68	3/4	2,074.94	3/4	1,969.19	3/4	1,863.45	3/4	1,757.71	3/4	1,651.96	3/4	1,546.22	3/4	1,440.47	3/4	1,334.73	3/4	1,228.99	3/4	1,123.24	3/4	1,017.50	3/4	911.75	3/4	806.01	3/4	700.27	3/4	594.52	3/4	488.78	3/4	383.03
7/8	2,178.48	7/8	2,072.73	7/8	1,966.99	7/8	1,861.25	7/8	1,755.50	7/8	1,649.76	7/8	1,544.01	7/8	1,438.27	7/8	1,332.53	7/8	1,226.78	7/8	1,121.04	7/8	1,015.29	7/8	909.55	7/8	803.81	7/8	698.06	7/8	592.32	7/8	486.57	7/8	380.83
2	2,176.28	8	2,070.53	2	1,964.79	8	1,859.04	2	1,753.30	8	1,647.56	2	1,541.81	8	1,436.07	2	1,330.32	8	1,224.58	2	1,118.84	8	1,013.09	2	907.35	8	801.60	2	695.86	8	590.12	2	484.37	8	378.63
1/8	2,174.07	1/8	2,068.33	1/8	1,962.58	1/8	1,856.84	1/8	1,751.10	1/8	1,645.35	1/8	1,539.61	1/8	1,433.86	1/8	1,328.12	1/8	1,222.38	1/8	1,116.63	1/8	1,010.89	1/8	905.14	1/8	799.40	1/8	693.66	1/8	587.91	1/8	482.17	1/8	376.42
1/4	2,171.87	1/4	2,066.13	1/4	1,960.38	1/4	1,854.64	1/4	1,748.89	1/4	1,643.15	1/4	1,537.41	1/4	1,431.66	1/4	1,325.92	1/4	1,220.17	1/4	1,114.43	1/4	1,008.69	1/4	902.94	1/4	797.20	1/4	691.45	1/4	585.71	1/4	479.97	1/4	374.22
3/8	2,169.67	3/8	2,063.92	3/8	1,958.18	3/8	1,852.43	3/8	1,746.69	3/8	1,640.95	3/8	1,535.20	3/8	1,429.46	3/8	1,323.71	3/8	1,217.97	3/8	1,112.23	3/8	1,006.48	3/8	900.74	3/8	794.99	3/8	689.25	3/8	583.51	3/8	477.76	3/8	372.02
1/2	2,167.46	1/2	2,061.72	1/2	1,955.98	1/2	1,850.23	1/2	1,744.49	1/2	1,638.74	1/2	1,533.00	1/2	1,427.26	1/2	1,321.51	1/2	1,215.77	1/2	1,110.02	1/2	1,004.28	1/2	898.54	1/2	792.79	1/2	687.05	1/2	581.30	1/2	475.56	1/2	369.82
5/8	2,165.26	5/8	2,059.52	5/8	1,953.77	5/8	1,848.03	5/8	1,742.28	5/8	1,636.54	5/8	1,530.80	5/8	1,425.05	5/8	1,319.31	5/8	1,213.56	5/8	1,107.82	5/8	1,002.08	5/8	896.33	5/8	790.59	5/8	684.84	5/8	579.10	5/8	473.36	5/8	367.61
3/4	2,163.06	3/4	2,057.31	3/4	1,951.57	3/4	1,845.83	3/4	1,740.08	3/4	1,634.34	3/4	1,528.59	3/4	1,422.85	3/4	1,317.11	3/4	1,211.36	3/4	1,105.62	3/4	999.87	3/4	894.13	3/4	788.39	3/4	682.64	3/4	576.90	3/4	471.15	3/4	365.41
7/8	2,160.85	7/8	2,055.11	7/8	1,949.37	7/8	1,843.62	7/8	1,737.88	7/8	1,632.13	7/8	1,526.39	7/8	1,420.65	7/8	1,314.90	7/8	1,209.16	7/8	1,103.41	7/8	997.67	7/8	891.93	7/8	786.18	7/8	680.44	7/8	574.69	7/8	468.95	7/8	363.21
3	2,158.65	9	2,052.91	3	1,947.16	9	1,841.42	3	1,735.68	9	1,629.93	3	1,524.19	9	1,418.44	3	1,312.70	9	1,206.96	3	1,101.21	9	995.47	3	889.72	9	783.98	3	678.24	9	572.49	3	466.75	9	361.00
1/8	2,156.45	1/8	2,050.70	1/8	1,945.96	1/8	1,839.22	1/8	1,733.47	1/8	1,627.73	1/8	1,521.98	1/8	1,416.24	1/8	1,310.50	1/8	1,204.75	1/8	1,099.01	1/8	993.26	1/8	887.52	1/8	781.78	1/8	676.03	1/8	570.29	1/8	464.54	1/8	358.80
1/4	2,154.25	1/4	2,048.50	1/4	1,942.76	1/4	1,837.01	1/4	1,731.27	1/4	1,625.53	1/4	1,519.78	1/4	1,414.04	1/4	1,308.29	1/4	1,202.55	1/4	1,096.81	1/4	991.06	1/4	885.32	1/4	779.57	1/4	673.83	1/4	568.09	1/4	462.34	1/4	356.60
3/8	2,152.04	3/8	2,046.30	3/8	1,940.55	3/8	1,834.81	3/8	1,729.07	3/8	1,623.32	3/8	1,517.58	3/8	1,411.83	3/8	1,306.09	3/8	1,200.35	3/8	1,094.60	3/8	988.86	3/8	883.11	3/8	777.37	3/8	671.63	3/8	565.88	3/8	460.14	3/8	354.39
1/2	2,149.84	1/2	2,044.10	1/2	1,938.35	1/2	1,832.61	1/2	1,726.86	1/2	1,621.12	1/2	1,515.38	1/2	1,409.63	1/2	1,303.89	1/2	1,198.14	1/2	1,092.40	1/2	986.66	1/2	880.91	1/2	775.17	1/2	669.42	1/2	563.68	1/2	457.94	1/2	352.19
5/8	2,147.64	5/8	2,041.89	5/8	1,936.15	5/8	1,830.40	5/8	1,724.66	5/8	1,618.92	5/8	1,513.17	5/8	1,407.43	5/8	1,301.68	5/8	1,195.94	5/8	1,090.20	5/8	984.45	5/8	878.71	5/8	772.96	5/8	667.22	5/8	561.48	5/8	455.73	5/8	349.99
3/4	2,145.43	3/4	2,039.69	3/4	1,933.95	3/4	1,828.20	3/4	1,722.46	3/4	1,616.71	3/4	1,510.97	3/4	1,405.23	3/4	1,299.48	3/4	1,193.74	3/4	1,087.99	3/4	982.25	3/4	876.51	3/4	770.76	3/4	665.02	3/4	559.27	3/4	453.53	3/4	347.79
7/8	2,143.23	7/8	2,037.49	7/8	1,931.74	7/8	1,826.00	7/8	1,720.25	7/8	1,614.51	7/8	1,508.77	7/8	1,403.02	7/8	1,297.28	7/8	1,191.53	7/8	1,085.79	7/8	980.05	7/8	874.30</										



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
PORT

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	308.13	6	202.39	0	96.64	6	18.00	0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	305.93	1/8	200.18	1/8	94.44	1/8	17.01	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	303.73	1/4	197.98	1/4	92.24	1/4	16.02	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	301.52	3/8	195.78	3/8	90.03	3/8	15.04	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	299.32	1/2	193.58	1/2	87.83	1/2	14.05	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	297.12	5/8	191.37	5/8	85.75	5/8	13.28	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	294.91	3/4	189.17	3/4	83.66	3/4	12.51	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	292.71	7/8	186.97	7/8	81.57	7/8	11.74	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	290.51	7	184.76	1	79.49	7	10.98	1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	288.30	1/8	182.56	1/8	77.40	1/8	10.21	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	286.10	1/4	180.36	1/4	75.32	1/4	9.44	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	283.90	3/8	178.15	3/8	73.23	3/8	8.67	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	281.70	1/2	175.95	1/2	71.14	1/2	7.90	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	279.49	5/8	173.75	5/8	69.28	5/8	7.35	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	277.29	3/4	171.55	3/4	67.41	3/4	6.81	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	275.09	7/8	169.34	7/8	65.54	7/8	6.26	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	272.88	8	167.14	2	63.68	8	5.71	2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	270.68	1/8	164.94	1/8	61.81	1/8	5.16	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	268.48	1/4	162.73	1/4	59.94	1/4	* 4.61	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	266.27	3/8	160.53	3/8	58.07	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	264.07	1/2	158.33	1/2	56.21	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	261.87	5/8	156.12	5/8	54.56	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	259.67	3/4	153.92	3/4	52.91	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	257.46	7/8	151.72	7/8	51.27	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	255.26	9	149.52	3	49.62	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	253.06	1/8	147.31	1/8	47.97	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	250.85	1/4	145.11	1/4	46.33	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	248.65	3/8	142.91	3/8	44.68	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	246.45	1/2	140.70	1/2	43.03	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	244.24	5/8	138.50	5/8	41.60	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	242.04	3/4	136.30	3/4	40.18	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	239.84	7/8	134.09	7/8	38.75	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	237.64	10	131.89	4	37.32	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	235.43	1/8	129.69	1/8	35.89	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	233.23	1/4	127.49	1/4	34.46	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	231.03	3/8	125.28	3/8	33.04	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	228.82	1/2	123.08	1/2	31.61	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	226.62	5/8	120.88	5/8	30.40	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	224.42	3/4	118.67	3/4	29.19	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	222.21	7/8	116.47	7/8	27.99	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	220.01	11	114.27	5	26.78	11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	217.81	1/8	112.06	1/8	25.57	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	215.61	1/4	109.86	1/4	24.37	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	213.40	3/8	107.66	3/8	23.16	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	211.20	1/2	105.46	1/2	21.95	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	209.00	5/8	103.25	5/8	20.96	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	206.79	3/4	101.05	3/4	19.98	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	204.59	7/8	98.85	7/8	18.99	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-8 1/4" (TO MARK ON HERMETIC GAUGING DEVICE)



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
STAR

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.
0		6		0		6		0		6		0		6	5,514.86	0	5,416.94	6	5,306.49	0	5,196.04	6	5,085.59	0	4,975.15	6	4,864.70	0	4,754.25	6	4,643.80	0	4,533.35	6	4,422.91
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,513.53	1/8	5,414.64	1/8	5,304.19	1/8	5,193.74	1/8	5,083.29	1/8	4,972.84	1/8	4,862.40	1/8	4,751.95	1/8	4,641.50	1/8	4,531.05	1/8	4,420.60
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,512.20	1/4	5,412.34	1/4	5,301.89	1/4	5,191.44	1/4	5,080.99	1/4	4,970.54	1/4	4,860.10	1/4	4,749.65	1/4	4,639.20	1/4	4,528.75	1/4	4,418.30
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,510.61	3/8	5,410.03	3/8	5,299.59	3/8	5,189.14	3/8	5,078.69	3/8	4,968.24	3/8	4,857.79	3/8	4,747.35	3/8	4,636.90	3/8	4,526.45	3/8	4,416.00
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,509.01	1/2	5,407.73	1/2	5,297.29	1/2	5,186.84	1/2	5,076.39	1/2	4,965.94	1/2	4,855.49	1/2	4,745.05	1/2	4,634.60	1/2	4,524.15	1/2	4,413.70
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,507.42	5/8	5,405.43	5/8	5,294.98	5/8	5,184.54	5/8	5,074.09	5/8	4,963.64	5/8	4,853.19	5/8	4,742.74	5/8	4,632.30	5/8	4,521.85	5/8	4,411.40
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,505.82	3/4	5,403.13	3/4	5,292.68	3/4	5,182.24	3/4	5,071.79	3/4	4,961.34	3/4	4,850.89	3/4	4,740.44	3/4	4,630.00	3/4	4,519.55	3/4	4,409.10
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,504.23	7/8	5,400.83	7/8	5,290.38	7/8	5,179.93	7/8	5,069.49	7/8	4,959.04	7/8	4,848.59	7/8	4,738.14	7/8	4,627.69	7/8	4,517.25	7/8	4,406.80
1	7	1	7	1	7	1	7	1	7	1	7	1	7	1	5,502.63	1	5,398.53	7	5,288.08	1	5,177.63	7	5,067.19	1	4,956.74	7	4,846.29	1	4,735.84	7	4,625.39	1	4,514.95	7	4,404.50
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,501.04	1/8	5,396.23	1/8	5,285.78	1/8	5,175.33	1/8	5,064.88	1/8	4,954.44	1/8	4,843.99	1/8	4,733.54	1/8	4,623.09	1/8	4,512.64	1/8	4,402.20
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,544.17	1/4	5,439.44	1/4	5,328.99	1/4	5,218.54	1/4	5,108.09	1/4	4,997.64	1/4	4,887.19	1/4	4,776.74	1/4	4,666.29	1/4	4,555.84	1/4	4,445.39
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,543.90	3/8	5,437.58	3/8	5,327.13	3/8	5,216.68	3/8	5,106.23	3/8	4,995.78	3/8	4,885.33	3/8	4,774.83	3/8	4,664.38	3/8	4,553.93	3/8	4,443.48
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,543.63	1/2	5,437.31	1/2	5,326.86	1/2	5,216.41	1/2	5,105.96	1/2	4,995.51	1/2	4,885.06	1/2	4,774.61	1/2	4,664.16	1/2	4,553.71	1/2	4,443.26
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,543.36	5/8	5,437.04	5/8	5,326.59	5/8	5,216.14	5/8	5,105.69	5/8	4,995.24	5/8	4,884.79	5/8	4,774.34	5/8	4,663.89	5/8	4,553.44	5/8	4,442.99
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,543.09	3/4	5,436.77	3/4	5,326.32	3/4	5,215.87	3/4	5,105.42	3/4	4,994.97	3/4	4,884.52	3/4	4,774.07	3/4	4,663.62	3/4	4,553.17	3/4	4,442.72
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,542.82	7/8	5,436.50	7/8	5,326.05	7/8	5,215.60	7/8	5,105.15	7/8	4,994.70	7/8	4,884.25	7/8	4,773.75	7/8	4,663.30	7/8	4,552.85	7/8	4,442.40
2	8	2	8	2	8	2	8	2	8	2	8	2	8	2	5,542.55	8	5,438.28	2	5,327.83	8	5,217.38	2	5,106.93	8	5,000.48	2	4,890.03	8	4,779.58	2	4,669.13	8	4,558.68	2	4,448.23
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,542.29	1/8	5,438.01	1/8	5,276.37	1/8	5,165.92	1/8	5,048.78	1/8	4,936.03	1/8	4,825.58	1/8	4,715.13	1/8	4,604.68	1/8	4,494.24	1/8	4,383.79
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,542.02	1/4	5,437.74	1/4	5,275.07	1/4	5,164.62	1/4	5,048.51	1/4	4,935.73	1/4	4,825.28	1/4	4,714.83	1/4	4,604.38	1/4	4,493.94	1/4	4,383.49
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,541.48	3/8	5,437.47	3/8	5,273.31	3/8	5,162.86	3/8	5,048.18	3/8	4,934.93	3/8	4,824.48	3/8	4,714.03	3/8	4,603.58	3/8	4,493.09	3/8	4,382.60
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,540.95	1/2	5,437.19	1/2	5,271.65	1/2	5,161.20	1/2	5,047.51	1/2	4,934.26	1/2	4,823.81	1/2	4,713.36	1/2	4,602.86	1/2	4,492.41	1/2	4,381.96
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,540.41	5/8	5,436.92	5/8	5,270.00	5/8	5,159.55	5/8	5,046.80	5/8	4,934.05	5/8	4,823.60	5/8	4,712.83	5/8	4,602.38	5/8	4,491.94	5/8	4,381.49
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,539.88	3/4	5,436.65	3/4	5,268.44	3/4	5,157.99	3/4	5,045.24	3/4	4,932.49	3/4	4,822.04	3/4	4,711.59	3/4	4,601.14	3/4	4,490.25	3/4	4,380.30
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,539.35	7/8	5,436.38	7/8	5,266.91	7/8	5,156.46	7/8	5,043.71	7/8	4,930.96	7/8	4,820.51	7/8	4,710.61	7/8	4,600.16	7/8	4,489.27	7/8	4,378.82
3	9	3	9	3	9	3	9	3	9	3	9	3	9	3	5,538.81	9	5,471.81	3	5,361.71	9	5,251.27	3	5,140.82	9	5,030.37	3	4,919.92	9	4,809.47	3	4,699.03	9	4,588.58	3	4,478.13
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,538.28	1/8	5,469.69	1/8	5,359.41	1/8	5,248.96	1/8	5,138.52	1/8	5,028.07	1/8	4,917.62	1/8	4,807.17	1/8	4,696.72	1/8	4,586.28	1/8	4,475.83
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,537.74	1/4	5,467.56	1/4	5,357.11	1/4	5,246.66	1/4	5,136.22	1/4	5,025.77	1/4	4,915.32	1/4	4,804.87	1/4	4,694.42	1/4	4,583.98	1/4	4,473.53
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,536.95	3/8	5,465.26	3/8	5,354.81	3/8	5,244.36	3/8	5,133.91	3/8	5,023.47	3/8	4,913.02	3/8	4,802.57	3/8	4,692.12	3/8	4,581.67	3/8	4,471.23
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,536.15	1/2	5,462.96	1/2	5,352.51	1/2	5,242.06	1/2	5,131.61	1/2	5,021.17	1/2	4,910.72	1/2	4,800.27	1/2	4,689.82	1/2	4,579.37	1/2	4,468.93
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,535.35	5/8	5,460.66	5/8	5,350.21	5/8	5,239.76	5/8	5,129.31	5/8	5,018.86	5/8	4,908.42	5/8	4,797.97	5/8	4,687.52	5/8	4,577.07	5/8	4,466.62
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,534.55	3/4	5,458.36	3/4	5,347.91	3/4	5,237.46	3/4	5,127.01	3/4	5,016.56	3/4	4,906.12	3/4	4,795.67	3/4	4,685.22	3/4	4,574.77	3/4	4,465.32
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,533.75	7/8	5,456.06	7/8	5,345.61	7/8	5,235.16	7/8	5,124.71	7/8	5,014.26	7/8	4,903.81	7/8	4,793.37	7/8	4,682.92	7/8	4,573.47	7/8	4,464.02
4	10	4	10	4	10	4	10	4	10	4	10	4	10	4	5,532.95	10	5,453.75	4	5,343.31	10	5,232.86	4	5,122.41	10	5,011.96	4	4,901.51	10	4,791.07	4	4,680.62	10	4,570.17	4	4,459.72
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,532.15	1/8	5,451.45	1/8	5,341.00	1/8	5,230.55	1/8	5,120.11	1/8	5,009.66	1/8	4,899.21	1/8	4,788.76	1/8	4,678.32	1/8	4,567.87	1/8	4,457.42
1/4	1/4	1/4	1/4																																



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
STAR

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	4,312.46	6	4,202.01	0	4,091.56	6	3,981.11	0	3,870.67	6	3,760.22	0	3,649.77	6	3,539.32	0	3,428.87	6	3,318.43	0	3,207.98	6	3,097.53	0	2,987.08	6	2,876.63	0	2,766.19	6	2,655.74	0	2,545.29	6	2,434.84
1/8	4,310.16	1/8	4,199.71	1/8	4,089.26	1/8	3,978.81	1/8	3,868.36	1/8	3,757.92	1/8	3,647.47	1/8	3,537.02	1/8	3,426.57	1/8	3,316.12	1/8	3,205.68	1/8	3,095.23	1/8	2,984.78	1/8	2,874.33	1/8	2,763.88	1/8	2,653.44	1/8	2,542.99	1/8	2,432.54
1/4	4,307.86	1/4	4,197.41	1/4	4,086.96	1/4	3,976.51	1/4	3,866.06	1/4	3,755.62	1/4	3,645.17	1/4	3,534.72	1/4	3,424.27	1/4	3,313.82	1/4	3,203.38	1/4	3,092.93	1/4	2,982.48	1/4	2,872.03	1/4	2,761.58	1/4	2,651.14	1/4	2,540.69	1/4	2,430.24
3/8	4,305.55	3/8	4,195.11	3/8	4,084.66	3/8	3,974.21	3/8	3,863.76	3/8	3,753.31	3/8	3,642.87	3/8	3,532.42	3/8	3,421.97	3/8	3,311.52	3/8	3,201.07	3/8	3,090.63	3/8	2,980.18	3/8	2,869.73	3/8	2,759.28	3/8	2,648.83	3/8	2,538.39	3/8	2,427.94
1/2	4,303.25	1/2	4,192.81	1/2	4,082.36	1/2	3,971.91	1/2	3,861.46	1/2	3,751.01	1/2	3,640.57	1/2	3,530.12	1/2	3,419.67	1/2	3,309.22	1/2	3,198.77	1/2	3,088.33	1/2	2,977.88	1/2	2,867.43	1/2	2,756.98	1/2	2,646.53	1/2	2,536.09	1/2	2,425.64
5/8	4,300.95	5/8	4,190.50	5/8	4,080.06	5/8	3,969.61	5/8	3,859.16	5/8	3,748.71	5/8	3,638.26	5/8	3,527.82	5/8	3,417.37	5/8	3,306.92	5/8	3,196.47	5/8	3,086.02	5/8	2,975.58	5/8	2,865.13	5/8	2,754.68	5/8	2,644.23	5/8	2,533.78	5/8	2,423.34
3/4	4,298.65	3/4	4,188.20	3/4	4,077.76	3/4	3,967.31	3/4	3,856.86	3/4	3,746.41	3/4	3,635.96	3/4	3,525.52	3/4	3,415.07	3/4	3,304.62	3/4	3,194.17	3/4	3,083.72	3/4	2,973.28	3/4	2,862.83	3/4	2,752.38	3/4	2,641.93	3/4	2,531.48	3/4	2,421.04
7/8	4,296.35	7/8	4,185.90	7/8	4,075.45	7/8	3,965.01	7/8	3,854.56	7/8	3,744.11	7/8	3,633.66	7/8	3,523.21	7/8	3,412.77	7/8	3,302.32	7/8	3,191.87	7/8	3,081.42	7/8	2,970.97	7/8	2,860.53	7/8	2,750.08	7/8	2,639.63	7/8	2,529.18	7/8	2,418.73
1	4,294.05	7	4,183.60	1	4,073.15	7	3,962.71	1	3,852.26	7	3,741.81	1	3,631.36	7	3,520.91	1	3,410.47	7	3,300.02	1	3,189.57	7	3,079.12	1	2,968.67	7	2,858.23	1	2,747.78	7	2,637.33	1	2,526.88	7	2,416.43
1/8	4,291.75	1/8	4,181.30	1/8	4,070.85	1/8	3,960.40	1/8	3,849.96	1/8	3,739.51	1/8	3,629.06	1/8	3,518.61	1/8	3,408.16	1/8	3,297.72	1/8	3,187.27	1/8	3,076.82	1/8	2,966.37	1/8	2,855.92	1/8	2,745.48	1/8	2,635.03	1/8	2,524.58	1/8	2,414.13
1/4	4,289.45	1/4	4,179.00	1/4	4,068.55	1/4	3,958.10	1/4	3,847.66	1/4	3,737.21	1/4	3,626.76	1/4	3,516.31	1/4	3,405.86	1/4	3,295.42	1/4	3,184.97	1/4	3,074.52	1/4	2,964.07	1/4	2,853.62	1/4	2,743.18	1/4	2,632.73	1/4	2,522.28	1/4	2,411.83
3/8	4,287.15	3/8	4,176.70	3/8	4,066.25	3/8	3,955.80	3/8	3,845.35	3/8	3,734.91	3/8	3,624.46	3/8	3,514.01	3/8	3,403.56	3/8	3,293.11	3/8	3,182.67	3/8	3,072.22	3/8	2,961.77	3/8	2,851.32	3/8	2,740.87	3/8	2,630.43	3/8	2,519.98	3/8	2,409.53
1/2	4,284.85	1/2	4,174.40	1/2	4,063.95	1/2	3,953.50	1/2	3,843.05	1/2	3,732.61	1/2	3,622.16	1/2	3,511.71	1/2	3,401.26	1/2	3,290.81	1/2	3,180.37	1/2	3,069.92	1/2	2,959.47	1/2	2,849.02	1/2	2,738.57	1/2	2,628.13	1/2	2,517.68	1/2	2,407.23
5/8	4,282.54	5/8	4,172.10	5/8	4,061.65	5/8	3,951.20	5/8	3,840.75	5/8	3,730.30	5/8	3,619.86	5/8	3,509.41	5/8	3,398.96	5/8	3,288.51	5/8	3,178.06	5/8	3,067.62	5/8	2,957.17	5/8	2,846.72	5/8	2,736.27	5/8	2,625.82	5/8	2,515.38	5/8	2,404.93
3/4	4,280.24	3/4	4,169.80	3/4	4,059.35	3/4	3,948.90	3/4	3,838.45	3/4	3,728.00	3/4	3,617.56	3/4	3,507.11	3/4	3,396.66	3/4	3,286.21	3/4	3,175.76	3/4	3,065.32	3/4	2,954.87	3/4	2,844.42	3/4	2,733.97	3/4	2,623.52	3/4	2,513.08	3/4	2,402.63
7/8	4,277.94	7/8	4,167.49	7/8	4,057.05	7/8	3,946.60	7/8	3,836.15	7/8	3,725.70	7/8	3,615.25	7/8	3,504.81	7/8	3,394.36	7/8	3,283.91	7/8	3,173.46	7/8	3,063.01	7/8	2,952.57	7/8	2,842.12	7/8	2,731.67	7/8	2,621.22	7/8	2,510.77	7/8	2,400.33
2	4,275.64	8	4,165.19	2	4,054.75	8	3,944.30	2	3,833.85	8	3,723.40	2	3,612.95	8	3,502.51	2	3,392.06	8	3,281.61	2	3,171.16	8	3,060.71	2	2,950.27	8	2,839.82	2	2,729.37	8	2,618.92	2	2,508.47	8	2,398.03
1/8	4,273.34	1/8	4,162.89	1/8	4,052.44	1/8	3,942.00	1/8	3,831.55	1/8	3,721.10	1/8	3,610.65	1/8	3,500.20	1/8	3,389.76	1/8	3,279.31	1/8	3,168.86	1/8	3,058.41	1/8	2,947.96	1/8	2,837.52	1/8	2,727.07	1/8	2,616.62	1/8	2,505.72	1/8	2,395.72
1/4	4,271.04	1/4	4,160.59	1/4	4,050.14	1/4	3,939.70	1/4	3,829.25	1/4	3,718.80	1/4	3,608.35	1/4	3,497.90	1/4	3,387.46	1/4	3,277.01	1/4	3,166.56	1/4	3,056.11	1/4	2,945.66	1/4	2,835.22	1/4	2,724.77	1/4	2,614.32	1/4	2,503.42	1/4	2,393.42
3/8	4,268.74	3/8	4,158.29	3/8	4,047.84	3/8	3,937.39	3/8	3,826.95	3/8	3,716.50	3/8	3,606.05	3/8	3,495.60	3/8	3,385.15	3/8	3,274.71	3/8	3,164.26	3/8	3,053.81	3/8	2,943.36	3/8	2,832.91	3/8	2,722.47	3/8	2,612.02	3/8	2,501.57	3/8	2,391.12
1/2	4,266.44	1/2	4,155.99	1/2	4,045.54	1/2	3,935.09	1/2	3,824.65	1/2	3,714.20	1/2	3,603.75	1/2	3,493.30	1/2	3,382.85	1/2	3,272.41	1/2	3,161.96	1/2	3,051.51	1/2	2,941.06	1/2	2,830.61	1/2	2,720.17	1/2	2,609.72	1/2	2,499.27	1/2	2,388.82
5/8	4,264.14	5/8	4,153.69	5/8	4,043.24	5/8	3,932.79	5/8	3,822.34	5/8	3,711.90	5/8	3,601.45	5/8	3,491.00	5/8	3,380.55	5/8	3,270.10	5/8	3,159.66	5/8	3,049.21	5/8	2,938.76	5/8	2,828.31	5/8	2,717.86	5/8	2,607.42	5/8	2,496.97	5/8	2,386.52
3/4	4,261.84	3/4	4,151.39	3/4	4,040.94	3/4	3,930.49	3/4	3,820.04	3/4	3,709.60	3/4	3,599.15	3/4	3,488.70	3/4	3,378.25	3/4	3,267.80	3/4	3,157.36	3/4	3,046.91	3/4	2,936.46	3/4	2,826.01	3/4	2,715.56	3/4	2,605.12	3/4	2,494.67	3/4	2,384.22
7/8	4,259.53	7/8	4,149.09	7/8	4,038.64	7/8	3,928.19	7/8	3,817.74	7/8	3,707.29	7/8	3,596.85	7/8	3,486.40	7/8	3,375.95	7/8	3,265.50	7/8	3,155.05	7/8	3,044.61	7/8	2,934.16	7/8	2,823.71	7/8	2,713.26	7/8	2,602.81	7/8	2,492.37	7/8	2,381.92
3	4,257.23	9	4,146.79	3	4,036.34	9	3,925.89	3	3,815.44	9	3,704.99	3	3,594.55	9	3,484.10	3	3,373.65	9	3,263.20	3	3,152.75	9	3,042.31	3	2,931.86	9	2,821.41	3	2,710.96	9	2,600.51	3	2,490.07	9	2,379.62
1/8	4,254.93	1/8	4,144.48	1/8	4,034.04	1/8	3,923.59	1/8	3,813.14	1/8	3,702.69	1/8	3,592.24	1/8	3,481.80	1/8	3,371.35	1/8	3,260.90	1/8	3,150.45	1/8	3,040.00	1/8	2,929.56	1/8	2,819.11	1/8	2,708.66	1/8	2,598.21	1/8	2,487.76	1/8	2,377.32
1/4	4,252.63	1/4	4,142.18	1/4	4,031.74	1/4	3,921.29	1/4	3,810.84	1/4	3,700.39	1/4	3,589.94	1/4	3,479.50	1/4	3,369.05	1/4	3,258.60	1/4	3,148.15	1/4	3,037.70	1/4	2,927.26	1/4	2,816.81	1/4	2,706.36	1/4	2,595.91	1/4	2,485.46	1/4	2,375.02
3/8	4,250.33	3/8	4,139.88	3/8	4,029.43	3/8	3,918.99	3/8	3,808.54	3/8	3,698.09	3/8	3,587.64	3/8	3,477.19	3/8	3,366.75	3/8	3,256.30	3/8	3,145.85	3/8	3,035.40	3/8	2,924.95	3/8	2,814.51	3/8	2,704.06	3/8	2,593.61	3/8	2,483.16	3/8	2,372.71
1/2	4,248.03	1/2	4,137.58	1/2	4,027.13	1/2	3,916.69	1/2	3,806.24	1/2	3,695.79	1/2	3,585.34	1/2	3,474.89	1/2	3,364.45	1/2	3,254.00	1/2	3,143.55	1/2	3,033.10	1/2	2,922.65	1/2	2,812.21	1/2	2,701.76	1/2	2,591.31	1/2	2,480.86	1/2	2,370.41
5/8	4,245.73	5/8	4,135.28	5/8	4,024.83	5/8	3,914.38	5/8	3,803.94	5/8	3,693.49	5/8	3,583.04	5/8	3,472.59	5/8	3,362.14	5/8	3,251.70	5/8	3,141.25	5/8	3,030.80	5/8	2,920.35	5/8	2,809.90	5/8	2,699.46	5/8	2,589.01	5/8	2,478.56	5/8	2,368.11
3/4	4,243.43	3/4	4,132.98	3/4	4,022.53	3/4	3,912.08	3/4	3,801.64	3/4	3,691.19	3/4	3,580.74	3/4	3,470.29	3/4	3,359.84	3/4	3,249.40	3/4	3,138.95	3/4	3,028.50	3/4	2										



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
STAR

OUTGAGE TABLE

SHEET NO. 3 OF 4

HULL NO. 508

Table with 26 columns (IN, 18 FT., IN, 18 FT., IN, 19 FT., IN, 19 FT., IN, 20 FT., IN, 20 FT., IN, 21 FT., IN, 21 FT., IN, 22 FT., IN, 22 FT., IN, 23 FT., IN, 23 FT., IN, 24 FT., IN, 24 FT., IN, 25 FT., IN, 25 FT., IN, 26 FT., IN, 26 FT.) and multiple rows of numerical data.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-9 1/4" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 5
STAR

OUTAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	336.33	6	225.88	0	115.43	6	25.65	0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	334.03	1/8	223.58	1/8	113.13	1/8	24.38	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	331.73	1/4	221.28	1/4	110.83	1/4	23.11	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	329.43	3/8	218.98	3/8	108.53	3/8	22.07	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	327.13	1/2	216.68	1/2	106.23	1/2	21.03	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	324.82	5/8	214.38	5/8	103.93	5/8	19.99	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	322.52	3/4	212.08	3/4	101.63	3/4	18.95	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	320.22	7/8	209.77	7/8	99.33	7/8	17.91	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	317.92	7	207.47	1	97.03	7	16.87	1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	315.62	1/8	205.17	1/8	94.72	1/8	15.83	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	313.32	1/4	202.87	1/4	92.42	1/4	14.79	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	311.02	3/8	200.57	3/8	90.23	3/8	13.98	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	308.72	1/2	198.27	1/2	88.03	1/2	13.17	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	306.42	5/8	195.97	5/8	85.84	5/8	12.36	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	304.12	3/4	193.67	3/4	83.64	3/4	11.56	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	301.81	7/8	191.37	7/8	81.45	7/8	10.75	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	299.51	8	189.07	2	79.25	8	9.94	2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	297.21	1/8	186.76	1/8	77.06	1/8	9.13	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	294.91	1/4	184.46	1/4	74.86	1/4	8.32	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	292.61	3/8	182.16	3/8	72.90	3/8	7.74	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	290.31	1/2	179.86	1/2	70.94	1/2	7.17	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	288.01	5/8	177.56	5/8	68.97	5/8	6.59	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	285.71	3/4	175.26	3/4	67.01	3/4	6.01	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	283.41	7/8	172.96	7/8	65.04	7/8	5.43	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	281.11	9	170.66	3	63.08	9	4.86	3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	278.80	1/8	168.36	1/8	61.12	1/8	4.28	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	276.50	1/4	166.06	1/4	59.15	1/4	* 3.70	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	274.20	3/8	163.75	3/8	57.42	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	271.90	1/2	161.45	1/2	55.69	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	269.60	5/8	159.15	5/8	53.95	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	267.30	3/4	156.85	3/4	52.22	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	265.00	7/8	154.55	7/8	50.49	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	262.70	10	152.25	4	48.75	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	260.40	1/8	149.95	1/8	47.02	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	258.10	1/4	147.65	1/4	45.29	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	255.79	3/8	145.35	3/8	43.79	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	253.49	1/2	143.05	1/2	42.28	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	251.19	5/8	140.74	5/8	40.78	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	248.89	3/4	138.44	3/4	39.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	246.59	7/8	136.14	7/8	37.78	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	244.29	11	133.84	5	36.28	11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	241.99	1/8	131.54	1/8	34.77	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	239.69	1/4	129.24	1/4	33.27	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	237.39	3/8	126.94	3/8	32.00	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	235.09	1/2	124.64	1/2	30.73	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	232.78	5/8	122.34	5/8	29.46	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	230.48	3/4	120.04	3/4	28.19	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	228.18	7/8	117.73	7/8	26.92	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-9 1/4" (TO MARK ON HERMETIC GAUG



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
PORT

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.
0		6		0		6		0		6		0	4,965.57	6	4,902.56	0	4,799.02	6	4,695.10	0	4,591.18	6	4,487.26	0	4,383.34	6	4,279.42	0	4,175.50	6	4,071.58	0	3,967.66	6	3,863.74
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,964.93	1/8	4,900.46	1/8	4,796.86	1/8	4,692.94	1/8	4,589.02	1/8	4,485.10	1/8	4,381.18	1/8	4,277.26	1/8	4,173.34	1/8	4,069.42	1/8	3,965.50	1/8	3,861.58
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,964.28	1/4	4,898.36	1/4	4,794.69	1/4	4,690.77	1/4	4,586.85	1/4	4,482.93	1/4	4,379.01	1/4	4,275.09	1/4	4,171.17	1/4	4,067.25	1/4	3,963.33	1/4	3,859.41
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,963.63	3/8	4,896.26	3/8	4,792.53	3/8	4,688.61	3/8	4,584.69	3/8	4,480.77	3/8	4,376.85	3/8	4,272.93	3/8	4,169.01	3/8	4,065.09	3/8	3,961.17	3/8	3,857.25
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,962.99	1/2	4,894.15	1/2	4,790.36	1/2	4,686.44	1/2	4,582.52	1/2	4,478.60	1/2	4,374.68	1/2	4,270.76	1/2	4,166.84	1/2	4,062.92	1/2	3,959.00	1/2	3,855.08
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,962.34	5/8	4,892.05	5/8	4,788.20	5/8	4,684.28	5/8	4,580.36	5/8	4,476.44	5/8	4,372.52	5/8	4,268.60	5/8	4,164.68	5/8	4,060.76	5/8	3,956.84	5/8	3,852.92
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,961.70	3/4	4,889.95	3/4	4,786.03	3/4	4,682.11	3/4	4,578.19	3/4	4,474.27	3/4	4,370.35	3/4	4,266.43	3/4	4,162.51	3/4	4,058.59	3/4	3,954.67	3/4	3,850.75
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,960.81	7/8	4,887.79	7/8	4,783.87	7/8	4,679.95	7/8	4,576.03	7/8	4,472.11	7/8	4,368.19	7/8	4,264.27	7/8	4,160.35	7/8	4,056.43	7/8	3,952.51	7/8	3,848.59
1	7	1	7	1	7	1	7	1	7	1	7	1	4,959.92	7	4,885.62	1	4,781.70	7	4,677.78	1	4,573.86	7	4,469.94	1	4,366.02	7	4,262.10	1	4,158.18	7	4,054.26	1	3,950.34	7	3,846.42
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,959.03	1/8	4,883.46	1/8	4,779.54	1/8	4,675.62	1/8	4,571.70	1/8	4,467.78	1/8	4,363.86	1/8	4,259.94	1/8	4,156.02	1/8	4,052.10	1/8	3,948.18	1/8	3,844.26
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,958.14	1/4	4,881.29	1/4	4,777.37	1/4	4,673.45	1/4	4,569.53	1/4	4,465.61	1/4	4,361.69	1/4	4,257.77	1/4	4,153.85	1/4	4,049.93	1/4	3,946.01	1/4	3,842.09
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,957.26	3/8	4,879.13	3/8	4,775.21	3/8	4,671.29	3/8	4,567.37	3/8	4,463.45	3/8	4,359.53	3/8	4,255.61	3/8	4,151.69	3/8	4,047.77	3/8	3,943.85	3/8	3,839.93
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,956.37	1/2	4,876.96	1/2	4,773.04	1/2	4,669.12	1/2	4,565.20	1/2	4,461.28	1/2	4,357.36	1/2	4,253.44	1/2	4,149.52	1/2	4,045.60	1/2	3,941.68	1/2	3,837.76
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,955.48	5/8	4,874.80	5/8	4,770.88	5/8	4,666.96	5/8	4,563.04	5/8	4,459.12	5/8	4,355.20	5/8	4,251.28	5/8	4,147.36	5/8	4,043.44	5/8	3,939.52	5/8	3,835.60
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,954.59	3/4	4,872.63	3/4	4,768.71	3/4	4,664.79	3/4	4,560.87	3/4	4,456.95	3/4	4,353.03	3/4	4,249.11	3/4	4,145.19	3/4	4,041.27	3/4	3,937.35	3/4	3,833.43
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,953.46	7/8	4,870.47	7/8	4,766.55	7/8	4,662.63	7/8	4,558.71	7/8	4,454.79	7/8	4,350.87	7/8	4,246.95	7/8	4,143.03	7/8	4,039.11	7/8	3,935.19	7/8	3,831.27
2	8	2	8	2	8	2	8	2	8	2	8	2	4,952.33	8	4,868.30	2	4,764.38	8	4,660.46	2	4,556.54	8	4,452.62	2	4,348.70	8	4,244.78	2	4,140.86	8	4,036.94	2	3,933.02	8	3,829.10
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,951.20	1/8	4,866.14	1/8	4,762.22	1/8	4,658.30	1/8	4,554.38	1/8	4,450.46	1/8	4,346.54	1/8	4,242.62	1/8	4,138.70	1/8	4,034.78	1/8	3,930.86	1/8	3,826.94
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,950.07	1/4	4,863.97	1/4	4,760.05	1/4	4,656.13	1/4	4,552.21	1/4	4,448.29	1/4	4,344.37	1/4	4,240.45	1/4	4,136.53	1/4	4,032.61	1/4	3,928.69	1/4	3,824.77
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,948.94	3/8	4,861.81	3/8	4,757.89	3/8	4,653.97	3/8	4,550.05	3/8	4,446.13	3/8	4,342.21	3/8	4,238.29	3/8	4,134.37	3/8	4,030.45	3/8	3,926.53	3/8	3,822.61
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,947.81	1/2	4,859.64	1/2	4,755.72	1/2	4,651.80	1/2	4,547.88	1/2	4,443.96	1/2	4,340.04	1/2	4,236.12	1/2	4,132.20	1/2	4,028.28	1/2	3,924.36	1/2	3,820.44
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,946.68	5/8	4,857.48	5/8	4,753.56	5/8	4,649.64	5/8	4,545.72	5/8	4,441.80	5/8	4,337.88	5/8	4,233.96	5/8	4,130.04	5/8	4,026.12	5/8	3,922.20	5/8	3,818.28
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,945.54	3/4	4,855.31	3/4	4,751.39	3/4	4,647.47	3/4	4,543.55	3/4	4,439.63	3/4	4,335.71	3/4	4,231.79	3/4	4,127.87	3/4	4,023.95	3/4	3,920.03	3/4	3,816.11
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,944.17	7/8	4,853.15	7/8	4,749.23	7/8	4,645.31	7/8	4,541.39	7/8	4,437.47	7/8	4,333.55	7/8	4,229.63	7/8	4,125.71	7/8	4,021.79	7/8	3,917.87	7/8	3,813.95
3	9	3	9	3	9	3	9	3	9	3	9	3	4,942.80	9	4,850.98	3	4,747.06	9	4,643.14	3	4,539.22	9	4,435.30	3	4,331.38	9	4,227.46	3	4,123.54	9	4,019.62	3	3,915.70	9	3,811.78
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,941.43	1/8	4,848.82	1/8	4,744.90	1/8	4,640.98	1/8	4,537.06	1/8	4,433.14	1/8	4,329.22	1/8	4,225.30	1/8	4,121.38	1/8	4,017.46	1/8	3,913.54	1/8	3,809.62
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,940.05	1/4	4,846.65	1/4	4,742.73	1/4	4,638.81	1/4	4,534.89	1/4	4,430.97	1/4	4,327.05	1/4	4,223.13	1/4	4,119.21	1/4	4,015.29	1/4	3,911.37	1/4	3,807.45
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,938.68	3/8	4,844.49	3/8	4,740.57	3/8	4,636.65	3/8	4,532.73	3/8	4,428.81	3/8	4,324.89	3/8	4,220.97	3/8	4,117.05	3/8	4,013.13	3/8	3,909.21	3/8	3,805.29
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,937.31	1/2	4,842.32	1/2	4,738.40	1/2	4,634.48	1/2	4,530.56	1/2	4,426.64	1/2	4,322.72	1/2	4,218.80	1/2	4,114.88	1/2	4,010.96	1/2	3,907.04	1/2	3,803.12
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,935.93	5/8	4,840.16	5/8	4,736.24	5/8	4,632.32	5/8	4,528.40	5/8	4,424.48	5/8	4,320.56	5/8	4,216.64	5/8	4,112.72	5/8	4,008.80	5/8	3,904.88	5/8	3,800.96
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,934.56	3/4	4,837.99	3/4	4,734.07	3/4	4,630.15	3/4	4,526.23	3/4	4,422.31	3/4	4,318.39	3/4	4,214.47	3/4	4,110.55	3/4	4,006.63	3/4	3,902.71	3/4	3,798.79
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,932.94	7/8	4,835.83	7/8	4,731.91	7/8	4,627.99	7/8	4,524.07	7/8	4,420.15	7/8	4,316.23	7/8	4,212.31	7/8	4,108.39	7/8	4,004.47	7/8	3,900.55	7/8	3,796.63
4	10	4	10	4	10	4	10	4	10	4	10	4	4,931.33	10	4,833.66	4	4,729.74	10	4,625.82	4	4,521.90	10	4,417.98	4	4,314.06	10	4,210.14	4	4,106.22	10	4,002.30	4	3,898.38	10	3,794.46
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,929.71	1/8	4,831.50	1/8	4,727.58	1/8	4,623.66	1/8	4,519.74	1/8</													



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
PORT

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	3,759.82	6	3,655.90	0	3,551.98	6	3,448.06	0	3,344.14	6	3,240.22	0	3,136.30	6	3,032.38	0	2,928.46	6	2,824.54	0	2,720.62	6	2,616.70	0	2,512.78	6	2,408.86	0	2,304.94	6	2,201.02	0	2,097.10	6	1,993.18
1/8	3,757.66	1/8	3,653.74	1/8	3,549.82	1/8	3,445.90	1/8	3,341.98	1/8	3,238.06	1/8	3,134.14	1/8	3,030.22	1/8	2,926.30	1/8	2,822.38	1/8	2,718.46	1/8	2,614.54	1/8	2,510.62	1/8	2,406.70	1/8	2,302.78	1/8	2,198.86	1/8	2,094.94	1/8	1,991.02
1/4	3,755.49	1/4	3,651.57	1/4	3,547.65	1/4	3,443.73	1/4	3,339.81	1/4	3,235.89	1/4	3,131.97	1/4	3,028.05	1/4	2,924.13	1/4	2,820.21	1/4	2,716.29	1/4	2,612.37	1/4	2,508.45	1/4	2,404.53	1/4	2,300.61	1/4	2,196.69	1/4	2,092.77	1/4	1,988.85
3/8	3,753.33	3/8	3,649.41	3/8	3,545.49	3/8	3,441.57	3/8	3,337.65	3/8	3,233.73	3/8	3,129.81	3/8	3,025.89	3/8	2,921.97	3/8	2,818.05	3/8	2,714.13	3/8	2,610.21	3/8	2,506.29	3/8	2,402.37	3/8	2,298.45	3/8	2,194.53	3/8	2,090.61	3/8	1,986.69
1/2	3,751.16	1/2	3,647.24	1/2	3,543.32	1/2	3,439.40	1/2	3,335.48	1/2	3,231.56	1/2	3,127.64	1/2	3,023.72	1/2	2,919.80	1/2	2,815.88	1/2	2,711.96	1/2	2,608.04	1/2	2,504.12	1/2	2,400.20	1/2	2,296.28	1/2	2,192.36	1/2	2,088.44	1/2	1,984.52
5/8	3,749.00	5/8	3,645.08	5/8	3,541.16	5/8	3,437.24	5/8	3,333.32	5/8	3,229.40	5/8	3,125.48	5/8	3,021.56	5/8	2,917.64	5/8	2,813.72	5/8	2,709.80	5/8	2,605.88	5/8	2,501.96	5/8	2,398.04	5/8	2,294.12	5/8	2,190.20	5/8	2,086.28	5/8	1,982.36
3/4	3,746.83	3/4	3,642.91	3/4	3,538.99	3/4	3,435.07	3/4	3,331.15	3/4	3,227.23	3/4	3,123.31	3/4	3,019.39	3/4	2,915.47	3/4	2,811.55	3/4	2,707.63	3/4	2,603.71	3/4	2,499.79	3/4	2,395.87	3/4	2,291.95	3/4	2,188.03	3/4	2,084.11	3/4	1,980.19
7/8	3,744.67	7/8	3,640.75	7/8	3,536.83	7/8	3,432.91	7/8	3,328.99	7/8	3,225.07	7/8	3,121.15	7/8	3,017.23	7/8	2,913.31	7/8	2,809.39	7/8	2,705.47	7/8	2,601.55	7/8	2,497.63	7/8	2,393.71	7/8	2,289.79	7/8	2,185.87	7/8	2,081.95	7/8	1,978.03
1	3,742.50	7	3,638.58	1	3,534.66	7	3,430.74	1	3,326.82	7	3,222.90	1	3,118.98	7	3,015.06	1	2,911.14	7	2,807.22	1	2,703.30	7	2,599.38	1	2,495.46	7	2,391.54	1	2,287.62	7	2,183.70	1	2,079.78	7	1,975.86
1/8	3,740.34	1/8	3,636.42	1/8	3,532.50	1/8	3,428.58	1/8	3,324.66	1/8	3,220.74	1/8	3,116.82	1/8	3,012.90	1/8	2,908.98	1/8	2,805.06	1/8	2,701.14	1/8	2,597.22	1/8	2,493.30	1/8	2,389.38	1/8	2,285.46	1/8	2,181.54	1/8	2,077.62	1/8	1,973.70
1/4	3,738.17	1/4	3,634.25	1/4	3,530.33	1/4	3,426.41	1/4	3,322.49	1/4	3,218.57	1/4	3,114.65	1/4	3,010.73	1/4	2,906.81	1/4	2,802.89	1/4	2,698.97	1/4	2,595.05	1/4	2,491.13	1/4	2,387.21	1/4	2,283.29	1/4	2,179.37	1/4	2,075.45	1/4	1,971.53
3/8	3,736.01	3/8	3,632.09	3/8	3,528.17	3/8	3,424.25	3/8	3,320.33	3/8	3,216.41	3/8	3,112.49	3/8	3,008.57	3/8	2,904.65	3/8	2,800.73	3/8	2,696.81	3/8	2,592.89	3/8	2,488.97	3/8	2,385.05	3/8	2,281.13	3/8	2,177.21	3/8	2,073.29	3/8	1,969.37
1/2	3,733.84	1/2	3,629.92	1/2	3,526.00	1/2	3,422.08	1/2	3,318.16	1/2	3,214.24	1/2	3,110.32	1/2	3,006.40	1/2	2,902.48	1/2	2,798.56	1/2	2,694.64	1/2	2,590.72	1/2	2,486.80	1/2	2,382.88	1/2	2,278.96	1/2	2,175.04	1/2	2,071.12	1/2	1,967.20
5/8	3,731.68	5/8	3,627.76	5/8	3,523.84	5/8	3,419.92	5/8	3,316.00	5/8	3,212.08	5/8	3,108.16	5/8	3,004.24	5/8	2,900.32	5/8	2,796.40	5/8	2,692.48	5/8	2,588.56	5/8	2,484.64	5/8	2,380.72	5/8	2,276.80	5/8	2,172.88	5/8	2,068.96	5/8	1,965.04
3/4	3,729.51	3/4	3,625.59	3/4	3,521.67	3/4	3,417.75	3/4	3,313.83	3/4	3,209.91	3/4	3,105.99	3/4	3,002.07	3/4	2,898.15	3/4	2,794.23	3/4	2,690.31	3/4	2,586.39	3/4	2,482.47	3/4	2,378.55	3/4	2,274.63	3/4	2,170.71	3/4	2,066.79	3/4	1,962.87
7/8	3,727.35	7/8	3,623.43	7/8	3,519.51	7/8	3,415.59	7/8	3,311.67	7/8	3,207.75	7/8	3,103.83	7/8	2,999.91	7/8	2,895.99	7/8	2,792.07	7/8	2,688.15	7/8	2,584.23	7/8	2,480.31	7/8	2,376.39	7/8	2,272.47	7/8	2,168.55	7/8	2,064.63	7/8	1,960.71
2	3,725.18	8	3,621.26	2	3,517.34	8	3,413.42	2	3,309.50	8	3,205.58	2	3,101.66	8	2,997.74	2	2,893.82	8	2,789.90	2	2,685.98	8	2,582.06	2	2,478.14	8	2,374.22	2	2,270.30	8	2,166.38	2	2,062.46	8	1,958.54
1/8	3,723.02	1/8	3,619.10	1/8	3,515.18	1/8	3,411.26	1/8	3,307.34	1/8	3,203.42	1/8	3,099.50	1/8	2,995.58	1/8	2,891.66	1/8	2,787.74	1/8	2,683.82	1/8	2,579.90	1/8	2,475.98	1/8	2,372.06	1/8	2,268.14	1/8	2,164.22	1/8	2,060.30	1/8	1,956.38
1/4	3,720.85	1/4	3,616.93	1/4	3,513.01	1/4	3,409.09	1/4	3,305.17	1/4	3,201.25	1/4	3,097.33	1/4	2,993.41	1/4	2,889.49	1/4	2,785.57	1/4	2,681.65	1/4	2,577.73	1/4	2,473.81	1/4	2,369.89	1/4	2,265.97	1/4	2,162.05	1/4	2,058.13	1/4	1,954.21
3/8	3,718.69	3/8	3,614.77	3/8	3,510.85	3/8	3,406.93	3/8	3,303.01	3/8	3,199.09	3/8	3,095.17	3/8	2,991.25	3/8	2,887.33	3/8	2,783.41	3/8	2,679.49	3/8	2,575.57	3/8	2,471.65	3/8	2,367.73	3/8	2,263.81	3/8	2,159.89	3/8	2,055.97	3/8	1,952.05
1/2	3,716.52	1/2	3,612.60	1/2	3,508.68	1/2	3,404.76	1/2	3,300.84	1/2	3,196.92	1/2	3,093.00	1/2	2,989.08	1/2	2,885.16	1/2	2,781.24	1/2	2,677.32	1/2	2,573.40	1/2	2,469.48	1/2	2,365.56	1/2	2,261.64	1/2	2,157.72	1/2	2,053.80	1/2	1,949.88
5/8	3,714.36	5/8	3,610.44	5/8	3,506.52	5/8	3,402.60	5/8	3,298.68	5/8	3,194.76	5/8	3,090.84	5/8	2,986.92	5/8	2,883.00	5/8	2,779.08	5/8	2,675.16	5/8	2,571.24	5/8	2,467.32	5/8	2,363.40	5/8	2,259.48	5/8	2,155.56	5/8	2,051.64	5/8	1,947.72
3/4	3,712.19	3/4	3,608.27	3/4	3,504.35	3/4	3,400.43	3/4	3,296.51	3/4	3,192.59	3/4	3,088.67	3/4	2,984.75	3/4	2,880.83	3/4	2,776.91	3/4	2,672.99	3/4	2,569.07	3/4	2,465.15	3/4	2,361.23	3/4	2,257.31	3/4	2,153.39	3/4	2,049.47	3/4	1,945.55
7/8	3,710.03	7/8	3,606.11	7/8	3,502.19	7/8	3,398.27	7/8	3,294.35	7/8	3,190.43	7/8	3,086.51	7/8	2,982.59	7/8	2,878.67	7/8	2,774.75	7/8	2,670.83	7/8	2,566.91	7/8	2,462.99	7/8	2,359.07	7/8	2,255.15	7/8	2,151.23	7/8	2,047.31	7/8	1,943.39
3	3,707.86	9	3,603.94	3	3,500.02	9	3,396.10	3	3,292.18	9	3,188.26	3	3,084.34	9	2,980.42	3	2,876.50	9	2,772.58	3	2,668.66	9	2,564.74	3	2,460.82	9	2,356.90	3	2,252.98	9	2,149.06	3	2,045.14	9	1,941.22
1/8	3,705.70	1/8	3,601.78	1/8	3,497.86	1/8	3,393.94	1/8	3,290.02	1/8	3,186.10	1/8	3,082.18	1/8	2,978.26	1/8	2,874.34	1/8	2,770.42	1/8	2,666.50	1/8	2,562.58	1/8	2,458.66	1/8	2,354.74	1/8	2,250.82	1/8	2,146.90	1/8	2,042.98	1/8	1,939.06
1/4	3,703.53	1/4	3,599.61	1/4	3,495.69	1/4	3,391.77	1/4	3,287.85	1/4	3,183.93	1/4	3,080.01	1/4	2,976.09	1/4	2,872.17	1/4	2,768.25	1/4	2,664.33	1/4	2,560.41	1/4	2,456.49	1/4	2,352.57	1/4	2,248.65	1/4	2,144.73	1/4	2,040.81	1/4	1,936.89
3/8	3,701.37	3/8	3,597.45	3/8	3,493.53	3/8	3,389.61	3/8	3,285.69	3/8	3,181.77	3/8	3,077.85	3/8	2,973.93	3/8	2,870.01	3/8	2,766.09	3/8	2,662.17	3/8	2,558.25	3/8	2,454.33	3/8	2,350.41	3/8	2,246.49	3/8	2,142.57	3/8	2,038.65	3/8	1,934.73
1/2	3,699.20	1/2	3,595.28	1/2	3,491.36	1/2	3,387.44	1/2	3,283.52	1/2	3,179.60	1/2	3,075.68	1/2	2,971.76	1/2	2,867.84	1/2	2,763.92	1/2	2,660.00	1/2	2,556.08	1/2	2,452.16	1/2	2,348.24	1/2	2,244.32	1/2	2,140.40	1/2	2,036.48	1/2	1,932.56
5/8	3,697.04	5/8	3,593.12	5/8	3,489.20	5/8	3,385.28	5/8	3,281.36	5/8	3,177.44	5/8	3,073.52	5/8	2,969.60	5/8	2,865.68	5/8	2,761.76	5/8	2,657.84	5/8	2,553.92	5/8	2,450.00	5/8	2,346.08	5/8	2,242.16	5/8	2,138.24	5/8	2,034.32	5/8	1,930.40
3/4	3,694.87	3/4	3,590.95	3/4	3,487.03	3/4	3,383.11	3/4	3,279.19	3/4	3,175.27	3/4	3,071.35	3/4	2,967.43	3/4	2,863.51	3/4	2,759.59	3/4	2,655.67	3/4	2,551.75	3/4	2,447.83	3/4									



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
PORT

OUTAGE TABLE

SHEET NO. 3 OF 4 HULL NO. 508

IN	18 FT.	IN	18 FT.	IN	19 FT.	IN	19 FT.	IN	20 FT.	IN	20 FT.	IN	21 FT.	IN	21 FT.	IN	22 FT.	IN	22 FT.	IN	23 FT.	IN	23 FT.	IN	24 FT.	IN	24 FT.	IN	25 FT.	IN	25 FT.	IN	26 FT.	IN	26 FT.
0	1,889.26	6	1,785.34	0	1,681.42	6	1,577.50	0	1,473.58	6	1,369.66	0	1,265.74	6	1,161.82	0	1,057.90	6	953.98	0	850.06	6	746.14	0	644.65	6	548.45	0	458.09	6	373.24	0	294.21	6	220.71
1/8	1,887.10	1/8	1,783.18	1/8	1,679.26	1/8	1,575.34	1/8	1,471.42	1/8	1,367.50	1/8	1,263.58	1/8	1,159.66	1/8	1,055.74	1/8	951.82	1/8	847.90	1/8	743.98	1/8	642.60	1/8	546.48	1/8	456.28	1/8	371.51	1/8	292.64	1/8	219.22
1/4	1,884.93	1/4	1,781.01	1/4	1,677.09	1/4	1,573.17	1/4	1,469.25	1/4	1,365.33	1/4	1,261.41	1/4	1,157.49	1/4	1,053.57	1/4	949.65	1/4	845.73	1/4	741.81	1/4	640.56	1/4	544.51	1/4	454.47	1/4	369.78	1/4	291.06	1/4	217.72
3/8	1,882.77	3/8	1,778.85	3/8	1,674.93	3/8	1,571.01	3/8	1,467.09	3/8	1,363.17	3/8	1,259.25	3/8	1,153.33	3/8	1,051.41	3/8	947.49	3/8	843.57	3/8	739.65	3/8	638.51	3/8	542.54	3/8	452.66	3/8	368.04	3/8	289.49	3/8	216.23
1/2	1,880.60	1/2	1,776.68	1/2	1,672.76	1/2	1,568.84	1/2	1,464.92	1/2	1,361.00	1/2	1,257.08	1/2	1,153.16	1/2	1,049.24	1/2	945.32	1/2	841.40	1/2	737.48	1/2	636.46	1/2	540.58	1/2	450.85	1/2	366.31	1/2	287.92	1/2	214.73
5/8	1,878.44	5/8	1,774.52	5/8	1,670.60	5/8	1,566.68	5/8	1,462.76	5/8	1,358.84	5/8	1,254.92	5/8	1,151.00	5/8	1,047.08	5/8	943.16	5/8	839.24	5/8	735.32	5/8	634.42	5/8	538.61	5/8	449.04	5/8	364.58	5/8	286.34	5/8	213.24
3/4	1,876.27	3/4	1,772.35	3/4	1,668.43	3/4	1,564.51	3/4	1,460.59	3/4	1,356.67	3/4	1,252.75	3/4	1,148.83	3/4	1,044.91	3/4	940.99	3/4	837.07	3/4	733.15	3/4	632.37	3/4	536.64	3/4	447.23	3/4	362.85	3/4	284.77	3/4	211.74
7/8	1,874.11	7/8	1,770.19	7/8	1,666.27	7/8	1,562.35	7/8	1,458.43	7/8	1,354.51	7/8	1,250.59	7/8	1,146.67	7/8	1,042.75	7/8	938.83	7/8	834.91	7/8	731.03	7/8	630.32	7/8	534.75	7/8	445.42	7/8	361.20	7/8	283.19	7/8	210.33
1	1,871.94	7	1,768.02	1	1,664.10	7	1,560.18	1	1,456.26	7	1,352.34	1	1,248.42	7	1,144.50	1	1,040.58	7	936.66	1	832.74	7	728.90	1	628.27	7	532.86	1	443.61	7	359.54	1	281.62	7	208.91
1/8	1,869.78	1/8	1,765.86	1/8	1,661.94	1/8	1,558.02	1/8	1,454.10	1/8	1,350.18	1/8	1,246.26	1/8	1,142.34	1/8	1,038.42	1/8	934.50	1/8	830.58	1/8	726.77	1/8	626.23	1/8	530.97	1/8	441.80	1/8	357.89	1/8	280.05	1/8	207.50
1/4	1,867.61	1/4	1,763.69	1/4	1,659.77	1/4	1,555.85	1/4	1,451.93	1/4	1,348.01	1/4	1,244.09	1/4	1,140.17	1/4	1,036.25	1/4	932.33	1/4	828.41	1/4	724.65	1/4	624.18	1/4	529.08	1/4	439.99	1/4	356.24	1/4	278.47	1/4	206.08
3/8	1,865.45	3/8	1,761.53	3/8	1,657.61	3/8	1,553.69	3/8	1,449.77	3/8	1,345.85	3/8	1,241.93	3/8	1,138.01	3/8	1,034.09	3/8	930.17	3/8	826.25	3/8	722.52	3/8	622.13	3/8	527.20	3/8	438.18	3/8	354.58	3/8	276.90	3/8	204.66
1/2	1,863.28	1/2	1,759.36	1/2	1,655.44	1/2	1,551.52	1/2	1,447.60	1/2	1,343.68	1/2	1,239.76	1/2	1,135.84	1/2	1,031.92	1/2	928.00	1/2	824.08	1/2	720.40	1/2	620.09	1/2	525.31	1/2	436.37	1/2	352.93	1/2	275.32	1/2	203.25
5/8	1,861.12	5/8	1,757.20	5/8	1,653.28	5/8	1,549.36	5/8	1,445.44	5/8	1,341.52	5/8	1,237.60	5/8	1,133.68	5/8	1,029.76	5/8	925.84	5/8	821.92	5/8	718.27	5/8	618.04	5/8	523.42	5/8	434.56	5/8	351.28	5/8	273.75	5/8	201.83
3/4	1,858.95	3/4	1,755.03	3/4	1,651.11	3/4	1,547.19	3/4	1,443.27	3/4	1,339.35	3/4	1,235.43	3/4	1,131.51	3/4	1,027.59	3/4	923.67	3/4	819.75	3/4	716.14	3/4	615.99	3/4	521.53	3/4	432.75	3/4	349.62	3/4	272.18	3/4	200.42
7/8	1,856.79	7/8	1,752.87	7/8	1,648.95	7/8	1,545.03	7/8	1,441.11	7/8	1,337.19	7/8	1,233.27	7/8	1,129.35	7/8	1,025.43	7/8	921.51	7/8	817.59	7/8	714.02	7/8	613.95	7/8	519.64	7/8	430.94	7/8	347.97	7/8	270.60	7/8	199.00
2	1,854.62	8	1,750.70	2	1,646.78	8	1,542.86	2	1,438.94	8	1,335.02	2	1,231.10	8	1,127.18	2	1,023.26	8	919.34	2	815.42	8	711.89	2	611.90	8	517.75	2	429.13	8	346.32	2	269.03	8	197.58
1/8	1,852.46	1/8	1,748.54	1/8	1,644.62	1/8	1,540.70	1/8	1,436.78	1/8	1,332.86	1/8	1,228.94	1/8	1,125.02	1/8	1,021.10	1/8	917.18	1/8	813.26	1/8	709.77	1/8	609.85	1/8	515.86	1/8	427.32	1/8	344.67	1/8	267.45	1/8	196.17
1/4	1,850.29	1/4	1,746.37	1/4	1,642.45	1/4	1,538.53	1/4	1,434.61	1/4	1,330.69	1/4	1,226.77	1/4	1,122.85	1/4	1,018.93	1/4	915.01	1/4	811.09	1/4	707.64	1/4	607.80	1/4	513.97	1/4	425.51	1/4	343.01	1/4	265.88	1/4	194.75
3/8	1,848.13	3/8	1,744.21	3/8	1,640.29	3/8	1,536.37	3/8	1,432.45	3/8	1,328.53	3/8	1,224.61	3/8	1,120.69	3/8	1,016.77	3/8	912.85	3/8	808.93	3/8	705.51	3/8	605.76	3/8	512.08	3/8	423.70	3/8	341.36	3/8	264.31	3/8	193.34
1/2	1,845.96	1/2	1,742.04	1/2	1,638.12	1/2	1,534.20	1/2	1,430.28	1/2	1,326.36	1/2	1,222.44	1/2	1,118.52	1/2	1,014.60	1/2	910.68	1/2	806.76	1/2	703.39	1/2	603.71	1/2	510.19	1/2	421.89	1/2	339.71	1/2	262.73	1/2	191.92
5/8	1,843.80	5/8	1,739.88	5/8	1,635.96	5/8	1,532.04	5/8	1,428.12	5/8	1,324.20	5/8	1,220.28	5/8	1,116.36	5/8	1,012.44	5/8	908.52	5/8	804.60	5/8	701.26	5/8	601.66	5/8	508.31	5/8	420.08	5/8	338.05	5/8	261.16	5/8	190.50
3/4	1,841.63	3/4	1,737.71	3/4	1,633.79	3/4	1,529.87	3/4	1,425.95	3/4	1,322.03	3/4	1,218.11	3/4	1,114.19	3/4	1,010.27	3/4	906.35	3/4	802.43	3/4	699.14	3/4	599.62	3/4	506.42	3/4	418.27	3/4	336.40	3/4	259.58	3/4	189.09
7/8	1,839.47	7/8	1,735.55	7/8	1,631.63	7/8	1,527.71	7/8	1,423.79	7/8	1,319.87	7/8	1,215.95	7/8	1,112.03	7/8	1,008.11	7/8	904.19	7/8	800.27	7/8	697.01	7/8	597.65	7/8	504.53	7/8	416.54	7/8	334.75	7/8	258.09	7/8	187.67
3	1,837.30	9	1,733.38	3	1,629.46	9	1,525.54	3	1,421.62	9	1,317.70	3	1,213.78	9	1,109.86	3	1,005.94	9	902.02	3	798.10	9	694.88	3	595.68	9	502.64	3	414.81	9	333.09	3	256.59	9	186.26
1/8	1,835.14	1/8	1,731.22	1/8	1,627.30	1/8	1,523.38	1/8	1,419.46	1/8	1,315.54	1/8	1,211.62	1/8	1,107.70	1/8	1,003.78	1/8	899.86	1/8	795.94	1/8	692.76	1/8	593.71	1/8	500.75	1/8	413.08	1/8	331.44	1/8	255.10	1/8	184.84
1/4	1,832.97	1/4	1,729.05	1/4	1,625.13	1/4	1,521.21	1/4	1,417.29	1/4	1,313.37	1/4	1,209.45	1/4	1,105.53	1/4	1,001.61	1/4	897.69	1/4	793.77	1/4	690.63	1/4	591.74	1/4	498.86	1/4	411.34	1/4	329.79	1/4	253.60	1/4	183.42
3/8	1,830.81	3/8	1,726.89	3/8	1,622.97	3/8	1,519.05	3/8	1,415.13	3/8	1,311.21	3/8	1,207.29	3/8	1,103.37	3/8	999.45	3/8	895.53	3/8	791.61	3/8	688.51	3/8	589.78	3/8	496.97	3/8	409.61	3/8	328.14	3/8	252.11	3/8	182.01
1/2	1,828.64	1/2	1,724.72	1/2	1,620.80	1/2	1,516.88	1/2	1,412.96	1/2	1,309.04	1/2	1,205.12	1/2	1,101.20	1/2	997.28	1/2	893.36	1/2	789.44	1/2	686.38	1/2	587.81	1/2	495.08	1/2	407.88	1/2	326.48	1/2	250.61	1/2	180.59
5/8	1,826.48	5/8	1,722.56	5/8	1,618.64	5/8	1,514.72	5/8	1,410.80	5/8	1,306.88	5/8	1,202.96	5/8	1,099.04	5/8	995.12	5/8	891.20	5/8	787.28	5/8	684.25	5/8	585.84	5/8	493.19	5/8	406.15	5/8	324.83	5/8	249.12	5/8	179.18
3/4	1,824.31	3/4	1,720.39	3/4	1,616.47	3/4	1,512.55	3/4	1,408.63	3/4	1,304.71	3/4	1,200.79	3/4	1,096.87	3/4	992.95	3/4	889.03	3/4	785.11	3/4	682.13	3/4	583.87	3/4	491.30	3/4	404.42	3/4	323.18	3/4	247.62	3/4	177.76
7/8	1,822.15	7/8	1,718.23	7/8	1,614.31	7/8	1,510.39	7/8	1,406.47	7/8	1,302.55	7/8	1,198.63	7/8	1,094.71	7/8	990.79	7/8	886.87	7/8	782.95	7/8	680.00	7/8	581.90	7/8	489.42	7/8	402.68	7/8	321.52	7/8	246.13	7/8	176.34
4	1,819.98	10	1,716.06	4	1,612.14	10	1,508.22	4	1,404.30	10	1,3																								



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
PORT

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	153.06	6	90.91	0	35.00	6		0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	151.73	1/8	89.66	1/8	34.03	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	150.39	1/4	88.40	1/4	33.06	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	149.05	3/8	87.14	3/8	32.09	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	147.71	1/2	85.88	1/2	31.12	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	146.38	5/8	84.62	5/8	30.15	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	145.04	3/4	83.36	3/4	29.18	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	143.70	7/8	82.18	7/8	28.33	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	142.37	7	81.00	1	27.47	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	141.03	1/8	79.82	1/8	26.62	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	139.69	1/4	78.64	1/4	25.76	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	138.36	3/8	77.46	3/8	24.91	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	137.02	1/2	76.28	1/2	24.05	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	135.68	5/8	75.10	5/8	23.20	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	134.34	3/4	73.92	3/4	22.34	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	133.01	7/8	72.74	7/8	21.60	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	131.67	8	71.56	2	20.86	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	130.33	1/8	70.38	1/8	20.12	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	129.00	1/4	69.20	1/4	19.38	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	127.66	3/8	68.02	3/8	18.64	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	126.32	1/2	66.84	1/2	17.90	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	124.99	5/8	65.66	5/8	17.16	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	123.65	3/4	64.48	3/4	16.42	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	122.39	7/8	63.30	7/8	15.79	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	121.13	9	62.12	3	15.16	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	119.87	1/8	60.94	1/8	14.54	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	118.61	1/4	59.76	1/4	13.91	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	117.35	3/8	58.58	3/8	13.28	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	116.09	1/2	57.40	1/2	12.65	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	114.84	5/8	56.22	5/8	12.03	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	113.58	3/4	55.04	3/4	11.40	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	112.32	7/8	53.86	7/8	10.89	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	111.06	10	52.68	4	10.37	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	109.80	1/8	51.50	1/8	9.86	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	108.54	1/4	50.32	1/4	9.35	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	107.28	3/8	49.14	3/8	8.84	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	106.02	1/2	47.96	1/2	8.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	104.76	5/8	46.78	5/8	7.81	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	103.50	3/4	45.60	3/4	7.30	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	102.25	7/8	44.52	7/8	6.90	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	100.99	11	43.43	5	* 6.50	11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	99.73	1/8	42.35	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	98.47	1/4	41.27	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	97.21	3/8	40.19	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	95.95	1/2	39.10	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	94.69	5/8	38.02	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	93.43	3/4	36.94	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	92.17	7/8	35.97	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-5" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


INSPECTORATE AMERICA CORPORATION



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
STAR

OUTAGE TABLE

SHEET NO. 1 OF 4

HULL NO. 508

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.
0		6		0		6		0		6		0	5,175.28	6	5,116.54	0	5,009.21	6	4,900.63	0	4,792.06	6	4,683.48	0	4,574.90	6	4,466.33	0	4,357.75	6	4,249.18	0	4,140.60	6	4,032.02
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,174.78	1/8	5,114.59	1/8	5,006.95	1/8	4,898.37	1/8	4,789.79	1/8	4,681.22	1/8	4,572.64	1/8	4,464.07	1/8	4,355.49	1/8	4,246.91	1/8	4,138.34	1/8	4,029.76
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,174.28	1/4	5,112.64	1/4	5,004.68	1/4	4,896.11	1/4	4,787.53	1/4	4,678.96	1/4	4,570.38	1/4	4,461.80	1/4	4,353.23	1/4	4,244.65	1/4	4,136.08	1/4	4,027.50
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,173.79	3/8	5,110.69	3/8	5,002.42	3/8	4,893.85	3/8	4,785.27	3/8	4,676.69	3/8	4,568.12	3/8	4,459.54	3/8	4,350.97	3/8	4,242.39	3/8	4,133.81	3/8	4,025.24
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,173.29	1/2	5,108.74	1/2	5,000.16	1/2	4,891.58	1/2	4,783.01	1/2	4,674.43	1/2	4,565.86	1/2	4,457.28	1/2	4,348.70	1/2	4,240.13	1/2	4,131.55	1/2	4,022.98
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,172.55	5/8	5,106.47	5/8	4,997.90	5/8	4,889.32	5/8	4,780.75	5/8	4,672.17	5/8	4,563.59	5/8	4,455.02	5/8	4,346.44	5/8	4,237.87	5/8	4,129.29	5/8	4,020.71
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,171.81	3/4	5,104.21	3/4	4,995.64	3/4	4,887.06	3/4	4,778.48	3/4	4,669.91	3/4	4,561.33	3/4	4,452.76	3/4	4,344.18	3/4	4,235.60	3/4	4,127.03	3/4	4,018.45
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,171.07	7/8	5,101.95	7/8	4,993.37	7/8	4,884.80	7/8	4,776.22	7/8	4,667.65	7/8	4,559.07	7/8	4,450.49	7/8	4,341.92	7/8	4,233.34	7/8	4,124.77	7/8	4,016.19
1		7		1		7		1		7		1	5,170.33	7	5,099.69	1	4,991.11	7	4,882.54	1	4,773.96	7	4,665.38	1	4,556.81	7	4,448.23	1	4,339.66	7	4,231.08	1	4,122.50	7	4,013.93
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,169.59	1/8	5,097.43	1/8	4,988.85	1/8	4,880.27	1/8	4,771.70	1/8	4,663.12	1/8	4,554.55	1/8	4,445.97	1/8	4,337.39	1/8	4,228.82	1/8	4,120.24	1/8	4,011.67
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,168.85	1/4	5,095.16	1/4	4,986.59	1/4	4,878.01	1/4	4,769.44	1/4	4,660.86	1/4	4,552.28	1/4	4,443.71	1/4	4,335.13	1/4	4,226.56	1/4	4,117.98	1/4	4,009.41
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,168.12	3/8	5,092.90	3/8	4,984.33	3/8	4,875.75	3/8	4,767.17	3/8	4,658.60	3/8	4,550.02	3/8	4,441.45	3/8	4,332.87	3/8	4,224.29	3/8	4,115.72	3/8	4,007.14
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,167.38	1/2	5,090.64	1/2	4,982.06	1/2	4,873.49	1/2	4,764.91	1/2	4,656.34	1/2	4,547.76	1/2	4,439.18	1/2	4,330.61	1/2	4,222.03	1/2	4,113.46	1/2	4,004.88
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,166.39	5/8	5,088.38	5/8	4,979.80	5/8	4,871.23	5/8	4,762.65	5/8	4,654.07	5/8	4,545.50	5/8	4,436.92	5/8	4,328.35	5/8	4,219.77	5/8	4,111.19	5/8	4,002.62
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,165.41	3/4	5,086.12	3/4	4,977.54	3/4	4,868.96	3/4	4,760.39	3/4	4,651.81	3/4	4,543.24	3/4	4,434.66	3/4	4,326.08	3/4	4,217.51	3/4	4,108.93	3/4	4,000.36
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,164.43	7/8	5,083.85	7/8	4,975.28	7/8	4,866.70	7/8	4,758.13	7/8	4,649.55	7/8	4,540.97	7/8	4,432.40	7/8	4,323.82	7/8	4,215.25	7/8	4,106.67	7/8	3,998.09
2		8		2		8		2		8		2	5,163.45	8	5,081.59	2	4,973.02	8	4,864.44	2	4,755.86	8	4,647.29	2	4,538.71	8	4,430.14	2	4,321.56	8	4,212.98	2	4,104.41	8	3,995.83
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,162.47	1/8	5,079.33	1/8	4,970.75	1/8	4,862.18	1/8	4,753.60	1/8	4,645.03	1/8	4,536.45	1/8	4,427.87	1/8	4,319.30	1/8	4,210.72	1/8	4,102.15	1/8	3,993.57
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,161.48	1/4	5,077.07	1/4	4,968.49	1/4	4,859.92	1/4	4,751.34	1/4	4,642.76	1/4	4,534.19	1/4	4,425.61	1/4	4,317.04	1/4	4,208.46	1/4	4,099.88	1/4	3,991.31
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,160.50	3/8	5,074.81	3/8	4,966.23	3/8	4,857.65	3/8	4,749.08	3/8	4,640.50	3/8	4,531.93	3/8	4,423.35	3/8	4,314.77	3/8	4,206.20	3/8	4,097.62	3/8	3,989.05
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,159.52	1/2	5,072.54	1/2	4,963.97	1/2	4,855.39	1/2	4,746.82	1/2	4,638.24	1/2	4,529.66	1/2	4,421.09	1/2	4,312.51	1/2	4,203.94	1/2	4,095.36	1/2	3,986.78
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,158.30	5/8	5,070.28	5/8	4,961.71	5/8	4,853.13	5/8	4,744.55	5/8	4,635.98	5/8	4,527.40	5/8	4,418.83	5/8	4,310.25	5/8	4,201.67	5/8	4,093.10	5/8	3,984.52
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,157.07	3/4	5,068.02	3/4	4,959.44	3/4	4,850.87	3/4	4,742.29	3/4	4,633.72	3/4	4,525.14	3/4	4,416.56	3/4	4,307.99	3/4	4,199.41	3/4	4,090.84	3/4	3,982.26
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,155.85	7/8	5,065.76	7/8	4,957.18	7/8	4,848.61	7/8	4,740.03	7/8	4,631.45	7/8	4,522.88	7/8	4,414.30	7/8	4,305.73	7/8	4,197.15	7/8	4,088.57	7/8	3,980.00
3		9		3		9		3		9		3	5,154.62	9	5,063.50	3	4,954.92	9	4,846.34	3	4,737.77	9	4,629.19	3	4,520.62	9	4,412.04	3	4,303.46	9	4,194.89	3	4,086.31	9	3,977.74
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,153.40	1/8	5,061.23	1/8	4,952.66	1/8	4,844.08	1/8	4,735.51	1/8	4,626.93	1/8	4,518.35	1/8	4,409.78	1/8	4,301.20	1/8	4,192.63	1/8	4,084.05	1/8	3,975.47
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	5,152.18	1/4	5,058.97	1/4	4,950.40	1/4	4,841.82	1/4	4,733.24	1/4	4,624.67	1/4	4,516.09	1/4	4,407.52	1/4	4,298.94	1/4	4,190.36	1/4	4,081.79	1/4	3,973.21
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	5,150.95	3/8	5,056.71	3/8	4,948.13	3/8	4,839.56	3/8	4,730.98	3/8	4,622.41	3/8	4,513.83	3/8	4,405.25	3/8	4,296.68	3/8	4,188.10	3/8	4,079.53	3/8	3,970.95
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	5,149.73	1/2	5,054.45	1/2	4,945.87	1/2	4,837.30	1/2	4,728.72	1/2	4,620.14	1/2	4,511.57	1/2	4,402.99	1/2	4,294.42	1/2	4,185.84	1/2	4,077.26	1/2	3,968.69
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5,148.26	5/8	5,052.19	5/8	4,943.61	5/8	4,835.03	5/8	4,726.46	5/8	4,617.88	5/8	4,509.31	5/8	4,400.73	5/8	4,292.15	5/8	4,183.58	5/8	4,075.00	5/8	3,966.43
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	5,146.80	3/4	5,049.92	3/4	4,941.35	3/4	4,832.77	3/4	4,724.20	3/4	4,615.62	3/4	4,507.04	3/4	4,398.47	3/4	4,289.89	3/4	4,181.32	3/4	4,072.74	3/4	3,964.16
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	5,145.33	7/8	5,047.66	7/8	4,939.09	7/8	4,830.51	7/8	4,721.93	7/8	4,613.36	7/8	4,504.78	7/8	4,396.21	7/8	4,287.63	7/8	4,179.05	7/8	4,070.48	7/8	3,961.90
4		10		4		10		4		10		4	5,143.86	10	5,045.40	4	4,936.82	10	4,828.25	4	4,719.67	10	4,611.10	4	4,502.52	10	4,393.94	4	4,285.37	10	4,176.79	4	4,068.22	10	3,959.64
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	5,142.40	1/8	5,043.14	1/8	4,934.56	1/8	4,825.99	1/8	4,717.41	1/8	4,608.83	1/8	4,500.26	1/8	4								



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
STAR

OUTAGE TABLE

SHEET NO. 2 OF 4

HULL NO. 508

IN	9 FT.	IN	9 FT.	IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.	IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.	IN	17 FT.	IN	17 FT.
0	3,923.45	6	3,814.87	0	3,706.30	6	3,597.72	0	3,489.14	6	3,380.57	0	3,271.99	6	3,163.42	0	3,054.84	6	2,946.26	0	2,837.69	6	2,729.11	0	2,620.54	6	2,511.96	0	2,403.38	6	2,294.81	0	2,186.23	6	2,077.66
1/8	3,921.19	1/8	3,812.61	1/8	3,704.03	1/8	3,595.46	1/8	3,486.88	1/8	3,378.31	1/8	3,269.73	1/8	3,161.15	1/8	3,052.58	1/8	2,944.00	1/8	2,835.43	1/8	2,726.85	1/8	2,618.27	1/8	2,509.70	1/8	2,401.12	1/8	2,292.55	1/8	2,183.97	1/8	2,075.39
1/4	3,918.92	1/4	3,810.35	1/4	3,701.77	1/4	3,593.20	1/4	3,484.62	1/4	3,376.04	1/4	3,267.47	1/4	3,158.89	1/4	3,050.32	1/4	2,941.74	1/4	2,833.16	1/4	2,724.59	1/4	2,616.01	1/4	2,507.44	1/4	2,398.86	1/4	2,290.28	1/4	2,181.71	1/4	2,073.13
3/8	3,916.66	3/8	3,808.09	3/8	3,699.51	3/8	3,590.93	3/8	3,482.36	3/8	3,373.78	3/8	3,265.21	3/8	3,156.63	3/8	3,048.05	3/8	2,939.48	3/8	2,830.90	3/8	2,722.33	3/8	2,613.75	3/8	2,505.17	3/8	2,396.60	3/8	2,288.02	3/8	2,179.45	3/8	2,070.87
1/2	3,914.40	1/2	3,805.82	1/2	3,697.25	1/2	3,588.67	1/2	3,480.10	1/2	3,371.52	1/2	3,262.94	1/2	3,154.37	1/2	3,045.79	1/2	2,937.22	1/2	2,828.64	1/2	2,720.06	1/2	2,611.49	1/2	2,502.91	1/2	2,394.34	1/2	2,285.76	1/2	2,177.18	1/2	2,068.61
5/8	3,912.14	5/8	3,803.56	5/8	3,694.99	5/8	3,586.41	5/8	3,477.83	5/8	3,369.26	5/8	3,260.68	5/8	3,152.11	5/8	3,043.53	5/8	2,934.95	5/8	2,826.38	5/8	2,717.80	5/8	2,609.23	5/8	2,500.65	5/8	2,392.07	5/8	2,283.50	5/8	2,174.92	5/8	2,066.35
3/4	3,909.88	3/4	3,801.30	3/4	3,692.72	3/4	3,584.15	3/4	3,475.57	3/4	3,367.00	3/4	3,258.42	3/4	3,149.84	3/4	3,041.27	3/4	2,932.69	3/4	2,824.12	3/4	2,715.54	3/4	2,606.96	3/4	2,498.39	3/4	2,389.81	3/4	2,281.24	3/4	2,172.66	3/4	2,064.08
7/8	3,907.61	7/8	3,799.04	7/8	3,690.46	7/8	3,581.89	7/8	3,473.31	7/8	3,364.73	7/8	3,256.16	7/8	3,147.58	7/8	3,039.01	7/8	2,930.43	7/8	2,821.85	7/8	2,713.28	7/8	2,604.70	7/8	2,496.13	7/8	2,387.55	7/8	2,278.97	7/8	2,170.40	7/8	2,061.82
1	3,905.35	7	3,796.78	1	3,688.20	7	3,579.62	1	3,471.05	7	3,362.47	1	3,253.90	7	3,145.32	1	3,036.74	7	2,928.17	1	2,819.59	7	2,711.02	1	2,602.44	7	2,493.86	1	2,385.29	7	2,276.71	1	2,168.14	7	2,059.56
1/8	3,903.09	1/8	3,794.51	1/8	3,686.94	1/8	3,577.36	1/8	3,468.79	1/8	3,360.21	1/8	3,251.63	1/8	3,143.06	1/8	3,034.48	1/8	2,925.91	1/8	2,817.33	1/8	2,708.75	1/8	2,600.18	1/8	2,491.60	1/8	2,383.03	1/8	2,274.45	1/8	2,165.87	1/8	2,057.30
1/4	3,900.83	1/4	3,792.25	1/4	3,683.68	1/4	3,575.10	1/4	3,466.52	1/4	3,357.95	1/4	3,249.37	1/4	3,140.80	1/4	3,032.22	1/4	2,923.64	1/4	2,815.07	1/4	2,706.49	1/4	2,597.92	1/4	2,489.34	1/4	2,380.76	1/4	2,272.19	1/4	2,163.61	1/4	2,055.04
3/8	3,898.57	3/8	3,789.99	3/8	3,681.41	3/8	3,572.84	3/8	3,464.26	3/8	3,355.69	3/8	3,247.11	3/8	3,138.53	3/8	3,029.96	3/8	2,921.38	3/8	2,812.81	3/8	2,704.23	3/8	2,595.65	3/8	2,487.08	3/8	2,378.50	3/8	2,269.93	3/8	2,161.35	3/8	2,052.77
1/2	3,896.30	1/2	3,787.73	1/2	3,679.15	1/2	3,570.58	1/2	3,462.00	1/2	3,353.42	1/2	3,244.85	1/2	3,136.27	1/2	3,027.70	1/2	2,919.12	1/2	2,810.54	1/2	2,701.97	1/2	2,593.39	1/2	2,484.82	1/2	2,376.24	1/2	2,267.66	1/2	2,159.09	1/2	2,050.51
5/8	3,894.04	5/8	3,785.47	5/8	3,676.89	5/8	3,568.31	5/8	3,459.74	5/8	3,351.16	5/8	3,242.59	5/8	3,134.01	5/8	3,025.43	5/8	2,916.86	5/8	2,808.28	5/8	2,699.71	5/8	2,591.13	5/8	2,482.55	5/8	2,373.98	5/8	2,265.40	5/8	2,156.83	5/8	2,048.25
3/4	3,891.78	3/4	3,783.20	3/4	3,674.63	3/4	3,566.05	3/4	3,457.48	3/4	3,348.90	3/4	3,240.32	3/4	3,131.75	3/4	3,023.17	3/4	2,914.60	3/4	2,806.02	3/4	2,697.44	3/4	2,588.87	3/4	2,480.29	3/4	2,371.72	3/4	2,263.14	3/4	2,154.56	3/4	2,045.99
7/8	3,889.52	7/8	3,780.94	7/8	3,672.37	7/8	3,563.79	7/8	3,455.21	7/8	3,346.64	7/8	3,238.06	7/8	3,129.49	7/8	3,020.91	7/8	2,912.33	7/8	2,803.76	7/8	2,695.18	7/8	2,586.61	7/8	2,478.03	7/8	2,369.45	7/8	2,260.88	7/8	2,152.30	7/8	2,043.73
2	3,887.26	8	3,778.68	2	3,670.10	8	3,561.53	2	3,452.95	8	3,344.38	2	3,235.80	8	3,127.22	2	3,018.65	8	2,910.07	2	2,801.50	8	2,692.92	2	2,584.34	8	2,475.77	2	2,367.19	8	2,258.62	2	2,150.04	8	2,041.46
1/8	3,884.99	1/8	3,776.42	1/8	3,667.84	1/8	3,559.27	1/8	3,450.69	1/8	3,342.11	1/8	3,233.54	1/8	3,124.96	1/8	3,016.39	1/8	2,907.81	1/8	2,799.23	1/8	2,690.66	1/8	2,582.08	1/8	2,473.51	1/8	2,364.93	1/8	2,256.35	1/8	2,147.78	1/8	2,039.20
1/4	3,882.73	1/4	3,774.16	1/4	3,665.58	1/4	3,557.00	1/4	3,448.43	1/4	3,339.85	1/4	3,231.28	1/4	3,122.70	1/4	3,014.12	1/4	2,905.55	1/4	2,796.97	1/4	2,688.40	1/4	2,579.82	1/4	2,471.24	1/4	2,362.67	1/4	2,254.09	1/4	2,145.52	1/4	2,036.94
3/8	3,880.47	3/8	3,771.89	3/8	3,663.32	3/8	3,554.74	3/8	3,446.17	3/8	3,337.59	3/8	3,229.01	3/8	3,120.44	3/8	3,011.86	3/8	2,903.29	3/8	2,794.71	3/8	2,686.13	3/8	2,577.56	3/8	2,468.98	3/8	2,360.41	3/8	2,251.83	3/8	2,143.25	3/8	2,034.68
1/2	3,878.21	1/2	3,769.63	1/2	3,661.06	1/2	3,552.48	1/2	3,443.90	1/2	3,335.33	1/2	3,226.75	1/2	3,118.18	1/2	3,009.60	1/2	2,901.02	1/2	2,792.45	1/2	2,683.87	1/2	2,575.30	1/2	2,466.72	1/2	2,358.14	1/2	2,249.57	1/2	2,140.99	1/2	2,032.42
5/8	3,875.95	5/8	3,767.37	5/8	3,658.79	5/8	3,550.22	5/8	3,441.64	5/8	3,333.07	5/8	3,224.49	5/8	3,115.91	5/8	3,007.34	5/8	2,898.76	5/8	2,790.19	5/8	2,681.61	5/8	2,573.03	5/8	2,464.46	5/8	2,355.88	5/8	2,247.31	5/8	2,138.73	5/8	2,030.15
3/4	3,873.68	3/4	3,765.11	3/4	3,656.53	3/4	3,547.96	3/4	3,439.38	3/4	3,330.80	3/4	3,222.23	3/4	3,113.65	3/4	3,005.08	3/4	2,896.50	3/4	2,787.92	3/4	2,679.35	3/4	2,570.77	3/4	2,462.20	3/4	2,353.62	3/4	2,245.04	3/4	2,136.47	3/4	2,027.89
7/8	3,871.42	7/8	3,762.85	7/8	3,654.27	7/8	3,545.69	7/8	3,437.12	7/8	3,328.54	7/8	3,219.97	7/8	3,111.39	7/8	3,002.81	7/8	2,894.24	7/8	2,785.66	7/8	2,677.09	7/8	2,568.51	7/8	2,459.93	7/8	2,351.36	7/8	2,242.78	7/8	2,134.21	7/8	2,025.63
3	3,869.16	9	3,760.58	3	3,652.01	9	3,543.43	3	3,434.86	9	3,326.28	3	3,217.70	9	3,109.13	3	3,000.55	9	2,891.98	3	2,783.40	9	2,674.82	3	2,566.25	9	2,457.67	3	2,349.10	9	2,240.52	3	2,131.94	9	2,023.37
1/8	3,866.90	1/8	3,758.32	1/8	3,649.75	1/8	3,541.17	1/8	3,432.59	1/8	3,324.02	1/8	3,215.44	1/8	3,106.87	1/8	2,998.29	1/8	2,889.71	1/8	2,781.14	1/8	2,672.56	1/8	2,563.99	1/8	2,455.41	1/8	2,346.83	1/8	2,238.26	1/8	2,129.68	1/8	2,021.11
1/4	3,864.64	1/4	3,756.06	1/4	3,647.48	1/4	3,538.91	1/4	3,430.33	1/4	3,321.76	1/4	3,213.18	1/4	3,104.60	1/4	2,996.03	1/4	2,887.45	1/4	2,778.88	1/4	2,670.30	1/4	2,561.72	1/4	2,453.15	1/4	2,344.57	1/4	2,236.00	1/4	2,127.42	1/4	2,018.84
3/8	3,862.37	3/8	3,753.80	3/8	3,645.22	3/8	3,536.65	3/8	3,428.07	3/8	3,319.49	3/8	3,210.92	3/8	3,102.34	3/8	2,993.77	3/8	2,885.19	3/8	2,776.61	3/8	2,668.04	3/8	2,559.46	3/8	2,445.89	3/8	2,332.31	3/8	2,223.73	3/8	2,115.16	3/8	2,006.58
1/2	3,860.11	1/2	3,751.54	1/2	3,642.96	1/2	3,534.38	1/2	3,425.81	1/2	3,317.23	1/2	3,208.66	1/2	3,100.08	1/2	2,991.50	1/2	2,882.93	1/2	2,774.35	1/2	2,665.78	1/2	2,557.20	1/2	2,448.62	1/2	2,334.05	1/2	2,224.47	1/2	2,114.90	1/2	2,005.32
5/8	3,857.85	5/8	3,749.27	5/8	3,640.70	5/8	3,532.12	5/8	3,423.55	5/8	3,314.97	5/8	3,206.39	5/8	3,097.82	5/8	2,989.24	5/8	2,880.67	5/8	2,772.09	5/8	2,663.51	5/8	2,554.94	5/8	2,446.36	5/8	2,337.79	5/8	2,229.21	5/8	2,120.63	5/8	2,012.06
3/4	3,855.59	3/4	3,747.01	3/4	3,638.44	3/4	3,529.86	3/4	3,421.28	3/4	3,312.71	3/4	3,204.13	3/4	3,095.56	3/4	2,986.98	3/4	2,878.40	3/4	2,769.83	3/4	2,661.25	3/4	2,552										



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
STAR

OUTAGE TABLE

SHEET NO. 3 OF 4

HULL NO. 508

Table with 24 columns (IN 18 FT. to IN 26 FT.) and 24 rows (0 to 7/8). Each cell contains numerical values representing measurements and capacities.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

REFERENCE GAUGE HEIGHT : 28'-4 1/2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "ENERGY 6506"
HORNBECK OFFSHORE TRANSPORTATION, LLC

TANK NO. 6
STAR

OUTGAGE TABLE

SHEET NO. 4 OF 4

HULL NO. 508

IN	27 FT.	IN	27 FT.	IN	28 FT.	IN	28 FT.	IN	29 FT.	IN	29 FT.	IN	30 FT.	IN	30 FT.	IN	31 FT.	IN	31 FT.	IN	32 FT.	IN	32 FT.	IN	33 FT.	IN	33 FT.	IN	34 FT.	IN	34 FT.	IN	35 FT.	IN	35 FT.
0	156.94	6	92.23	0	34.50	6		0		6		0		6		0		6		0		6		0		6		0		6		0		6	
1/8	155.55	1/8	90.92	1/8	33.49	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	154.15	1/4	89.60	1/4	32.48	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	152.76	3/8	88.29	3/8	31.47	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	151.36	1/2	86.98	1/2	30.46	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	149.96	5/8	85.75	5/8	29.56	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	148.57	3/4	84.51	3/4	28.67	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	147.17	7/8	83.28	7/8	27.78	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
1	145.78	7	82.05	1	26.89	7		1		7		1		7		1		7		1		7		1		7		1		7		1		7	
1/8	144.38	1/8	80.82	1/8	26.00	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	142.98	1/4	79.59	1/4	25.10	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	141.59	3/8	78.36	3/8	24.21	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	140.19	1/2	77.13	1/2	23.32	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	138.80	5/8	75.90	5/8	22.55	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	137.40	3/4	74.67	3/4	21.77	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	136.00	7/8	73.44	7/8	21.00	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
2	134.61	8	72.20	2	20.23	8		2		8		2		8		2		8		2		8		2		8		2		8		2		8	
1/8	133.21	1/8	70.97	1/8	19.46	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	131.82	1/4	69.74	1/4	18.68	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	130.42	3/8	68.51	3/8	17.91	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	129.02	1/2	67.28	1/2	17.14	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	127.71	5/8	66.05	5/8	16.48	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	126.40	3/4	64.82	3/4	15.83	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	125.08	7/8	63.59	7/8	15.17	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
3	123.77	9	62.36	3	14.52	9		3		9		3		9		3		9		3		9		3		9		3		9		3		9	
1/8	122.45	1/8	61.13	1/8	13.87	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	121.14	1/4	59.89	1/4	13.21	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	119.83	3/8	58.66	3/8	12.56	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	118.51	1/2	57.43	1/2	11.90	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	117.20	5/8	56.20	5/8	11.37	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	115.88	3/4	54.97	3/4	10.83	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	114.57	7/8	53.74	7/8	10.30	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
4	113.26	10	52.51	4	9.76	10		4		10		4		10		4		10		4		10		4		10		4		10		4		10	
1/8	111.94	1/8	51.28	1/8	9.23	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	110.63	1/4	50.05	1/4	8.69	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	109.31	3/8	48.82	3/8	8.16	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	108.00	1/2	47.58	1/2	* 7.62	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	106.69	5/8	46.45	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	105.37	3/4	45.32	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	104.06	7/8	44.19	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	
5	102.74	11	43.06	5		11		5		11		5		11		5		11		5		11		5		11		5		11		5		11	
1/8	101.43	1/8	41.93	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8	
1/4	100.12	1/4	40.80	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
3/8	98.80	3/8	39.67	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8	
1/2	97.49	1/2	38.54	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
5/8	96.17	5/8	37.53	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8	
3/4	94.86	3/4	36.52	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7/8	93.55	7/8	35.51	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

STRAPPED: 6/25/07

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 28'-4 1/2" (TO MARK ON HERMETIC GAUGING DEVICE)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.